

NAME

avsum – Single-precision vector sum

SYNOPSIS

Fortran (77, 90, 95, HPF):

```
f77 [ flags ] file(s) ... -L/usr/local/lib -lgjl
      REAL FUNCTION avsum(x,n)
      INTEGER          n
      REAL             x(*)
```

C (K&R, 89, 99), C++ (98):

```
cc [ flags ] -I/usr/local/include file(s) ... -L/usr/local/lib -lgjl
```

Use

```
#include <gjl.h>
```

to get this prototype:

```
void avsum(fortran_single_precision * x_,
           const fortran_integer * n_);
```

NB: The definition of C/C++ data types **fortran_**xxx, and the mapping of Fortran external names to C/C++ external names, is handled by the C/C++ header file. That way, the same function or subroutine name can be used in C, C++, and Fortran code, independent of compiler conventions for mangling of external names in these programming languages.

DESCRIPTION

Return an accurate estimate of the sum $x(1) + x(2) + \dots + x(n)$ using double-precision summation.

AUTHORS

The algorithms and code are described in detail in the paper

Fast Gaussian Quadrature for Two Classes of Logarithmic Weight Functions

in ACM Transactions on Mathematical Software, Volume ??, Number ??, Pages ???--??? and ???--???, 20xx, by

Nelson H. F. Beebe
 Center for Scientific Computing
 University of Utah
 Department of Mathematics, 110 LCB
 155 S 1400 E RM 233
 Salt Lake City, UT 84112-0090
 Tel: +1 801 581 5254
 FAX: +1 801 581 4148
 Email: beebe@math.utah.edu, beebe@acm.org, beebe@computer.org
 WWW URL: <http://www.math.utah.edu/~beebe>

and

James S. Ball
 University of Utah
 Department of Physics
 Salt Lake City, UT 84112-0830
 USA
 Tel: +1 801 581 8397
 FAX: +1 801 581 6256
 Email: ball@physics.utah.edu
 WWW URL: <http://www.physics.utah.edu/people/faculty/ball.html>