

A Bibliography of the Algorithms from Applied Statistics

Nelson H. F. Beebe
Center for Scientific Computing
Department of Mathematics
University of Utah
Salt Lake City, UT 84112
USA

Tel: +1 801 581 5254

FAX: +1 801 581 4148

E-mail: Beebe@math.utah.edu (Internet)

02 March 1994

Version 1.03

Title word cross-reference

2×2 [BP77, MBDL81, Tho71]. NC_R [Gen75].
 \acute{e} [Lau82]. χ^2 [Dav80, Far84, Far87, BR75a].
 DO [Gen75]. F [FC85]. G [FC85]. I [DW87].
 K [HW79]. L_1 [Sad74, Far88]. L_p [SKG77].
 $M/ET/m$ [Smi87]. $\{P(l, k)\}$ [Cra81].
 $R \times C$ [Boy79, Bal88, Pat81, Sau84].
 S [PR72]. S_B [BS85b]. t [BSS82, Len89,
Tay70, Coo68b, Coo68c, YM74].
 U [Ode72, DB73]. W [DB76, Roy82b].
 x [Coo71].

- [FC85].

-**distribution** [Tay70, Coo68b, Coo68c].

-**Means** [HW79]. -**norm** [Sad74].

-**Projections** [DW87]. -**values** [Coo71].

Absolute [NW77, AK78].

Absorption [McP74].

Additive [RST78, Nel68a].

Algorithm [BB77, RST78, HW79, GHP80,
Cla81, Stu81, Zem81b, Sti81a, FK82, MS83,
Hop83, Cla83, Mel84, Rob84, FC85, Cla69,
Rid88, Mac89, Nel76]. **Alternative** [Cra81].

Amalgamation [Cra80].

Analysis [Ros69c, SPH⁺81, Gow69a, KP84,
Azz89, Lag69, Spa73, Haw74].

Ansari [DB76]. **Ansari-Bradley** [DB76].

Approximate [Wes77, Roy82a, MS83, DS83].

Approximating [DS78, Bal84, KD88].

Approximation [Smi87]. **ARIMA** [HM82].

ARMA [Cla83, MS83].

Array [Nel69, Fre70].

Arrays [Gow68, Hil71].

Association [Lea77a, LS81].

Asymptotic [Bro77].

Autocorrelation [Phi72a].

Automatic [Lin82].

Autoregressive [GHP80, Mel84, MM88,
She89, Azz89]. **Auxiliary** [Sti85a, Coo68a].

Average [Lev77, GHP80, Mel84, MM88,
She89, Hil70].

- back** [Cla81]. **Balanced** [MO82, Dew86].
Band [McG70]. **based** [Tan84].
Basic [Gen74]. **Best** [Gar71a].
Beta [CMT77, Bre78, AW79, Smi83, Len87, MB73a, MB73b]. **Between** [Mac84].
Binary [BC79, Mar87, Phi72b, Phi72a].
Binomial [CPS78, Smi83, Hil70, McP74, Wys74]. **Bivariate** [Cha80a, YM74].
Blocking [Dea87]. **BLUS** [Far76].
Bound [Sch84, Rob84, Rid88].
Bradley [DB76]. **Branch** [Rob84, Rid88].
- Calculating** [YM74]. **Calculation** [Cra81, MS83, Buc85, Gow69b, Lee70, Spi72, MH75].
Carlo [Buc85].
Case [Cra80, SPH⁺81, KP84].
Case-control [SPH⁺81, KP84].
Categorical [Stu81]. **Categories** [Lea77a].
Censored [LK78, Wol79a, Wol79b, Swa69a, EM86]. **central** [ND81, BSS82, Len89, Coo68c, YM74]. **centrality** [ND81].
Characteristic [Hil70].
Characteristics [Lev77, Boh86].
Chi [ND81, She88].
Chi-squared [ND81, She88]. **Chirp** [MB77].
Circular [MZ75a]. **Class** [Lev77].
Classification [BB77, Lag69].
Cluster [Ros69c, Spa73].
Clustering [HW79, Oeh79, PB74].
Code [Lea78, Mar87].
Coefficients [McL76].
Collapsibility [Gen89].
Collinearity [Cla82].
Column [Boy79, Jon80, Pat81].
Combination [Dav80, Far84].
Combinations [Gen75].
Combined [Mac84].
Combining [Jon80, Dea87].
Comparing [CPS78]. **Complex** [Mon75].
Component [Jon80, Dea87].
Computation [ND81, Har85, PD88].
Computer [TS69].
Computing [Lea77a, Len87, KD87, Haw74].
Conditional [SPH⁺81, KP84].
- Conditions** [Mac84].
Confidence [ND76, BP77, Buc85, Tho71].
Configurations [MR89].
Confined [Wol79a, Wol79b].
Congruential [Gol76].
Constrained [WD87].
Constraints [Sti81b, DW87].
Construct [Stu81].
Construction [HG80, Nel68a].
Contingency [LS81, MBDL81, Lin82, MR89, Hab72, MH75]. **Contrasts** [Zem81a].
control [SPH⁺81, KP84]. **Corner** [MM88].
Cornish [KD88]. **Cornish-Fisher** [KD88].
Correlation [Bro77, LB85, PD88, Dun89, MH75]. **Counting** [Cha80b, Cha80a, Mar87].
Covariance [WS77, DS78, LT89].
Covariates [LK78]. **Cram** [Lau82].
Critical [MBDL81, Buk75]. **Cross** [Fro74].
Cross-spectrum [Fro74].
Cumulative [Lun80, Len89].
Curve [Sti85b, Tho72].
Curves [DS83, BS85b, HHH76].
Customers [Smi87].
- Data** [Lea77a, LK78, Wol79a, Wol79b, Cha80a, Swa69a, Cla81, Stu81, FK82, Nel69, Tan84, EM86, BS76]. **Data-based** [Tan84].
Decomposability [Gen89].
Decomposition [Hea68b].
definite [Hea68a]. **Degrees** [Far87].
Dendrogram [Ban76].
Density [Rip79, Sil82].
Dependence [HWK83].
Dependent [Rip79]. **Derivatives** [Moo82].
Derived [HP71, Bak77].
Design [Jon80, MO82, Dea87].
Designs [Jon80, Zem81a, Zem81b, Dea87].
Detection [Cla82]. **Determinant** [Gow75].
Determining [Rob84]. **Deviate** [Cun69].
Deviation [Hea82]. **Deviations** [Spi72].
Diagonalization [FC85].
Diagram [Spa71b]. **Differences** [Mac84].
Digamma [Ber76]. **Dimension** [Gow68].
Dimensional [Žil78]. **Dimensions** [Hil71].

- Dip** [Har85]. **Direct** [OM82, MO82].
Directed [Oeh79].
Discrete [MB77, FK82, Mon75, Mon76].
Discriminant [Stu81].
Dispersion [Hui88, PP89, Cla71a, Haw74].
Distances [Ban76, WD87].
Distribution [ND76, SO77, BS77, Nea78, Fre79, Dav80, ND81, Fro82, Smi83, Far84, BS85a, Roy85, Hos85, EM86, Der86, Smi87, Far87, Wic88, Len89, DS89, LT89, Coo68a, PR72, DB73, Wys74, OE74, Ven74, MZ75d, BR75a, BS75, DB76, Tay70, Coo68b, Coo68c].
Distribution-free [ND76, Nea78, BS75].
Distributions [Bak77, Lea77b, Bre78, CPS78, Lea78, AI84]. **DO** [OM82].
DO-LOOPS [OM82].
Down [Gra81, Dow70]. **Durbin** [Far80].
Durbin-Watson [Far80].
- Effects** [Gow69b, Nel68b].
Efficient [Pat81, WH82, Nel69, Mar87].
Efron [Boh86]. **Efron-Morris** [Boh86].
Eigenvalues [LB85]. **Elements** [EM86].
Empirical [DS89]. **Enhanced** [Gen78].
Enumeration [Ber82, Sau84, Bal88].
Epidemiology [PB74]. **Equal** [Coo71].
Equality [PP89]. **Error** [Bro77, Sch84].
Errors [NW77]. **Estimate** [Cha80b, MH75].
Estimates [AK78, AK79, Cha80a].
Estimating [Wys74].
Estimation [LK78, Wol79a, Wol79b, GHP80, Swa69a, Sil82, HWK83, Smi83, Tan84, AI84, Hos85, Der86, BS76].
Estimator [Hea82]. **Estimators** [Boh86].
Euclidean [Spa73]. **Evaluation** [Gow69c, Bal88, LT89, McP74, Gol76]. **Exact** [Bak77, BP77, BC79, Fre79, GHP80, Fro82, Roy82a, Mel84, Bal88, She89, Tho71, CPS78].
Expansions [KD88]. **Expected** [Roy82a].
Experimental [Zem81b].
Experiments [MO82].
Exponential [LK78, Sti85b].
Extreme [Hos85, EM86].
Extreme-value [Hos85].
- Factorial** [Zem81a, MO82, Gow69a].
Factorization [Lau82]. **Factors** [Dea87].
Fast [Sil82, FK82, Mel84, Har87, Mon75, Mon76]. **Feature** [Rob84, Rid88].
Filtering [GHP80]. **Finding** [DW87].
Finite [HM82, DW87, HP71, Fro74].
Fisher [Fro82, EM86, KD88]. **Fit** [SKG77, Cla83, Tho72, Hab72, Sad74, DS89].
Fitting [WS77, Hab84, BS85a, BS85b, Sti85b, Sti85a, Far88, MR89, HHH76].
Five [BS85b]. **Fixed** [Ber82].
form [Jon80, Dea87]. **Format** [Yat71].
Formation [Nel69]. **Formatting** [Sti81c].
Forms [SO77]. **Formulae** [Rog73].
Fortran [RST78, Stu81, OM82, Yat71, Gen75]. **Fourier** [MB77, Sil82, FK82, Har87, Fro74, Mon75, Mon76].
free [ND76, Nea78, BS75]. **Freedom** [Far87].
Frequency [Lea77b, Lea78, Fre79, PR72].
Function [Ber76, CMT77, Sch78, CPS78, Stu81, Roy85, Len89, Mac89, DS89, Coo68a, O'N71, Phi72b, Phi72a, MB73b, MZ75d].
Functions [Zil78].
- Gamma** [Lau80, Moo82, She88, Mac89, Bha70]. **Gauss** [Cla82].
Gauss-Jordan [Cla82].
General [Lev77, MB77, Hab84].
Generalized [Hos85, Ode72].
Generating [Pat81].
Generation [Hei78, AW79, Zem81a, MO82, LB85, Mar87, Gen75].
Generator [WH82, SH72, DB73, DB76].
Generators [Gol76].
Given [Boy79, Pat81, Rob84].
Givens [Cla81]. **going** [Cla81].
Goodness [Cla83, DS89].
Goodness-of-fit [DS89].
Gram [Cla71b, Far74]. **Graph** [Oeh79].
Graphs [Nel76]. **Gray** [Mar87].
Greater [AW79]. **Grouped** [Swa69a, BS76].
- Half** [Spa70]. **Hazard** [Tan84].
Height [Dew86]. **hierarchical** [BB77].

- Histogram** [Spa71a]. **hit** [Tho72].
Hokstad [Smi87].
Homogeneity [MBDL81].
Hypergeometric [Lun80, Lee70, Fre73].
- Identifying** [MM88].
Improved [Sti81a, Rid88].
Incomplete [CMT77, Lau80, Zem81a, Moo82, She88, Bha70, MB73a, MB73b].
Independent [BDPR84].
Inequality [WD87, DW87].
Inference [BC78, PRW84, Boh75].
Information [EM86].
Integral [CMT77, Bar78, Lau80, Moo82, Coo68d, She88, Cun69, Tay70, Coo68b, Bha70, Coo68c, MB73a, Hil73, YM74].
Integrals [Dun89, Coo68a].
Interaction [Cla69]. **Interpreting** [Rog73].
Interval [BS75]. **Intervals** [ND76, Buc85].
Inverse [CMT77, Hui88, MB73b].
Inversion [Ken79, McG70, Gar71b, Hea68a].
Isotonic [BDPR84].
- Jackknife** [Mat80]. **James** [Boh86].
James-Stein [Boh86].
Johnson [Hil76, BS85b, HHH76].
Johnson-Normal [Hil76].
Joint [Lea77b, HG80]. **Jordan** [Cla82].
- Kalman** [GHP80]. **Kendall** [PR72, BG74].
Kernel [Sil82]. **Knox** [PB74].
Kurtosis [Roy85, MZ75b].
- Large** [Gen74]. **Largest** [Fre79, Ven74].
Latent [ST73].
Least [AK78, Sti81b, Sti85b, Gen74].
Length [MB77]. **Less** [AW79].
Level [PRW84]. **Levels** [Zem81a, Zem81b].
Likelihood [LK78, Wol79a, Wol79b, GHP80, Swa69a, Smi83, MS83, Mel84, AI84, Der86, Bal88, She89, Hos85, BS76].
Limits [BP77, Nea78, Tho71].
Line [SKG77, Far88, Sad74, AT73].
Linear [NW77, AK78, AK79, Wol79b, Dav80, Cla81, Sti81b, Hea82, Far84, Hab84, Sti85a, WD87, DW87, KD88, Gen74, Gen89, Hab72].
Linkage [Ban76, Ros69c]. **Location** [BS76].
Log [Hab84, Gen89, Hab72].
Log-Linear [Hab84, Gen89, Hab72].
Logarithm [Mac89].
Logistic [SPH⁺81, KP84, BS85a].
Loops [Gen75, OM82].
- Mahalanobis** [WD87]. **Main** [Nel68b].
Mann [Ode72, DB73].
Mann-Whitney [Ode72, DB73].
MANOVA [RST78].
Marginal [LS81, Gow69c].
MARMA [PD88]. **matched** [SPH⁺81].
Matrices [Hei78, LB85, PD88, PP89, McG70, Haw74].
Matrix [WS77, Her68a, Her68b, DS78, Ken79, MO82, EM86, Hui88, Gar71b, Cla71a, Hea68b, ST73, Hea68a, Gow75].
Max [AK79]. **Maximum** [LK78, Wol79a, Wol79b, GHP80, Swa69a, BSS82, Smi83, AI84, Hos85, Der86, BS76].
Maximum-likelihood [Hos85, BS76].
Mean [LT89, Cla71a, Spi72, Haw74].
Means [HW79, Cra80, Gow69c, Lag69, GHP80]. **Measurements** [Azz89].
Measures [Lea77a, MZ75b].
Mediancentre [BZ79, Gow74].
Method [Pat81, BS85a, MM88].
Mill [Swa69b]. **Min** [AK79].
Min-Max [AK79]. **Minimization** [O’N71].
Minimizing [WD87].
Minimum [NW77, Ros69a, Ros69b, Rog71].
Mises [MZ75d]. **Mixing** [Der86].
Mixtures [Bre78, AI84].
Model [WS77, RST78, Wol79b, Cla81, Lin82, Hab84, She89].
Models [Ken79, BC79, GHP80, MS83, Cla83, Mel84, Sti85a, MM88, Gen89, MR89].
Moments [BS85a, BS85b, HHH76].
Monte [Buc85]. **Morris** [Boh86].
Moving [Gen78, GHP80, Cla81, Mel84, MM88, She89].

- Multi** [Ber82, Nel68b, Boh75].
Multi-sets [Ber82].
Multi-variable [Boh75].
Multi-way [Nel68b].
Multidimensional [Gow68, LS81, MR89, Hab73]. **Multimodal** [Žil78].
Multinomial [Fre79]. **Multinormal** [LT89].
Multiple [NW77, AK79, BSS82].
Multiple- [BSS82]. **Multisample** [Sch82].
Multivariate [BC78, Rip79, SPH⁺81, Sch82, Sch84, KP84, BS85a, Dun89, Haw74, MZ75b].
Multiway [Krz70].
- Negative** [Wys74, SO77].
Nested [OM82, Gen75]. **Nodes** [Oeh79].
Non [SO77, BB77, MBDL81, ND81, Sch82, BSS82, Tan84, Len89, Coo68c, YM74].
Non-central [ND81, BSS82, Len89, Coo68c, YM74]. **Non-centrality** [ND81].
Non-hierarchical [BB77].
Non-negative [SO77].
Non-Parametric [Sch82, Tan84].
Non-randomized [MBDL81].
Noncentral [Len81, Far87].
Nonnegative [Far87].
Norm [SKG77, Far88, Sad74].
Normal [Hil76, SO77, BS77, Bar78, DS78, Wol79a, Wol79b, Swa69a, Roy82a, Hea82, Sch84, Bal84, BS85a, Cun69, Wic88, Dun89, Spa70, Hil73, OE74, YM74, Coo68d].
Normal-Johnson [Hil76].
Normality [Roy82b].
Normalizing [Her68a]. **Null** [Ven74, DB76].
Number [Lev77, WH82, RA88, Hil71].
Numbers [Ber82, Fre70].
Numerator [Lea77a].
- Odds** [BP77, Tho71]. **One** [Gow68, BC78, Nea78, Žil78, Tho72, Boh75, AW79, Cla81].
One-Dimensional [Žil78].
One-hit [Tho72].
One-sided [BC78, Nea78, Boh75].
Operating [Lev77, Boh86, Hil70].
Operator [Cla82]. **Optimal** [Rob84].
Optimization [Žil78]. **Optimum** [Lee87].
Order [DS78, Roy82a, HWK83, PRW84].
Ordered [Lea77a, Cra81].
Ordering [Cra80].
Ordinal [Lea77a, Mac84].
Orthogonal [Coo68e, Hei78, Dea87, Coo71, Gow75]. **Orthogonalization** [Cla71b].
- P** [Cla83, PD88]. **P.P.S** [HG80].
Pan [Far80]. **Parameter** [AW79, ND81, BS85b, Lee87, Azz89]. **Parameters** [Smi83, Hos85, Sti85a, Wys74, BS76].
Parametric [Sch82, Tan84]. **Part** [Sti85a].
Partial [LS81, PD88].
Patterns [Rip79, Mar87]. **Pearson** [DS83].
Percentage [BS77, DS83, KD88, Wic88, OE74, BR75a]. **Permutation** [FK82].
Permutational [Pet73].
Permutations [Ber82]. **Plans** [Lev77].
Plots [Gen78, Sti81a, TS69, AT73].
Plotting [Spa70, Spa71b, Spa71a].
Points [BS77, DS83, KD88, Wic88, OE74, BR75a]. **Poisson** [Fro82].
Polychoric [MH75]. **Polynomial** [Zem81a].
Polynomials [Coo68e, Coo71, McL76].
Population [LB85, PD88].
Populations [HP71]. **Portable** [WH82].
Positive [Far84, Hea68a].
Power [CPS78, Spi72]. **Prediction** [HM82].
Predictions [Mac84].
Printing [Ros69b, Hab73].
Probabilities [Lun80, Far80, Cra81, BSS82, LL83, Sch84, PRW84, Len87, HP71, Fre73, McP74, BG74, YM74, BR75b].
Probability [Bar78, HG80, ND81, Dun89].
Problem [AK78, AK79].
Problems [Gen74].
Procedure [Far80, Far88, O’N71].
Procedures [Gen74]. **Process** [Cha80b].
Processes [Cha80a, HM82].
Product [Dun89]. **Products** [Her68b].
Program [Wys74]. **Projections** [DW87].
Pseudo [WH82, Gol76].
Pseudo-random [WH82, Gol76].

Psi [Ber76].

Q [Cla83, PD88]. **Quadratic** [SO77].

Quantiles [LL83, KD87].

Quantitative [Zem81a, Zem81b].

Queues [Smi87].

r [Lau82]. **r-Wold** [Lau82].

Random [Hei78, AW79, Boy79, Dav80, Pat81, Far84, WH82, Gol76].

randomized [MBDL81].

Range [Bar78, LL83]. **Rank** [KD88].

Ranking [Fre70]. **Rankits** [Wes77].

Ratio [CMT77, BP77, Swa69b, Tho71, MB73b]. **Real** [Mon76].

Reciprocal [Swa69b].

Recursive [Bal88, Far88].

Regions [MBDL81].

Regression [NW77, AK78, AK79, Ken79, BC79, BDPR84, KD87, Far74].

Related [BSS82]. **Reliable** [Mac89].

Repeated [Sau84, Azz89].

Repetition [Ber82]. **Residuals** [Far76].

Resistant [Här87].

Restricted [PRW84, Nel69].

Revised [Hop83]. **Rho** [BR75b].

Ridge [Lee87]. **Robust** [Mac89].

Root [Ven74]. **Roots** [ST73].

Row [Boy79, Jon80, Pat81, Sau84].

Row-and-Column [Jon80].

Runs [Gra81, Dow70].

Runs-Down [Gra81]. **Runs-Up** [Gra81].

Sample [Nea78, HM82, PD88, Hil70, Lee70, Cla71a, BS75]. **Samples** [Rip79, Hea82].

Sampling [Lev77, HG80, Hil70, DB73, McP74]. **Scale** [Sti81c, TS69, BS76].

Scaling [Nel76].

Scatter [Gen78, Sti81a, Spa71b].

Schmidt [Cla71b, Far74]. **Scores** [Bal84].

Screening [Zem81b]. **Search** [Gar71a].

Seasonal [MS83]. **Sectioning** [Cha80a].

Selection [WS77, HG80, Sti81c, Lin82, TS69, Lee87, Rid88]. **Semi** [Hea68a].

Semi-definite [Hea68a].

Sequence [Phi72b, Phi72a].

Sequences [HWK83].

Sequential [Lev77, Hil70, McG70, McP74].

Series [Lau80, PD88]. **Set** [DW87].

Sets [Lea78, Ber82]. **Several** [Dea87].

sided [BP77, BC78, Nea78, Boh75].

Sign [Buk75].

Significance [BC79, Mac84, Pet73].

Simple [AK78, Lau80, Cra80, KD88, Far88, Nel76]. **Simplex** [O'N71]. **Simply** [Cra81].

Simulating [Gow68, Rip79, Gen75].

Simulation [OM82].

Single [Ban76, Ros69c]. **Six** [AT73].

Six-line [AT73]. **Size** [Rob84, Hil70, BS75].

Sizes [Nea78, Lee70].

Skewness [Roy85, MZ75b].

Smallest [EM86].

Smoothing [Här87, Fro74]. **Space** [PB74].

Space-Time [PB74].

Spanning [Ros69a, Ros69b, Rog71].

Sparse [Lea77b, Gen74]. **Spatial** [Rip79].

Spearman [BR75b]. **Specified** [LB85].

Spectral [Cha80a, Hop83, Gol76].

Spectrum [Cha80b, Fro74].

Spherical [MZ75c]. **squared** [ND81, She88].

Squares [Her68b, Sti81b, Bal84, Sti85b, Gen74]. **Standard** [Bro77, Hea82].

Statistic [Far80, Har85, Ode72, DB73, Ven74, DB76]. **Statistics** [DS78, Gen78, Roy82a, KD88, MZ75c, MZ75a].

Stein [Boh86]. **Storage** [Nel69].

Straight [SKG77, Far88, Sad74].

Stratified [KP84]. **Stratum** [SPH⁺81].

Stratum-matched [SPH⁺81].

Strong [Nea78]. **Structure** [Dun89, Rog73].

Structured [Lea78]. **Structures** [Krz70].

Student [Tay70, Coo68b].

Studentized [BSS82, LL83].

Studies [SPH⁺81, KP84].

Subject [Sti81b, DW87].

Subset [Rob84, Rid88, Gar71a].

Sufficient [MR89]. **Sum** [NW77, Bal84].

Sums [Her68b, Spi72]. **Survival** [LK78].

Sweep [Cla82]. **Symmetric** [Her68a, Ken79, Gar71b, Hea68b, ST73, Hea68a]. **Symmetrically** [Hea82]. **Systematic** [HG80].

Table [BP77, Gow69a, Azz89, Tho71, Nel68b, Nel68a]. **Tables** [Bak77, Boy79, Pat81, LS81, MBDL81, Lin82, Sau84, Bal88, MR89, Hab72, Hab73, MH75].

Tabulating [Lea77b, Lea78].

Tail [Far80, BG74, BR75b]. **tally** [RA88].

Tau [BG74]. **Test** [CPS78, MBDL81, Fro82, Roy82b, Hop83, Mac84, Har85, Dow70, PB74, Buk75, Gol76].

Testing [Cla83, Pet73]. **Tests** [BC79, Gra81, Sch82, DS89, PP89, Tho72].

Tetrachoric [Bro77]. **Time** [PD88, PB74].

Tolerance [Nea78, BS75].

Totals [Boy79, Pat81, Sau84].

Transfer [BB77]. **Transform** [MB77, Sil82, FK82, Här87, Fro74, Mon75, Mon76].

Transformations [Hil76].

Transposing [Krz70].

Tree [Ros69a, Ros69b, Rog71].

Trees [Dew86]. **Triangular** [Nel69, Hea68b].

Trigamma [Sch78]. **Trimmed** [Hea82].

Truncated [LT89, Wys74].

Two [Bak77, BP77, RST78, Nea78, CPS78, Jon80, BDPR84, Tho72]. **Two-hit** [Tho72].

Two-sided [BP77, Nea78].

Two-way [Bak77, RST78].

Ultrametric [Ban76].

Unbalanced [RST78].

Uncertainty [Phi72b].

Unconditional [MBDL81].

Unimodality [Har85]. **Unknown** [Azz89].

Updating [Hui88, MR89, Rog71, Cla71a].

Upper [LL83, BG74, BR75b].

Use [Coo68e, Coo71]. **Useful** [YM74].

Using [Här87, Sil82, DS83, Smi87, O'N71].

Value [AK78, EM86, Hos85].

Values [Buk75, Coo71].

Variable [Far87, Hil71, Yat71, Boh75].

Variables [SO77, Lea78, AW79, Dav80, Far84, BDPR84]. **Variance** [Fro82, Gow69a, Azz89, Lag69, Haw74]. **Variate** [SH72].

Vector [She89]. **Vectors** [ST73, Haw74].

via [Fro74]. **vs** [Tho72].

Watson [Far80].

way [Bak77, RST78, Nel68b].

Weighted [Gen74]. **Weights** [BC78].

Whitney [Ode72, DB73]. **Wishart** [SH72].

without [Cla81]. **Wold** [Lau82].

Zonal [McL76]. **ZPA** [MR89].

References

acmalg203

[AI84] M. Agha and M. T. Ibrahim. Maximum likelihood estimation of mixtures of distributions. *Appl. Statist.*, 33(3):327–332, September 1984.

acmalg132

[AK78] R. D. Armstrong and M. T. Kung. Least absolute value estimates for a simple linear regression problem. *Appl. Statist.*, 27(3):363–366, September 1978.

acmalg135

[AK79] R. D. Armstrong and D. S. Kung. Min-max estimates for a linear multiple regression problem. *Appl. Statist.*, 28(1):93–100, March 1979.

acmalg61

[AT73] D. F. Andrews and J. W. Tukey. Six-line plots. *Appl. Statist.*, 22(2):265–269, June 1973.

- [AW79] A. C. Atkinson and J. Whitaker. The generation of beta random variables with one parameter greater than and one parameter less than 1. *Appl. Statist.*, 28(1):90–93, March 1979. **acmalg134**
- [Azz89] A. Azzalini. An analysis of variance table for repeated measurements with unknown autoregressive parameter. *Appl. Statist.*, 38(2):402–411, June 1989. **acmalg246**
- [Bak77] R. J. Baker. Exact distributions derived from two-way tables. *Appl. Statist.*, 26(2):199–206, June 1977. **acmalg112**
- [Bal84] N. Balakrishnan. Approximating the sum of squares of normal scores. *Appl. Statist.*, 33(2):242–245, June 1984. **acmalg200**
- [Bal88] D. W. Balmer. Recursive enumeration of $r \times c$ tables for exact likelihood evaluation. *Appl. Statist.*, 37(2):290–301, June 1988. **acmalg236**
- [Ban76] C. F. Banfield. Ultrametric distances for a single linkage dendrogram. *Appl. Statist.*, 25(3):313–315, September 1976. **acmalg102**
- [Ban78] J. Barnard. Probability integral of the normal range. *Appl. Statist.*, 27(2):197–198, June 1978. **acmalg126**
- [BB77] C. F. Banfield and L. C. Bassill. A transfer algorithm for non-hierarchical classification. *Appl. Statist.*, 26(2):206–210, June 1977. **acmalg113**
- [BC78] R. Bohrer and W. Chow. Weights for one-sided multivariate inference. *Appl. Statist.*, 27(1):100–104, March 1978. **acmalg122**
- [BC79] L. Bayer and C. Cox. Exact tests of significance in binary regression models. *Appl. Statist.*, 28(3):319–324, September 1979. **acmalg142**
- [BDPR84] G. Bril, R. Dykstra, C. Pillers, and T. Robertson. Isotonic regression in two independent variables. *Appl. Statist.*, 33(3):352–357, September 1984. **acmalg206**
- [Ber76] J. M. Bernardo. Psi (digamma) function. *Appl. Statist.*, 25(3):315–317, September 1976. **acmalg103**
- [Ber82] K. J. Berry. Enumeration of all permutations of multi-sets with fixed repetition numbers. *Appl. Statist.*, 31(2):169–173, June 1982. **acmalg179**
- [BG74] D. J. Best and P. G. Gipps. The upper tail probabilities of Kendall's tau. *Appl. Statist.*, 23(1):98–100, March 1974. **acmalg71**
- [Bha70] G. P. Bhattacharjee. The incomplete gamma integral. *Appl. Statist.*, 19(2):197–198, June 1970. **acmalg32**

- Statist.*, 19(3):285–287, September 1970. **acmalg116**
- [Boh75] R. Bohrer. One-sided multi-variable inference. *Appl. Statist.*, 24(3):380–384, September 1975. **acmalg90**
- [Boh86] R. Bohrer. Operating characteristics of James-Stein and Efron-Morris estimators. *Appl. Statist.*, 35(2):226–232, June 1986. **acmalg220**
- [Boy79] J. M. Boyett. Random $R \times C$ tables with given row and column totals. *Appl. Statist.*, 28(3):329–332, September 1979. **acmalg144**
- [BP77] J. Baptista and M. C. Pike. Exact two-sided confidence limits for the odds ratio in a 2×2 table. *Appl. Statist.*, 26(2):214–220, June 1977. **acmalg115**
- [BR75a] D. J. Best and D. E. Roberts. The percentage points of the χ^2 distribution. *Appl. Statist.*, 24(3):385–388, September 1975. **acmalg91**
- [BR75b] D. J. Best and D. E. Roberts. The upper tail probabilities of Spearman's ρ . *Appl. Statist.*, 24(3):377–379, September 1975. **acmalg89**
- [Bre78] J. M. Bremner. Mixtures of beta distributions. *Appl. Statist.*, 27(1):104–109, March 1978. **acmalg123**
- [Bro77] M. B. Brown. The tetrachoric correlation and its asymptotic standard error. *Appl. Statist.*, 26(3):343–351, September 1977. **acmalg92**
- [BS75] P. Brooker and M. J. P. Selby. The sample size for a distribution-free tolerance interval. *Appl. Statist.*, 24(3):388–390, September 1975. **acmalg95**
- [BS76] R. T. Benn and S. Sidebottom. Maximum-likelihood estimation of location and scale parameters ζ from grouped data. *Appl. Statist.*, 25(1):88–93, March 1976. **acmalg111**
- [BS77] J. D. Beasley and S. G. Springer. The percentage points of the normal distribution. *Appl. Statist.*, 26(1):118–121, March 1977. **acmalg208**
- [BS85a] J. Bacon-Shone. Fitting a multivariate logistic normal distribution by the method of moments. *Appl. Statist.*, 34(1):81–86, March 1985. **acmalg210**
- [BS85b] J. Bacon-Shone. Fitting five parameter Johnson S_B curves by moments. *Appl. Statist.*, 34(1):95–100, March 1985. **acmalg184**
- [BSS82] R. Bohrer, M. Schervish, and J. Sheft. Non-central Studentized maximum and related multiple- t probabilities. *Appl. Statist.*, 31(3):309–317, September 1982.

- [Buc85] S. T. Buckland. Calculation of Monte Carlo confidence intervals. *Appl. Statist.*, 34(3):296–301, September 1985. **acmalg214**
- [Buc75] J. Bukač. Critical values of the sign test. *Appl. Statist.*, 24(2):265–267, June 1975. **acmalg85**
- [BZ79] F. K. Bedall and H. Zimmermann. The mediancentre. *Appl. Statist.*, 28(3):325–328, September 1979. **acmalg143**
- [Cha80a] D. M. Charnock. Spectral estimates for bivariate counting processes by sectioning the data. *Appl. Statist.*, 29(2):214–220, June 1980. **acmalg151**
- [Cha80b] D. M. Charnock. Spectrum estimate for a counting process. *Appl. Statist.*, 29(2):211–214, June 1980. **acmalg150**
- [Cla69] P. J. Claringbold. The interaction algorithm. *Appl. Statist.*, 18(3):283–287, September 1969. **acmalg22**
- [Cla71a] M. R. B. Clarke. Updating the sample mean and dispersion matrix. *Appl. Statist.*, 20(2):206–209, June 1971. **acmalg41**
- [Cla71b] D. G. Clayton. Gram–Schmidt orthogonalization. *Appl. Statist.*, 20(3):335–338, September 1971. **acmalg46**
- [Cla81] M. R. B. Clarke. A Givens algorithm for moving from one linear model to another without going back to the data. *Appl. Statist.*, 30(2):198–203, June 1981. **acmalg163**
- [Cla82] M. R. B. Clarke. The Gauss–Jordan sweep operator with detection of collinearity. *Appl. Statist.*, 31(2):166–168, June 1982. **acmalg178**
- [Cla83] B. R. Clarke. An algorithm for testing goodness of fit of $arma(p, q)$ models. *Appl. Statist.*, 32(3):335–344, September 1983. **acmalg194**
- [CMT77] G. W. Cran, K. J. Martin, and G. E. Thomas. The incomplete beta integral and the inverse of the incomplete beta function ratio. *Appl. Statist.*, 26(1):111–114, March 1977. **acmalg109**
- [Coo68a] B. E. Cooper. An auxiliary function for distribution integrals. *Appl. Statist.*, 17(2):190–192, June 1968. **acmalg4**
- [Coo68b] B. E. Cooper. The integral of Student’s t -distribution. *Appl. Statist.*, 17(2):189–190, June 1968. **acmalg3**
- [Coo68c] B. E. Cooper. The integral of the non-central t -distribution. *Appl. Statist.*, 17(2):193–194, June 1968. **acmalg5**

- [Coo68d] B. E. Cooper. The Normal integral. *Appl. Statist.*, 17(2):186–188, June 1968. **acmalg2**
- [Coo68e] B. E. Cooper. The use of orthogonal polynomials. *Appl. Statist.*, 17(3):283–287, September 1968. **acmalg10**
- [Coo71] B. E. Cooper. The use of orthogonal polynomials with equal x -values. *Appl. Statist.*, 20(2):209–213, June 1971. **acmalg42**
- [CPS78] J. T. Casagrande, M. C. Pike, and P. G. Smith. The power function of the ‘exact’ test for comparing two binomial distributions. *Appl. Statist.*, 27(2):212–219, June 1978. **acmalg129**
- [Cra80] G. W. Cran. Amalgamation of means in the case of simple ordering. *Appl. Statist.*, 29(2):209–211, June 1980. **acmalg149**
- [Cra81] G. W. Cran. Calculation of the probabilities $\{P(l, k)\}$ for the simply ordered alternative. *Appl. Statist.*, 30(1):85–91, March 1981. **acmalg158**
- [Cun69] S. W. Cunningham. From normal integral to deviate. *Appl. Statist.*, 18(3):290–293, September 1969. **acmalg24**
- [Dav80] R. B. Davies. The distribution of a linear combination of χ^2 random variables. *Appl. Statist.*, 29(3):323–333, September 1980. **acmalg155**
- [DB73] L. C. Dinneen and B. C. Blakesley. A generator for the sampling distribution of the Mann-Whitney U statistic. *Appl. Statist.*, 22(2):269–273, June 1973. **acmalg62**
- [DB76] L. C. Dinneen and B. C. Blakesley. A generator for the null distribution of the Ansari-Bradley W Statistic. *Appl. Statist.*, 25(1):75–81, March 1976. **acmalg93**
- [Dea87] A. M. Dean. Combining component designs to form a design with several orthogonal blocking factors. *Appl. Statist.*, 36(2):228–234, June 1987. **acmalg224**
- [Der86] R. DerSimonian. Maximum likelihood estimation of a mixing distribution. *Appl. Statist.*, 35(3):302–309, September 1986. **acmalg221**
- [Dew86] M. E. Dewey. Height balanced trees. *Appl. Statist.*, 35(2):220–226, June 1986. **acmalg219**
- [Dow70] D. Y. Downham. The runs up and down test. *Appl. Statist.*, 19(2):190–192, June 1970. **acmalg29**
- [DS78] C. S. Davis and M. A. Stephens. Approximating the covariance matrix of normal order statistics. *Appl. Statist.*, 27(2):206–212, June 1978. **acmalg128**

- [DS83] **acmalg192**
C. S. Davis and M. A. Stephens. Approximate percentage points using Pearson curves. *Appl. Statist.*, 32(3):322–327, September 1983.
- [DS89] **acmalg248**
C. S. Davis and M. A. Stephens. Empirical distribution function goodness-of-fit tests. *Appl. Statist.*, 38(3):535–543, September 1989.
- [Dun89] **acmalg251**
C. W. Dunnett. Multivariate normal probability integrals with product correlation structure. *Appl. Statist.*, 38(3):564–579, September 1989.
- [DW87] **acmalg228**
R. L. Dykstra and P. C. Wollan. Finding I -projections subject to a finite set of linear inequality constraints. *Appl. Statist.*, 36(3):377–383, September 1987.
- [EM86] **acmalg218**
L. A. Escobar and W. Q. Meeker Jr. Elements of the Fisher information matrix for the smallest extreme value distribution and censored data. *Appl. Statist.*, 35(1):80–86, March 1986.
- [Far74] **acmalg79**
R. W. Farebrother. Gram-Schmidt regression. *Appl. Statist.*, 23(3):470–476, September 1974.
- [Far76] **acmalg104**
R. W. Farebrother. BLUS residuals. *Appl. Statist.*, 25(3):317–322, September 1976.
- [Far80] **acmalg153**
R. W. Farebrother. Pan’s procedure for the tail probabilities of the Durbin-Watson statistic. *Appl. Statist.*, 29(2):224–227, June 1980.
- [Far84] **acmalg204**
R. W. Farebrother. The distribution of a positive linear combination of χ^2 random variables. *Appl. Statist.*, 33(3):332–339, September 1984.
- [Far87] **acmalg231**
R. W. Farebrother. The distribution of a noncentral χ^2 variable with nonnegative degrees of freedom. *Appl. Statist.*, 36(3):402–405, September 1987.
- [Far88] **acmalg238**
R. W. Farebrother. A simple recursive procedure for the L_1 norm fitting of a straight line. *Appl. Statist.*, 37(3):457–465, September 1988.
- [FC85] **acmalg211**
B. N. Flury and G. Constantine. The F - G diagonalization algorithm. *Appl. Statist.*, 34(2):177–183, June 1985.
- [FK82] **acmalg186**
A. Francik and J. Kościelniak. Fast algorithm of data permutation in discrete fast Fourier transform. *Appl. Statist.*, 31(3):327–330, September 1982.
- [Fre70] **acmalg26**
P. R. Freeman. Ranking an array of numbers. *Appl. Statist.*, 19(1):111–113, March 1970.

- [Fre73] P. R. Freeman. Hypergeometric probabilities. *Appl. Statist.*, 22(1):130–133, March 1973. **acmalg59**
- [Fre79] P. R. Freeman. Exact distribution of the largest multinomial frequency. *Appl. Statist.*, 28(3):333–336, September 1979. **acmalg145**
- [Fro74] E. L. Frome. Cross-spectrum smoothing via the finite Fourier transform. *Appl. Statist.*, 23(2):238–244, June 1974. **acmalg73**
- [Fro82] E. L. Frome. Fisher’s exact variance test for the Poisson distribution. *Appl. Statist.*, 31(1):67–71, March 1982. **acmalg171**
- [Gar71a] M. J. Garside. Best subset search. *Appl. Statist.*, 20(1):112–115, March 1971. **acmalg38**
- [Gar71b] M. J. Garside. Inversion of a symmetric matrix. *Appl. Statist.*, 20(1):111–112, March 1971. **acmalg37**
- [Gen74] W. M. Gentleman. Basic procedures for large, sparse or weighted linear least squares problems. *Appl. Statist.*, 23(3):448–454, September 1974. **acmalg75**
- [Gen75] J. F. Gentleman. Generation of all $N C_R$ combinations by simulating nested Fortran *DO* loops. *Appl. Statist.*, 24(3):374–376, September 1975. **acmalg130**
- [Gen78] J. F. Gentleman. Moving statistics for enhanced scatter plots. *Appl. Statist.*, 27(3):354–358, September 1978. **acmalg244**
- [Gen89] Z. Geng. Decomposability and collapsibility for log-linear models. *Appl. Statist.*, 38(1):189–197, March 1989. **acmalg154**
- [GHP80] G. Gardner, A. C. Harvey, and G. D. A. Phillips. An algorithm for exact maximum likelihood estimation of autoregressive moving average models by means of Kalman filtering. *Appl. Statist.*, 29(3):311–322, September 1980. **acmalg98**
- [Gol76] E. R. Golder. The spectral test for the evaluation of congruential pseudo-random generators. *Appl. Statist.*, 25(2):173–180, June 1976. **acmalg1**
- [Gow68] J. C. Gower. Simulating multidimensional arrays in one dimension. *Appl. Statist.*, 17(2):180–185, June 1968. **acmalg19**
- [Gow69a] J. C. Gower. Analysis of variance for a factorial table. *Appl. Statist.*, 18(2):199–202, June 1969. **acmalg23**
- [Gow69b] J. C. Gower. Calculation of effects. *Appl. Statist.*, 18(3):287–290, September 1969.

- [Gow69c] J. C. Gower. Evaluation of marginal means. *Appl. Statist.*, 18(2):197–199, June 1969. **acmalg18**
- [Gow74] J. C. Gower. The mediant-centre. *Appl. Statist.*, 23(3):466–470, September 1974. **acmalg78**
- [Gow75] J. C. Gower. The determinant of an orthogonal matrix. *Appl. Statist.*, 24(1):150–153, March 1975. **acmalg82**
- [Gra81] R. G. T. Grafton. The runs-up and runs-down tests. *Appl. Statist.*, 30(1):81–85, March 1981. **acmalg157**
- [Hab72] S. J. Haberman. Log-linear fit for contingency tables. *Appl. Statist.*, 21(2):218–225, June 1972. **acmalg51**
- [Hab73] S. J. Haberman. Printing multi-dimensional tables. *Appl. Statist.*, 22(1):118–126, March 1973. **acmalg57**
- [Hab84] M. Haber. Fitting a general log-linear model. *Appl. Statist.*, 33(3):358–362, September 1984. **acmalg207**
- [Har85] P. M. Hartigan. Computation of the dip statistic to test for unimodality. *Appl. Statist.*, 34(3):320–325, September 1985. **acmalg217**
- [Här87] W. Härdle. Resistant smoothing using the fast Fourier transform. *Appl. Statist.*, 36(1):104–111, March 1987. **acmalg222**
- [Haw74] D. M. Hawkins. Computing mean vectors and dispersion matrices in multivariate analysis of variance. *Appl. Statist.*, 23(2):234–238, June 1974. **acmalg72**
- [Hea68a] M. J. R. Healy. Inversion of a positive semi-definite symmetric matrix. *Appl. Statist.*, 17(2):198–199, June 1968. **acmalg7**
- [Hea68b] M. J. R. Healy. Triangular decomposition of a symmetric matrix. *Appl. Statist.*, 17(2):195–197, June 1968. **acmalg6**
- [Hea82] M. J. R. Healy. A linear estimator of standard deviation in symmetrically trimmed normal samples. *Appl. Statist.*, 31(2):174–175, June 1982. **acmalg180**
- [Hei78] R. M. Heiberger. Generation of random orthogonal matrices. *Appl. Statist.*, 27(2):199–206, June 1978. **acmalg127**
- [Her68a] C. Herraman. Normalizing a symmetric matrix. *Appl. Statist.*, 17(3):287–288, September 1968. **acmalg11**

- [Her68b] C. Herraman. Sums of squares and products matrix. *Appl. Statist.*, 17(3):289–292, September 1968. **acmalg12**
- [HG80] M. A. Hidioglou and G. B. Gray. Construction of joint probability of selection for systematic P.P.S. sampling. *Appl. Statist.*, 29(1):107–112, March 1980. **acmalg146**
- [HHH76] I. D. Hill, R. Hill, and R. L. Holder. Fitting Johnson curves by moments. *Appl. Statist.*, 25(2):180–189, June 1976. **acmalg99**
- [Hil70] I. D. Hill. Operating characteristic and average sample size for binomial sequential sampling. *Appl. Statist.*, 19(2):197–203, June 1970. **acmalg31**
- [Hil71] I. D. Hill. Arrays with a variable number of dimensions. *Appl. Statist.*, 20(1):115–117, March 1971. **acmalg39**
- [Hil73] I. D. Hill. The normal integral. *Appl. Statist.*, 22(3):424–427, September 1973. **acmalg66**
- [Hil76] I. D. Hill. Normal-Johnson and Johnson-normal transformations. *Appl. Statist.*, 25(2):190–192, June 1976. **acmalg100**
- [HM82] A. C. Harvey and C. R. McKenzie. Finite sample prediction from ARIMA processes. *Appl. Statist.*, 31(2):180–187, June 1982. **acmalg193**
- [Hop83] T. R. Hopkins. A revised algorithm for the spectral test. *Appl. Statist.*, 32(3):328–335, September 1983. **acmalg215**
- [Hos85] J. R. M. Hosking. Maximum-likelihood estimation of the parameters of the generalized extreme-value distribution. *Appl. Statist.*, 34(3):301–310, September 1985. **acmalg35**
- [HP71] I. D. Hill and R. Peto. Probabilities derived from finite populations. *Appl. Statist.*, 20(1):99–105, March 1971. **acmalg240**
- [Hui88] Yer Van Hui. Updating the inverse of the dispersion matrix. *Appl. Statist.*, 37(3):474–477, September 1988. **acmalg136**
- [HW79] J. A. Hartigan and M. A. Wong. A K -means clustering algorithm. *Appl. Statist.*, 28(1):100–108, March 1979. **acmalg188**
- [HWK83] T. R. Hopkins, P. H. Welch, and J. Köllerström. Estimation of the order of dependence in sequences. *Appl. Statist.*, 32(2):185–196, June 1983. **acmalg156**
- [Jon80] B. Jones. Combining two component designs to form a row-and-

- column design. *Appl. Statist.*, 29(3):334–337, September 1980. **acmalg229**
- [KD87] R. W. Koenker and V. D’Orey. Computing regression quantiles. *Appl. Statist.*, 36(3):383–393, September 1987. **acmalg234**
- [KD88] A. J. Koning and R. J. M. M. Does. Approximating the percentage points of simple linear rank statistics with Cornish-Fisher expansions. *Appl. Statist.*, 37(2):278–284, June 1988. **acmalg141**
- [Ken79] P. Kent. Inversion of a symmetric matrix in regression models. *Appl. Statist.*, 28(2):214–217, June 1979. **acmalg196**
- [KP84] M. D. Krailo and M. C. Pike. Conditional multivariate logistic analysis of stratified case-control studies. *Appl. Statist.*, 33(1):95–103, March 1984. **acmalg28**
- [Krz70] W. J. Krzanowski. Transposing multiway structures. *Appl. Statist.*, 19(1):115–118, March 1970. **acmalg25**
- [Lag69] V. K. Lagoo. Classification of means from analysis of variance. *Appl. Statist.*, 18(3):294–298, September 1969. **acmalg147**
- [Lau80] C. L. Lau. A simple series for the incomplete gamma integral. *Appl. Statist.*, 29(1):113–114, March 1980. **acmalg175**
- [Lau82] D. P. Laurie. Cramér-Wold factorization. *Appl. Statist.*, 31(1):86–93, March 1982. **acmalg213**
- [LB85] S. P. Lin and R. B. Bendel. Generation of population correlation matrices with specified eigenvalues. *Appl. Statist.*, 34(2):193–198, June 1985. **acmalg114**
- [Lea77a] B. L. Leathers. Computing the numerator of ordinal measures of association when the data are ordered categories. *Appl. Statist.*, 26(2):211–213, June 1977. **acmalg119**
- [Lea77b] B. L. Leathers. Tabulating sparse joint frequency distributions. *Appl. Statist.*, 26(3):364–368, September 1977. **acmalg131**
- [Lea78] B. L. Leathers. Tabulating frequency distributions for variables with structured code sets. *Appl. Statist.*, 27(3):359–362, September 1978. **acmalg33**
- [Lee70] F. B. Leech. Calculation of hypergeometric sample sizes. *Appl. Statist.*, 19(3):287–289, September 1970. **acmalg223**
- [Lee87] T-S. Lee. Optimum ridge parameter selection. *Appl. Statist.*, 36(1):112–118, March 1987.

- [Len87] R. V. Lenth. Computing non-central beta probabilities. *Appl. Statist.*, 36(2):241–244, June 1987. **acmalg226**
- [Len89] R. V. Lenth. Cumulative distribution function of the non-central t distribution. *Appl. Statist.*, 38(1):185–189, March 1989. **acmalg243**
- [Lev77] B. Leventhal. Operating characteristics and average sampling number for a general class of sequential sampling plans. *Appl. Statist.*, 26(1):98–106, March 1977. **acmalg107**
- [Lin82] S. P. Lin. Automatic model selection in contingency tables. *Appl. Statist.*, 31(3):317–326, September 1982. **acmalg185**
- [LK78] S. W. Lagakos and M. H. Kuhns. Maximum likelihood estimation for censored exponential survival data with covariates. *Appl. Statist.*, 27(2):190–197, June 1978. **acmalg125**
- [LL83] R. E. Lund and J. R. Lund. Probabilities and upper quantiles for the Studentized range. *Appl. Statist.*, 32(2):204–210, June 1983. **acmalg190**
- [LS81] E. D. Lustbader and R. K. Stodola. Partial and marginal association in multidimensional contingency tables. *Appl. Statist.*, 30(1):97–105, March 1981. **acmalg160**
- [LT89] P. Leppard and G. M. Tallis. Evaluation of the mean and covariance of the truncated multinormal distribution. *Appl. Statist.*, 38(3):543–553, September 1989. **acmalg249**
- [Lun80] R. E. Lund. Cumulative hypergeometric probabilities. *Appl. Statist.*, 29(2):221–223, June 1980. **acmalg152**
- [Mac84] R. R. Macdonald. Combined significance test of differences between conditions and ordinal predictions. *Appl. Statist.*, 33(2):245–248, June 1984. **acmalg201**
- [Mac89] A. J. Macleod. A robust and reliable algorithm for the logarithm of the gamma function. *Appl. Statist.*, 38(2):397–402, June 1989. **acmalg245**
- [Mar87] N. W. A. Marsh. Efficient generation of all binary patterns by Gray code counting. *Appl. Statist.*, 36(2):245–249, June 1987. **acmalg227**
- [Mat80] N. S. Matloff. The jackknife. *Appl. Statist.*, 29(1):115–117, March 1980. **acmalg148**
- [MB73a] K. L. Majumder and G. P. Bhattacharjee. The incomplete beta integral. *Appl. Statist.*, 22(3):409–411, September 1973. **acmalg63**
- [MB73b] K. L. Majumder and G. P. Bhattacharjee. Inverse of the incom-

- plete beta function ratio. *Appl. Statist.*, 22(3):411–414, September 1973. **acmalg87**
- [MB77] D. M. Monro and J. L. Branch. The Chirp discrete Fourier transform of general length. *Appl. Statist.*, 26(3):351–361, September 1977. **acmalg117**
- [MBDL81] L. L. McDonald, H. R. Bauer III, B. M. Davis, and B. Laby. Critical regions of an unconditional non-randomized test of homogeneity in 2×2 contingency tables. *Appl. Statist.*, 30(2):182–189, June 1981. **acmalg161**
- [McG70] C. A. McGilchrist. Sequential inversion of band matrices. *Appl. Statist.*, 19(3):290–292, September 1970. **acmalg34**
- [McL76] M. L. McLaren. Coefficients of the zonal polynomials. *Appl. Statist.*, 25(1):82–87, March 1976. **acmalg94**
- [McP74] K. McPherson. The evaluation of absorption probabilities in sequential binomial sampling. *Appl. Statist.*, 23(1):83–86, March 1974. **acmalg67**
- [Mél84] G. Mélard. A fast algorithm for the exact likelihood of autoregressive moving average models. *Appl. Statist.*, 33(1):104–114, March 1984. **acmalg197**
- [MH75] E. O. Martinson and M. A. Hamdan. Calculation of the polychoric estimate of correlation in contingency tables. *Appl. Statist.*, 24(2):272–278, June 1975. **acmalg237**
- [MM88] B. Mareschal and G. Mélard. The corner method for identifying autoregressive moving average models. *Appl. Statist.*, 37(2):301–316, June 1988. **acmalg173**
- [MO82] G. MacKenzie and M. O’Flaherty. Direct design matrix generation for balanced factorial experiments. *Appl. Statist.*, 31(1):74–80, March 1982. **acmalg83**
- [Mon75] D. M. Monro. Complex discrete fast Fourier transform. *Appl. Statist.*, 24(1):153–160, March 1975. **acmalg97**
- [Mon76] D. M. Monro. Real discrete fast Fourier transform. *Appl. Statist.*, 25(2):166–172, June 1976. **acmalg187**
- [Moo82] R. J. Moore. Derivatives of the incomplete gamma integral. *Appl. Statist.*, 31(3):330–335, September 1982. **acmalg247**
- [MR89] B. P. Murphy and J. S. Rohl. Updating the sufficient configurations for fitting ZPA models to multidimensional contingency tables. *Appl. Statist.*, 38(2):412–420, June 1989.

- [MS83] A. I. McLeod and P. R. H. Sales. An algorithm for approximate likelihood calculation of ARMA and seasonal ARMA models. *Appl. Statist.*, 32(2):211–223, June 1983. **acmalg191**
- [Nea78] H. R. Neave. Sample sizes for one-sided and strong two-sided distribution-free tolerance limits. *Appl. Statist.*, 27(2):188–190, June 1978. **acmalg124**
- [MZ75a] K. V. Mardia and P. J. Zemroch. Circular statistics. *Appl. Statist.*, 24(1):147–150, March 1975. **acmalg81**
- [Nel68a] J. A. Nelder. Construction of additive table. *Appl. Statist.*, 17(3):279–283, September 1968. **acmalg9**
- [MZ75b] K. V. Mardia and P. J. Zemroch. Measures of multivariate skewness and kurtosis. *Appl. Statist.*, 24(2):262–265, June 1975. **acmalg84**
- [Nel68b] J. A. Nelder. Main effects from a multi-way table. *Appl. Statist.*, 17(3):277–279, September 1968. **acmalg8**
- [MZ75c] K. V. Mardia and P. J. Zemroch. Spherical statistics. *Appl. Statist.*, 24(1):144–146, March 1975. **acmalg80**
- [Nel69] J. A. Nelder. The efficient formation of a triangular array with restricted storage for data. *Appl. Statist.*, 18(2):203–206, June 1969. **acmalg20**
- [MZ75d] K. V. Mardia and P. J. Zemroch. The von Mises distribution function. *Appl. Statist.*, 24(2):268–272, June 1975. **acmalg86**
- [Nel76] J. A. Nelder. A simple algorithm for scaling graphs. *Appl. Statist.*, 25(1):94–96, March 1976. **acmalg96**
- [ND76] S. C. Narula and M. M. Desu. Distribution-free confidence intervals. *Appl. Statist.*, 25(3):309–312, September 1976. **acmalg101**
- [NW77] S. C. Narula and J. F. Wellington. Multiple linear regression with minimum sum of absolute errors. *Appl. Statist.*, 26(1):106–111, March 1977. **acmalg108**
- [ND81] S. C. Narula and M. M. Desu. Computation of probability and non-centrality parameter of a non-central chi-squared distribution. *Appl. Statist.*, 30(3):349–352, September 1981. **acmalg170**
- [Ode72] R. E. Odeh. The generalized Mann-Whitney U statistic. *Appl. Statist.*, 21(3):348–351, September 1972. **acmalg55**
- [OE74] R. E. Odeh and J. O. Evans. The percentage points of the normal **acmalg70**

- distribution. *Appl. Statist.*, 23(1): 96–97, March 1974. **acmalg140**
- [Oeh79] G. W. Oehlert. Clustering the nodes of a directed graph. *Appl. Statist.*, 28(2):206–214, June 1979. **acmalg172**
- [OM82] M. O’Flaherty and G. Mackenzie. Direct simulation of nested Fortran *do-loops*. *Appl. Statist.*, 31(1): 71–74, March 1982. **acmalg47**
- [O’N71] R. O’Neill. Function minimization using a simplex procedure. *Appl. Statist.*, 20(3):338–345, September 1971. **acmalg159**
- [Pat81] W. M. Patefield. An efficient method of generating random $R \times C$ tables with given row and column totals. *Appl. Statist.*, 30(1): 91–97, March 1981. **acmalg69**
- [PB74] M. C. Pike and D. Bull. Knox test for space-time clustering in epidemiology. *Appl. Statist.*, 23(1): 92–95, March 1974. **acmalg232**
- [PD88] M. B. Pate and N. Davies. Computation of population and sample correlation and partial correlation matrices in *marma(p,q)* time series. *Appl. Statist.*, 37(1):127–138, March 1988. **acmalg56**
- [Pet73] R. Peto. Permutational significance testing. *Appl. Statist.*, 22(1): 112–118, March 1973. **acmalg49**
- [Phi72a] J. P. N. Phillips. Autocorrelation function for a binary sequence. *Appl. Statist.*, 21(1):100–103, March 1972. **acmalg48**
- [Phi72b] J. P. N. Phillips. Uncertainty function for a binary sequence. *Appl. Statist.*, 21(1):97–99, March 1972. **acmalg250**
- [PP89] A. M. Parhizgari and A. J. Prakash. Tests of the equality of dispersion matrices. *Appl. Statist.*, 38(3):553–564, September 1989. **acmalg54**
- [PR72] M. Panneton and P. Robillard. Kendall’s S frequency distribution. *Appl. Statist.*, 21(3):345–348, September 1972. **acmalg198**
- [PRW84] C. Pillers, T. Robertson, and F. T. Wright. The level probabilities of order restricted inference. *Appl. Statist.*, 33(1):115–119, March 1984. **acmalg235**
- [RA88] J. P. Royston and D. G. Altman. Number tally. *Appl. Statist.*, 37(2):285–290, June 1988. **acmalg233**
- [Rid88] M. S. Ridout. An improved branch and bound algorithm for feature subset selection. *Appl. Statist.*, 37(1):139–147, March 1988. **acmalg137**
- [Rip79] B. D. Ripley. Simulating spatial patterns: Dependent sam-

- ples from a multivariate density. *Appl. Statist.*, 28(1):109–112, March 1979.
- [Rob84] S. J. Roberts. A branch and bound algorithm for determining the optimal feature subset of given size. *Appl. Statist.*, 33(2):236–241, June 1984.
- [Rog71] J. H. Roger. Updating a minimum spanning tree. *Appl. Statist.*, 20(2):204–206, June 1971.
- [Rog73] C. E. Rogers. Interpreting structure formulae. *Appl. Statist.*, 22(3):414–424, September 1973.
- [Ros69a] G. J. S. Ross. Minimum spanning tree. *Appl. Statist.*, 18(1):103–104, March 1969.
- [Ros69b] G. J. S. Ross. Printing the minimum spanning tree. *Appl. Statist.*, 18(1):105–106, March 1969.
- [Ros69c] G. J. S. Ross. Single linkage cluster analysis. *Appl. Statist.*, 18(1):106–110, March 1969.
- [Roy82a] J. P. Royston. Expected normal order statistics (exact and approximate). *Appl. Statist.*, 31(2):161–165, June 1982.
- [Roy82b] J. P. Royston. The W test for normality. *Appl. Statist.*, 31(2):176–180, June 1982.
- [Roy85] J. P. Royston. The distribution function of skewness and kurtosis. *Appl. Statist.*, 34(1):87–94, March 1985.
- [RST78] D. B. Rubin, T. W. F. Stroud, and D. Thayer. A Fortran algorithm for the additive model in a two-way unbalanced MANOVA. *Appl. Statist.*, 27(1):92–97, March 1978.
- [Sad74] A. N. Sadovski. l_1 -norm fit of a straight line. *Appl. Statist.*, 23(2):244–248, June 1974.
- [Sau84] I. W. Saunders. Enumeration of $R \times C$ tables with repeated row totals. *Appl. Statist.*, 33(3):340–352, September 1984.
- [Sch78] B. E. Schneider. Trigamma function. *Appl. Statist.*, 27(1):97–99, March 1978.
- [Sch82] N. C. Schwertman. Multivariate multisample non-parametric tests. *Appl. Statist.*, 31(1):80–85, March 1982.
- [Sch84] M. J. Schervish. Multivariate normal probabilities with error bound. *Appl. Statist.*, 33(1):81–94, March 1984.
- [SH72] W. B. Smith and R. R. Hocking. Wishart variate generator. *Appl.*

acmalg209**acmalg199****acmalg120****acmalg40****acmalg74****acmalg65****acmalg205****acmalg13****acmalg121****acmalg14****acmalg174****acmalg15****acmalg195****acmalg177****acmalg181****acmalg53**

- Statist.*, 21(3):341–345, September 1972. **acmalg239**
- [She88] B. L. Shea. Chi-squared and incomplete gamma integral. *Appl. Statist.*, 37(3):466–473, September 1988. **acmalg242**
- [She89] B. L. Shea. The exact likelihood of a vector autoregressive moving average model. *Appl. Statist.*, 38(1):161–184, March 1989. **acmalg176**
- [Sil82] B. W. Silverman. Kernel density estimation using the fast Fourier transform. *Appl. Statist.*, 31(1):93–99, March 1982. **acmalg110**
- [SKG77] V. A. Sposito, W. J. Kennedy, and J. E. Gentle. L_p norm fit of a straight line. *Appl. Statist.*, 26(1):114–118, March 1977. **acmalg189**
- [Smi83] D. M. Smith. Maximum likelihood estimation of the parameters of the beta binomial distribution. *Appl. Statist.*, 32(2):196–204, June 1983. **acmalg230**
- [Smi87] V. L. Smith. Distribution of customers in $M/E_T/m$ queues using Hokstad’s approximation. *Appl. Statist.*, 36(3):394–401, September 1987. **acmalg106**
- [SO77] J. Sheil and I. O’Muircheartaigh. The distribution of non-negative quadratic forms in normal variables. *Appl. Statist.*, 26(1):92–98, March 1977. **acmalg30**
- [Spa70] D. N. Sparks. Half normal plotting. *Appl. Statist.*, 19(2):192–196, June 1970. **acmalg45**
- [Spa71a] D. N. Sparks. Histogram plotting. *Appl. Statist.*, 20(3):332–335, September 1971. **acmalg44**
- [Spa71b] D. N. Sparks. Scatter diagram plotting. *Appl. Statist.*, 20(3):327–331, September 1971. **acmalg58**
- [Spa73] D. N. Sparks. Euclidean cluster analysis. *Appl. Statist.*, 22(1):126–130, March 1973. **acmalg162**
- [SPH⁺81] P. G. Smith, M. C. Pike, A. P. Hill, N. E. Breslow, and N. E. Day. Multivariate conditional logistic analysis of stratum-matched case-control studies. *Appl. Statist.*, 30(2):190–197, June 1981. **acmalg52**
- [Spi72] C. C. Spicer. Calculation of power sums of deviations about the mean. *Appl. Statist.*, 21(2):226–227, June 1972. **acmalg60**
- [ST73] D. N. Sparks and A. D. Todd. Latent roots and vectors of a symmetric matrix. *Appl. Statist.*, 22(2):260–265, June 1973.

- [Sti81a] W. D. Stirling. An improved algorithm for scatter plots. *Appl. Statist.*, 30(3):345–349, September 1981. **acmalg169**
- [Sti81b] W. D. Stirling. Least squares subject to linear constraints. *Appl. Statist.*, 30(2):204–212, June 1981. **acmalg164**
- [Sti81c] W. D. Stirling. Scale selection and formatting. *Appl. Statist.*, 30(3):339–344, September 1981. **acmalg168**
- [Sti85a] W. D. Stirling. Fitting models with a linear part and auxiliary parameters. *Appl. Statist.*, 34(3):310–319, September 1985. **acmalg216**
- [Sti85b] W. D. Stirling. Fitting the exponential curve by least squares. *Appl. Statist.*, 34(2):183–192, June 1985. **acmalg212**
- [Stu81] E. Sturt. An algorithm to construct a discriminant function in Fortran for categorical data. *Appl. Statist.*, 30(3):313–325, September 1981. **acmalg165**
- [Swa69a] A. V. Swan. Maximum likelihood estimation from grouped and censored normal data. *Appl. Statist.*, 18(1):110–114, March 1969. **acmalg16**
- [Swa69b] A. V. Swan. The reciprocal of Mill’s ratio. *Appl. Statist.*, 18(1):115–116, March 1969. **acmalg17**
- [Tan84] M. A. Tanner. Data-based non-parametric hazard estimation. *Appl. Statist.*, 33(2):248–258, June 1984. **acmalg202**
- [Tay70] G. A. R. Taylor. The integral of Student’s t -distribution. *Appl. Statist.*, 19(1):113–114, March 1970. **acmalg27**
- [Tho71] D. G. Thomas. Exact confidence limits for the odds ratio in a 2×2 table. *Appl. Statist.*, 20(1):105–110, March 1971. **acmalg36**
- [Tho72] D. G. Thomas. Tests of fit for a one-hit vs. two-hit curve. *Appl. Statist.*, 21(1):103–112, March 1972. **acmalg50**
- [TS69] R. P. Thayer and R. F. Storer. Scale selection for computer plots. *Appl. Statist.*, 18(2):206–208, June 1969. **acmalg21**
- [Ven74] W. N. Venables. Null distribution of the largest root statistic. *Appl. Statist.*, 23(3):458–465, September 1974. **acmalg77**
- [WD87] P. C. Wollan and R. L. Dykstra. Minimizing linear inequality constrained Mahalanobis distances. *Appl. Statist.*, 36(2):234–240, June 1987. **acmalg225**

- [Wes77] B. Westcott. Approximate rankits. *Appl. Statist.*, 26(3):362–364, September 1977. **acmalg118**
- [WH82] B. A. Wichmann and I. D. Hill. An efficient and portable pseudo-random number generator. *Appl. Statist.*, 31(2):188–190, June 1982. **acmalg183**
- [Wic88] M. J. Wichura. The percentage points of the normal distribution. *Appl. Statist.*, 37(3):477–484, September 1988. **acmalg241**
- [Wol79a] M. S. Wolynetz. Maximum likelihood estimation from confined and censored normal data. *Appl. Statist.*, 28(2):185–195, June 1979. **acmalg138**
- [Wol79b] M. S. Wolynetz. Maximum likelihood estimation in a linear model from confined and censored normal data. *Appl. Statist.*, 28(2):195–206, June 1979. **acmalg139**
- [WS77] N. Wermuth and E. Scheidt. Fitting a covariance selection model to a matrix. *Appl. Statist.*, 26(1):88–92, March 1977. **acmalg105**
- [Wys74] G. Wyshak. A program for estimating the parameters of the truncated negative binomial distribution. *Appl. Statist.*, 23(1):87–91, March 1974. **acmalg68**
- [Yat71] F. Yates. Variable format in Fortran. *Appl. Statist.*, 20(2):213–216, June 1971. **acmalg43**
- [YM74] J. C. Young and Ch. E. Minder. An integral useful in calculating non-central t and bivariate normal probabilities. *Appl. Statist.*, 23(3):455–457, September 1974. **acmalg76**
- [Zem81a] P. J. Zemroch. Generation of polynomial contrasts for incomplete factorial designs with quantitative levels. *Appl. Statist.*, 30(3):325–333, September 1981. **acmalg166**
- [Zem81b] P. J. Zemroch. Screening algorithm for experimental designs with quantitative levels. *Appl. Statist.*, 30(3):334–339, September 1981. **acmalg167**
- [Žil78] A. Žilinskas. Optimization of one-dimensional multimodal functions. *Appl. Statist.*, 27(3):367–375, September 1978. **acmalg133**