

# A Bibliography of ACM Transactions on Mathematical Software

Nelson H. F. Beebe  
Center for Scientific Computing  
Department of Mathematics  
University of Utah  
Salt Lake City, UT 84112  
USA

Tel: +1 801 581 5254

FAX: +1 801 581 4148

E-mail: Beebe@math.utah.edu (Internet)

20 May 1995

Version 2.08

## Title word cross-reference

$x \geq 0, \nu \geq 0$  [124, 123, 205].  
- [680]. **-Cell** [786]. **-Dimensional** [211].  
**-Distribution** [799, 13, 336, 226].  
**-Hermite** [679]. **-Interpolation** [680].  
**-Percentiles** [800]. **-Quantiles** [14, 337].  
**-Splines** [564, 617]. **-Test** [615, 12].  
**2C** [385]. **2D** [635].  
**3-Dimensional** [789].  
**A1** [169, 255, 326]. **ABBPACK** [747].  
**ABDPACK** [747]. **Absolute** [455, 443].  
**Accelerated** [385, 854].  
**Acceleration** [425, 424]. **Acceptance** [462].  
**Acceptance-Complement** [462].  
**Access** [612]. **Accumulators** [120].  
**Accuracy** [718, 717, 472, 697, 391, 532].  
**Accurate** [51, 574, 695, 676, 772].  
 $0 - 1$  [496].  $A - \lambda B$  [781, 782].  $\mathbf{Ax} = \mathbf{b}$  [349].  
 $AX^2 + BX + C = 0$  [413].  
 $AXB^T + CXD^T = E$  [750, 749].  
 $C^1$  [657, 680].  $C^2$  [680, 679, 284].  
 $E_n(x)$  [435].  $\ell_1$  [281, 314, 313].  
 $F$  [800, 799, 615, 12].  $f(x)$  [401].  
 $H_p$  [451, 450].  $\mathbf{Ki}_n(x)$  [436, 435].  
 $h \rightarrow \infty$  [443].  $i$  [103].  $I_0$  [148].  
 $I_1(x)/I_0(x)$  [334, 330].  
 $I_{1.5}(x)/I_{0.5}(x)$  [334, 330].  
 $I_\nu(x)$  [124, 123, 205].  $i$ th [29].  
 $J_\nu(x)$  [124, 123, 205].  $k$  [786].  
 $L_1$  [280, 279, 315, 312].  $L_\infty$  [510].  
 $n$  [103, 29, 211].  $O(\log_2 k)$  [786].  
 $O(n(1 + \log(N/n)))$  [838].  $O(n^{1/2}\tau)$  [614].  
 $r \times c$  [540, 801, 18, 77].  
 $t$  [13, 14, 336, 337, 226].  $v$  [564, 617].  
 $x_{n+1} = f(x_n)$  [147].

**ACM** [17, 272, 7, 21, 1, 29, 8, 16, 30, 10, 13, 14, 417, 457, 542, 572, 684, 20, 18, 15, 12, 25, 26, 516, 471]. **ACRITH** [532].  
**Adams** [774, 400, 197, 245]. **ADAPT** [170].  
**Adaptive** [665, 724, 725, 756, 789, 263, 346, 345, 338, 320, 405, 211, 385, 44, 655, 276, 643, 68, 170, 460, 449, 206, 418].  
**Addendum** [225]. **Addition** [530, 598].  
**Adjoint** [824]. **Affine** [830]. **Aided** [547].  
**Aids** [555]. **Airy** [65, 351].  
**Algebra** [225, 395, 406, 711, 710, 590, 626, 589, 661, 660, 579, 236, 235, 607, 130].  
**Algebraic** [51, 69, 459, 45, 118, 107].  
**Algorithm** [280, 800, 693, 414, 17, 22, 179, 718, 562, 732, 465, 464, 623, 622, 754, 124, 297, 436, 437, 549, 675, 390, 408, 455, 298, 293, 332, 89, 492, 826, 730, 788, 180, 582, 54, 281, 349, 314, 507, 399, 11, 234, 125, 724, 725, 756, 789, 706, 300, 295, 705, 821, 656, 575, 7, 490, 631, 597, 839, 21, 169, 384, 186, 831, 135, 362, 494, 648, 761, 829, 777, 161, 814, 311, 350, 269, 630, 743, 126, 137, 369, 368, 795, 299, 841, 263, 801, 221, 412, 618, 770, 796, 771, 468, 520, 577, 650, 110, 551].  
**Algorithm** [360, 824, 518, 413, 853, 346, 345, 580, 760, 427, 711, 391, 458, 590, 661, 762, 392, 182, 177, 348, 834, 268, 270, 162, 160, 587, 1, 134, 561, 714, 147, 708, 425, 424, 835, 9, 29, 361, 181, 558, 254, 140, 19, 401, 431, 621, 204, 606, 750, 6, 8, 151, 251, 810, 438, 405, 16, 290, 111, 121, 30, 565, 856, 386, 739, 812, 448, 393, 2, 100, 624, 713, 10, 13, 14, 148, 334, 315, 429, 252, 522, 523, 539, 91, 47, 568, 847, 301, 296, 625, 659, 211, 302, 149, 5, 55, 122].  
**Algorithm** [686, 672, 836, 704, 385, 73, 213, 212, 825, 726, 76, 528, 403, 378, 236, 214, 594, 766, 376, 380, 497, 644, 326, 4, 527, 20, 237, 747, 18, 728, 404, 496, 344, 347, 136, 15, 423, 324, 540, 3, 271, 201, 784, 461, 570, 599, 657, 283, 325, 12, 673, 682, 758, 550, 764, 809, 64, 215, 495, 335, 736, 25, 377, 367, 683, 356, 303, 637, 638, 157, 469, 842, 28, 664, 483, 635, 680, 65, 402, 848, 688, 478, 479, 602, 603, 775, 411, 170, 471, 476, 481, 428, 741, 737, 586, 612, 716, 592, 90].  
**Algorithm** [74, 202, 793, 451, 75, 53, 712, 191, 432, 797, 474, 538, 99, 333, 329, 510, 238, 832, 203, 486, 646, 27, 282, 563, 640, 620, 253, 604, 190, 500, 26, 284, 578, 854, 150, 434, 112, 491, 24, 267, 440, 441, 229, 818, 205, 439, 691, 93, 228, 778, 77, 255, 67, 103, 396, 192, 615, 647, 102, 608, 395, 406, 806, 128, 78, 525, 57, 379, 258, 171, 394, 484, 692, 227, 193, 552, 516, 817, 387, 533, 579, 304, 415, 641, 722, 336, 337, 502, 690, 757, 113, 139, 116, 115, 256, 66, 607, 114, 226].  
**Algorithm** [58, 81, 534, 501, 416, 456, 470, 92, 80, 503, 351, 194, 669, 316, 152, 56, 172, 239, 257, 153, 370, 127, 79].  
**Algorithms** [596, 33, 272, 96, 310, 61, 350, 647, 487, 753, 781, 366, 343, 614, 83, 34, 95, 50, 105, 803, 187, 794, 386, 154, 141, 149, 850, 173, 216, 363, 417, 457, 505, 542, 572, 616, 642, 684, 723, 376, 375, 838, 101, 106, 131, 827, 555, 40, 104, 42, 808, 68, 524, 633, 198, 832, 578, 516, 690, 471, 380].  
**Allocation** [784]. **Allowing** [736].  
**Almost** [427, 426, 608, 747, 746, 454, 266].  
**Along** [681]. **Alternate** [427, 426, 608].  
**Alternative** [287]. **American** [429].  
**Analogue** [462]. **Analysis** [732, 731, 195, 126, 221, 163, 95, 398, 785, 393, 373, 403, 256, 594, 593, 43, 201, 200, 157, 118, 500].  
**Analytic** [358]. **Analytical** [45].  
**Analytically** [130, 225].  
**ANALYZE** [398, 785].  
**Annealing** [577, 650].  
**Application** [141, 247, 736].  
**Applications** [781, 782, 790, 39, 624, 641, 104]. **Applied** [443]. **Applying** [799].  
**Approach** [299, 294, 438, 154, 645, 63].  
**Approximants** [224].  
**Approximate** [51, 724, 837, 434].  
**Approximating** [234].  
**Approximation** [281, 365, 315, 312, 554, 112]. **Approximations** [104, 155, 65, 351].  
**Arbitrarily** [479].  
**Arbitrary** [781, 782, 91, 85, 149, 66, 744, 466].

**ARCECO** [427, 608].  
**Architectures** [556, 513, 418]. **Area** [635].  
**Argument** [549, 675, 674, 691, 49, 30, 81].  
**Arguments** [8, 139, 758].  
**Arising** [747, 746].  
**Arithmetic** [769, 169, 168, 255, 274, 796, 532, 447, 326, 322, 712, 639, 689, 748, 94, 209].  
**Arithmetics** [223]. **Array** [541].  
**Aspects** [698, 163].  
**Assessing** [561, 560, 651].  
**Assignment** [269, 614, 434].  
**Assisted** [398, 785]. **Asymptotic** [435, 443].  
**AUGMENT** [274]. **Authors** [82].  
**Automated** [735]. **Automatic** [89, 86, 183, 709, 263, 242, 708, 533, 275, 378, 72, 64, 63, 469, 118, 150, 244, 440]. **Auxiliary** [88].  
**Average** [264]. **Avoiding** [815].

**Band** [582, 188, 716].  
**Banded** [513, 445, 453, 504, 612].  
**Bandwidth** [110, 105, 380]. **Based** [17, 22, 93, 228, 606, 692, 565, 136, 244]. **Bases** [491].  
**Basic** [307, 429, 395, 406, 711, 710, 590, 626, 589, 661, 660, 579, 236, 235, 607].  
**Basis** [97, 365, 747, 746]. **Batch** [812].  
**BBVSCG** [494]. **BDFs** [443]. **Be** [84].  
**Bernstein** [837]. **Bernstein-Bézier** [837].  
**Bessel** [124, 123, 205, 549, 691, 767, 778, 311, 142, 412, 632, 6, 148, 330, 56].  
**Best** [455, 140, 157, 598].  
**Beta** [799, 831, 760, 4, 92]. **Bézier** [837].  
**Bickley** [436, 435]. **Bicubic** [522, 523].  
**Bicubics** [635]. **Biharmonic** [231].  
**Bilevel** [814, 813]. **Binary** [796].  
**Binomial** [659].  
**Bisection** [473, 573, 627, 672, 569, 588].  
**Bispectrum** [341]. **Bit** [721]. **Bitwise** [700].  
**Bivalent** [699]. **Bivariate** [22, 179, 178, 229, 228, 503, 680, 679, 602]. **Black** [583].  
**BLAS** [820, 753, 579, 687].  
**Blended** [156, 546].  
**Block** [629, 820, 753, 427, 426, 608, 182, 177, 327, 747, 746, 685, 848, 454, 266].  
**Block-diagonal** [848]. **Blocks** [9, 113].

**Bordered** [848]. **Bound** [356].  
**Boundaries** [149, 681].  
**Boundary** [332, 331, 552].  
**Boundary-Value** [332, 552].  
**Bounded** [698, 335].  
**Bounds** [51, 781, 782, 463].  
**Box** [569, 583, 588].  
**Box-Bisection** [569, 588].  
**Bracketed** [495, 534]. **Branch** [356].  
**Branch-and-Bound** [356].  
**Breakthroughs** [39]. **Brent** [274].  
**BRENTM** [283]. **BRKF45** [630, 722].  
**BTN** [764]. **BTPEC** [659].

**C** [769]. **C1** [326]. **C2** [47].  
**C5** [76, 325, 284]. **C6** [254].  
**Calculate** [800]. **Calculating** [379, 539, 99].  
**Calculation** [724, 528, 185, 240, 703, 428, 339, 388]. **Calculations** [825].  
**CALGO** [845, 808]. **CAMP** [547].  
**Cancellation** [740]. **Canonical** [491].  
**Capabilities** [670]. **Capacitance** [208].  
**Case** [828, 95]. **Cases** [423, 422].  
**CDC** [124, 123, 205, 60].  
**CELEFUNT** [770]. **Cell** [786].  
**Certain** [195, 632, 427, 426, 608, 803].  
**Certification** [67, 831, 149, 66, 728, 239].  
**Certifying** [46]. **CHABIS** [620].  
**Chains** [803]. **Changing** [786].  
**Characteristic** [790, 214]. **Characters** [50].  
**Charter** [807, 808].  
**Chebyshev** [54, 171, 75].  
**Chebyshev** [706, 365, 65, 351].  
**Checking** [475, 388]. **Chemical** [671].  
**Chi** [10, 502, 114, 570, 599].  
**Chi-Squared** [10, 502, 114].  
**Choice** [408, 365].  
**Cholesky** [714, 847, 846, 537, 654].  
**Choose** [157]. **Chow** [284].  
**Chow-Yorke** [284]. **Circuits** [404].  
**Class** [277, 190, 189]. **Clenshaw** [227, 16].  
**Clenshaw-Curtis** [227, 16].  
**Closest** [310, 700, 683].  
**Closest-Point** [683].

**Clustering** [569, 588, 25, 604, 79].  
**Coates** [70].  
**Code** [829, 742, 207, 704, 166, 751, 631].  
**Coded** [129].  
**Codes** [624, 641, 197, 230, 245, 578, 400].  
**Coding** [640]. **Coefficient** [309].  
**Coefficients** [361, 565, 117].  
**Coerror** [151, 143].  
**Collected** [808, 516, 690, 471].  
**Collection** [756, 789, 713].  
**Collocation** [332, 331, 705, 552, 757, 522, 523, 521, 237, 747, 746].  
**COLROW** [427, 608]. **COLSYS** [332, 552].  
**Column** [427, 426, 608].  
**Combination** [319, 551, 498, 219].  
**Combustion** [557]. **Comments** [72].  
**Common** [849].  
**Communication** [453, 504].  
**Compact** [295, 537]. **Comparative** [261].  
**Comparison** [319, 96, 260, 790, 105, 106, 131, 655, 40]. **Comparisons** [720].  
**Compilation** [678]. **Compiler** [38].  
**Complement** [462].  
**Complementarity** [409].  
**Complementary** [662]. **Complete** [3, 172].  
**Complex** [549, 675, 674, 691, 770, 357, 361, 204, 394, 484, 624, 641, 822, 301, 296, 55, 116, 459, 758, 40, 108, 664, 663, 716, 509, 553, 510].  
**Complexity** [453, 504, 838].  
**Composite** [184, 199]. **Composition** [707].  
**Compounding** [70]. **Comprehensive** [393].  
**Computable** [51].  
**Computation** [769, 292, 674, 307, 354, 831, 142, 559, 760, 768, 806, 224, 301, 296, 453, 504, 341, 461, 663, 480, 792, 120, 189, 772].  
**Computational** [408, 795, 260, 222, 488, 698, 163, 250, 554, 40].  
**Computations** [729, 289, 649, 340].  
**Compute** [413, 847, 550, 793].  
**Computed** [391].  
**Computer** [374, 225, 398, 785, 275, 145, 60, 84, 547, 45, 118, 130, 259, 220].  
**Computer-Aided** [547].  
**Computer-Assisted** [398, 785].  
**Computers** [835].  
**Computing** [783, 295, 137, 369, 368, 580, 762, 392, 780, 833, 401, 327, 565, 609, 149, 308, 344, 397, 62, 683, 456, 685, 482, 248, 776, 646, 190].  
**Condition** [783, 137, 624, 641].  
**Confidence** [136]. **Confluent** [758].  
**Congruence** [161, 159]. **CONHYP** [758].  
**Conjugate** [278]. **Conquer** [754, 818].  
**Considerations** [583]. **CONSTR** [507].  
**Constrained** [281, 314, 313, 855, 647, 386, 645, 633, 150].  
**Constraints** [300, 295, 763, 463, 739, 510].  
**Constructing** [46, 491].  
**Construction** [699].  
**Contingency** [77, 801, 18, 540].  
**Continuation** [411, 410].  
**Continuous** [577, 650, 719].  
**Contour** [483, 635, 592, 591, 669, 191].  
**Contours** [482].  
**Control** [763, 733, 840, 825, 353].  
**Controlling** [400]. **Controls** [564, 617].  
**Convective** [88]. **Convergence** [61, 147].  
**Convergent** [578]. **Conversion** [828].  
**Converting** [596]. **Convex** [160, 162].  
**Convolutions** [390, 389]. **Core** [548].  
**Corrections** [485, 504]. **Correctly** [721].  
**Correctness** [68].  
**Corresponding** [596, 327].  
**Corrigenda** [843, 650, 626, 651, 627, 652, 259]. **Corrigendum** [818, 581, 778, 406, 806, 617, 338, 817, 641, 823, 599, 588, 553].  
**Cost** [38]. **Costs** [288]. **Covariance** [646].  
**CPSC** [361]. **CRAY** [458, 751].  
**Cross** [539, 341]. **Cross-Bispectrum** [341].  
**Cross-Validation** [539].  
**Cubature** [756, 789, 533, 378].  
**Cubic** [268, 134, 564, 617, 539, 133].  
**CUBTRI** [533, 378]. **Cumulative** [28, 80].  
**Curtis** [227, 16]. **Curve** [17, 93, 263, 134, 171, 433, 133, 775, 170, 75].  
**Curve-Fitting** [775]. **Curved** [98].  
**Curves** [545]. **Cut** [299, 294]. **CUTE** [855].  
**Cyber** [607]. **Cycles** [366, 141].  
**Cyclic** [199, 512].

**D** [90]. **D2** [332, 552, 64, 203]. **D3** [180, 757, 252, 237, 324, 335, 53, 239, 238, 282].  
**D4** [361]. **D5** [89, 115, 469]. **DAFNE** [465].  
**Dagwood** [610]. **Data** [179, 178, 229, 853, 134, 9, 579, 373, 113, 842, 503, 477, 602, 603, 601, 276, 460, 604, 500, 112].  
**Data-level** [842]. **DCUHRE** [725].  
**DCUTRI** [756]. **Dead** [356].  
**Deciding** [147]. **Decision** [693].  
**Decomposition** [369, 368, 781, 782, 571, 308, 688]. **Decompositions** [776].  
**Decrease** [827]. **defect** [400].  
**Deficient** [732].  
**Definite** [582, 125, 551, 446].  
**Definition** [681]. **Deflating** [392, 456].  
**Degree** [718, 717, 290, 497, 569, 588, 637, 638, 619]. **Delaunay** [683].  
**Dense** [562, 611, 247, 646].  
**Dependence** [76]. **Dependency** [500].  
**Dependent** [665, 821].  
**Derivative** [511, 652].  
**Derivative-Free** [511, 652].  
**Derivatives** [437, 744, 42].  
**Descendants** [23, 138]. **Described** [593].  
**Description** [398].  
**Design** [207, 218, 232, 166, 355, 460, 206].  
**Designing** [666]. **Detecting** [119].  
**Determinants** [95, 383]. **Determine** [618].  
**Determining** [356]. **Developing** [83].  
**Deviates** [374, 11, 145, 370]. **Diagonal** [427, 426, 608, 348, 747, 746, 454, 266, 848].  
**Difference** [146]. **Differences** [853].  
**Different** [83].  
**Differential** [693, 465, 464, 622, 665, 821, 734, 41, 630, 743, 372, 566, 176, 444, 442, 722, 757, 252, 521, 443, 214, 594, 593, 305, 237, 324, 323, 64, 63, 353, 811, 643, 798, 583, 666, 90, 87, 119, 793, 792, 53, 52, 474, 239, 238, 244, 203].  
**Differential-Equations** [465, 464].  
**Differentiation** [358, 275, 452].  
**Digit** [831, 760]. **Dilogarithm** [30, 81].  
**Dimensional** [789, 821, 824, 57, 338, 320, 211, 324, 323, 335, 481, 480, 666, 681, 474, 26].  
**Dimensions** [492, 574]. **Direct** [575].  
**Directed** [404]. **Directions** [487, 334].  
**Directory** [856]. **Dirichlet** [335].  
**Discontinuities** [442, 815].  
**discrepancy** [839]. **Discrete** [314, 313, 529, 268, 763, 171, 315, 312, 75, 832, 144].  
**Discrete-Time** [763, 832].  
**Discretized** [705]. **Disk** [612].  
**Distance** [656, 299, 294].  
**Distributed** [179, 178, 229, 736, 503, 479].  
**Distribution** [799, 33, 272, 851, 13, 148, 336, 91, 85, 625, 659, 226, 28, 80, 772].  
**Distributions** [374, 414, 529, 334, 144].  
**Divide** [754, 818]. **Divided** [853].  
**Division** [31, 466, 509, 553]. **Do** [42, 556].  
**Domain** [481, 681].  
**Domains** [824, 98, 522, 523, 480].  
**Double** [320, 120, 338]. **Doubled** [340].  
**Doubled-Precision** [340].  
**Driven** [787, 639, 689, 748]. **Drivers** [771].  
**DSUBSP** [392, 456]. **Duration** [832].  
**Dynamic** [683, 640]. **Dynamically** [618].  
**E1** [179, 229, 268, 387, 100, 347, 503].  
**E2** [93, 134, 171, 347, 170, 75, 112]. **E3** [268].  
**E4** [300, 102, 346, 128, 325, 74, 316].  
**Economical** [529]. **Editor** [241].  
**Editorial** [779]. **Effects** [185, 240, 339].  
**Efficiency** [176, 558, 554]. **Efficient** [61, 595, 409, 121, 568, 302, 704, 73, 213, 212, 528, 185, 511, 652, 744, 356, 663, 679, 715, 383, 239, 238, 676, 421, 563, 144, 220, 240, 259].  
**Efficiently** [39]. **Eigenfunction** [729].  
**Eigenproblem** [754, 818, 783].  
**Eigensystem** [190, 189]. **Eigenvalue** [729, 204, 394, 484, 611, 794, 55, 116, 122, 445].  
**Eigenvalues** [137, 391, 762, 780, 379, 784, 215, 793, 792, 99].  
**Eigenvectors** [137, 762, 215]. **Eight** [260].  
**Element** [276, 460, 206, 418].  
**Elementary** [472, 770, 695, 822, 836, 84, 721].  
**Elementary-Function** [472].  
**Elements** [103, 29]. **Elimination** [427, 426, 608, 497, 537, 383, 382, 202, 198].  
**Ellipsoids** [834, 833].

**Elliptic** [706, 350, 824, 566, 270, 246, 521, 686, 3, 655, 643, 798, 172, 239, 238].  
**Elliptic-Parabolic** [706]. **ELLPACK** [566].  
**Enciphering** [213, 212]. **Enclosure** [850].  
**Energy** [433, 545]. **Enhancements** [785].  
**Ensemble** [513]. **Entries** [95].  
**Enumerative** [404]. **Envelope** [734, 702].  
**Environment** [855, 307, 566, 174, 850].  
**EPDCOL** [704]. **Equality** [633].  
**Equation** [492, 575, 574, 413, 357, 231, 1, 750, 749, 246, 214, 594, 501, 335, 208, 402, 119, 793, 792, 59].  
**Equations** [280, 279, 693, 465, 464, 622, 665, 89, 86, 195, 582, 54, 286, 96, 125, 705, 821, 225, 734, 490, 41, 161, 159, 630, 743, 146, 372, 360, 359, 488, 342, 357, 566, 745, 473, 176, 132, 444, 442, 364, 722, 757, 252, 521, 686, 850, 443, 511, 652, 593, 305, 237, 131, 117, 324, 323, 459, 210, 283, 397, 278, 64, 63, 353, 377, 367, 811, 482, 848, 643, 798, 583, 666, 90, 87, 53, 52, 474, 538, 531, 239, 130, 510, 238, 282, 277, 620, 619, 328, 244, 203].  
**Equilibrium** [514, 543, 671, 586].  
**Errata** [240]. **Erratum** [205].  
**Error** [51, 709, 662, 781, 782, 403, 353, 664, 663, 90, 87, 245, 118].  
**Errors** [485, 803, 740, 185, 240, 339].  
**ESOLVE** [161]. **Estimate** [401].  
**Estimates** [136, 87].  
**Estimating** [468, 467, 519, 624, 641, 520].  
**Estimation** [709, 777, 264, 812, 624, 641, 341, 90, 245]. **Estimator** [461].  
**Euclidean** [164, 221]. **EVAL** [507].  
**Evaluating** [620].  
**Evaluation** [767, 778, 632, 662, 696, 487, 835, 444, 143, 667, 317, 364, 330, 154, 815, 744, 837, 664, 82, 352, 512, 418, 721].  
**Evaluator** [758]. **Event** [694].  
**Exact** [732, 731, 77, 161, 159, 801, 745, 645, 18, 131, 117, 540, 108, 28, 80, 538, 531].  
**Examples** [466, 738]. **Exception** [609, 822].  
**Exchange** [234, 432]. **EXCHNG** [379, 99].  
**EXCHQZ** [392, 456]. **Execution** [788].  
**existing** [400]. **Expanded** [272].  
**Expanding** [586]. **Expansion** [799, 69].  
**Expansions** [435]. **Expected** [310, 140].  
**Expected-Time** [310].  
**Experience** [46, 633]. **Experimental** [211].  
**Experiments** [222]. **Expert** [773].  
**Explicit** [733, 594, 720, 282, 277].  
**Exploiting** [242, 687, 715].  
**Exploration** [356]. **Exploratory** [373].  
**Expml** [748]. **Exponential** [297, 292, 439, 435, 675, 674, 535, 639, 676].  
**Extended** [590, 626, 589, 326, 322, 94].  
**Extended-Range** [326, 322].  
**Extensions** [710].  
**Extrapolation** [384, 440, 441].  
**Extremal** [428].  
**F1** [126, 369, 110, 395, 182, 348, 111, 236, 256, 380]. **F2** [137, 379, 204, 394, 484, 301, 55, 116, 215, 99, 333, 190].  
**F4** [280, 54, 281, 349, 125, 161, 360, 193, 304, 202, 152, 253, 267]. **F5** [362, 396, 283].  
**Facilities** [701]. **Factoring** [107].  
**Factorization** [714, 846, 530, 548, 654, 702, 816, 38, 715]. **Factorizations** [362, 396, 847].  
**Factors** [537]. **FARB** [635].  
**FARB-E-2D** [635].  
**Fast** [562, 390, 389, 575, 753, 849, 290, 187, 687, 252, 246, 539, 765, 461, 643, 120, 721].  
**Fast-Direct** [575]. **Feasibility** [418].  
**Features** [207]. **FEXACT** [801, 540].  
**FFT** [254]. **FFT9** [252]. **FIDISOL** [583].  
**Fields** [107]. **Fill** [635]. **Filter** [646].  
**Find** [799, 164, 551]. **Finder** [233].  
**Finding** [103, 61, 221, 29, 140, 700, 404, 636, 495, 534, 108, 681].  
**Finite** [146, 276, 460, 832, 206, 418].  
**Finite-Difference** [146].  
**Finite-Duration** [832].  
**Finite-Element** [460, 206, 418].  
**First** [630, 743, 412, 6, 722, 811, 56].  
**First-Order** [630, 743, 722, 811].  
**Fisher** [801, 334, 540]. **Fit** [171, 75].  
**Fitting** [17, 22, 179, 178, 229, 93, 228, 507, 506, 853, 134, 133, 503, 775, 170].

**Fittings** [263]. **Fixed** [700, 309, 526, 284].  
**Flexible** [736]. **Floating** [307, 354, 796, 849, 695, 50, 340, 598, 712, 639, 689, 748, 120].  
**Floating-Point** [307, 354, 796, 50, 340, 598, 712, 639, 689, 748]. **Flow** [260, 98].  
**Flows** [842].  
**Form** [649, 762, 182, 301, 296, 837, 685, 248].  
**Formal** [62]. **Forms** [646]. **Formula** [629].  
**Formulae** [726].  
**Formulas** [70, 544, 707, 287, 309, 546, 512].  
**Formulation** [679].  
**FORTRAN** [280, 436, 437, 675, 730, 788, 349, 490, 362, 396, 814, 630, 743, 771, 520, 580, 427, 426, 608, 406, 710, 391, 458, 626, 589, 762, 392, 268, 587, 560, 651, 401, 444, 606, 692, 750, 752, 817, 579, 624, 641, 722, 302, 385, 607, 747, 540, 784, 325, 456, 688, 428, 451, 712, 755, 646, 751, 129, 180, 164, 169, 168, 255, 829, 828, 468, 556, 853, 395, 379, 171, 232, 847, 836, 850, 825, 236, 235, 283, 217, 202, 75, 239, 99, 238, 94].  
**FORTRAN-77** [750, 836].  
**Fourier** [574, 565, 120]. **Fourth** [574].  
**Fourth-Order-Accurate** [574].  
**Fractional** [142].  
**Framework** [517, 181, 258].  
**Fredholm** [89, 86].  
**Free** [348, 393, 511, 652]. **Frequency** [528].  
**Fresnel** [797]. **Full** [158, 359]. **Fully** [460].  
**Function** [437, 300, 295, 472, 767, 778, 494, 61, 311, 36, 696, 697, 771, 192, 102, 559, 580, 760, 835, 19, 151, 143, 30, 2, 148, 535, 836, 20, 117, 81, 758, 40, 84, 664, 663, 194, 592, 591, 669, 639, 689, 748, 772].  
**Functional** [398, 64, 63].  
**Functions** [124, 123, 205, 436, 435, 549, 691, 234, 307, 142, 412, 632, 662, 770, 796, 577, 650, 128, 270, 358, 6, 8, 251, 250, 330, 822, 139, 66, 747, 746, 637, 638, 65, 351, 819, 681, 74, 316, 56, 676, 721].  
**Fundamental** [366, 141]. **FUNPACK** [36].  
**G1** [136]. **G2** [77]. **G6** [135]. **Gamma** [696, 559, 580, 835, 19, 251, 250, 613, 40, 194, 414].  
**GAMS** [517]. **Gauss** [810, 612].  
**Gauss-Type** [810].  
**Gaussian** [747, 746, 383, 382, 202, 198].  
**GCD** [854]. **GEARB** [324].  
**GENCOL** [522]. **General** [384, 762, 763, 463, 752, 817, 757, 522, 237, 323, 335, 637, 638, 480, 538, 531, 144]. **Generalized** [584, 180, 475, 781, 782, 536, 204, 394, 484, 611, 55, 116, 122, 573, 627, 166, 702, 703, 550, 215].  
**Generate** [839]. **Generated** [446].  
**Generating** [291, 814, 813, 529, 366, 70, 786, 810, 462, 613, 570, 599, 637, 819, 144].  
**Generation** [374, 319, 135, 141, 145, 567, 638]. **Generator** [71, 597, 493, 585, 315, 312, 802, 804, 766, 765, 262, 217, 751].  
**Generators** [407, 558, 498, 219].  
**Geometric** [163]. **GERK** [90].  
**GFUN** [819]. **Gibbs** [376, 375].  
**Gibbs-King** [375, 376].  
**Gibbs-Poole-Stockmeyer** [376, 375].  
**Given** [610]. **Global** [623, 622, 850, 44, 567, 90, 87, 449, 245]. **Globally** [578].  
**Goal** [298, 293]. **Goliath** [732].  
**Gradient** [399, 166, 452].  
**Gradients** [278, 388]. **Gram** [253, 249].  
**Gram-Schmidt** [253, 249].  
**Graph** [366, 141, 644, 404, 421].  
**Graph-Theoretical** [141].  
**Graphs** [290, 804]. **Graycode** [7, 525, 58].  
**Grid** [821, 643]. **Grids** [600]. **Group** [668].  
**Guaranteed** [61, 827].  
**H** [298, 269, 299, 303, 150]. **H2PEC** [625].  
**Halley** [488]. **Hamiltonian** [404].  
**Hand** [677]. **Handling** [609, 822].  
**Hankel** [390, 389]. **Hardware** [418].  
**Heap** [302]. **Heat** [98].  
**Helmholtz** [575, 574, 252, 335, 208, 402].  
**Helmholtz-Type** [252]. **HERMCOL** [523].  
**Hermite** [97, 649, 522, 523, 679].  
**Hermitian** [132].  
**Hessenberg** [379, 99, 646].  
**Hessian** [520, 519]. **Heuristics** [449].  
**HFFT** [575]. **Hierarchical** [795, 683].  
**Hierarchy** [715].

**High** [575, 727, 246, 532, 715, 670].  
**High-Accuracy** [532].  
**High-Level** [727, 670].  
**High-Order** [575, 246].  
**High-Performance** [715].  
**Highest** [637, 638]. **Highly** [719].  
**Hodges** [461]. **Hodges-Lehman** [461].  
**Holonomic** [819]. **Homotopy** [578].  
**HOMPACK** [636, 578].  
**Householder** [247]. **HQR3** [379, 99].  
**Huffman** [640]. **Hull** [162, 160].  
**HURRY** [425, 424]. **Hybrid** [111, 380].  
**Hyperelliptic** [833, 834].  
**Hypergeometric** [625, 758, 772].

**IBESS** [124, 123, 205]. **Ideals** [491].  
**IEEE** [796, 695, 639, 689, 748].  
**II** [35, 518, 782, 543, 423, 422, 200, 738, 119].  
**III** [68]. **ILLIAC** [308].  
**Implementation** [754, 818, 180, 595, 795, 488, 820, 711, 590, 661, 177, 614, 88, 558, 605, 233, 290, 287, 805, 568, 302, 375, 555, 309, 738, 382, 371, 639, 689, 748, 277, 823].  
**Implementations** [761, 421].  
**Implementing** [597, 822, 701].  
**Implicit** [595, 840, 208]. **Improve** [556].  
**Improved** [158, 369, 368, 634, 847, 846, 682].  
**Improving** [71, 391, 176, 708].  
**In-Situ** [126, 256].  
**Incomplete** [831, 350, 559, 580, 760, 835, 19, 251, 250, 148, 847, 846, 4, 92, 194].  
**Incorporated** [84]. **Increasing** [449].  
**Indefinite** [96, 658, 420, 576]. **Index** [135].  
**Industry** [472]. **Infinite** [527].  
**Influence** [653, 38]. **Information** [646].  
**Initial** [693, 630, 629, 677, 743, 742, 774, 560, 651, 243, 722, 773, 400]. **initial-value** [400].  
**Input** [784]. **Insertion** [91, 85].  
**Instruction** [84]. **INTBIS** [672].  
**INTCOL** [523]. **Integer** [161, 159, 448, 248, 466, 793, 531, 854]. **Integers** [50, 109].  
**Integral** [89, 86, 492, 195, 705, 225, 490, 768, 806, 10, 502, 114, 3, 172, 130].  
**Integrals** [297, 292, 439, 435, 675, 674, 724, 725, 350, 834, 833, 151, 143, 815, 797].  
**Integrate** [527]. **Integrating** [670].  
**Integration** [623, 725, 658, 708, 707, 321, 338, 320, 805, 823, 64, 63, 451, 199, 486, 277, 440, 441]. **Integrator** [282, 203].  
**INTEL** [579].  
**Interactive** [566, 431, 430, 306].  
**Interchange** [9, 113].  
**Interface** [821, 274, 727, 381, 338, 320, 218].  
**Interfaces** [787]. **Internal** [265].  
**Interpolants** [544, 719].  
**Interpolation** [17, 22, 179, 178, 229, 718, 717, 93, 228, 97, 384, 268, 564, 387, 100, 415, 541, 657, 495, 534, 503, 680, 478, 479, 477, 602, 603, 601, 167, 617].  
**Interpolatory** [587, 707, 353, 637, 638].  
**Interval** [475, 564, 617, 672, 449, 209].  
**Intervals** [136]. **INTLIB** [836].  
**Inverse** [799, 559, 580, 515, 605, 703, 550, 716]. **Inverses** [334]. **Inversion** [790, 606, 692, 330, 115, 673, 469, 470, 27, 127].  
**Investigation** [196]. **Involving** [803].  
**IQPACK** [587]. **Irregular** [824, 231, 600].  
**Irregularly** [179, 178, 229, 503].  
**Isolated** [636]. **Isolation** [759].  
**Iterated** [705, 541].  
**Iteration** [780, 147, 215, 716, 333, 329].  
**Iterative** [385, 554, 253, 249].  
**Iteratively** [289]. **ITPACK** [385].  
**IV** [561, 308]. **Ivie** [485].

**J6** [67, 78, 57, 191]. **Jacobian** [468, 467].  
**JBESS** [124, 123, 205]. **JNF** [301].  
**John** [485]. **Jordan** [301, 296].

**K2** [113]. **Key** [91, 85]. **Keys** [91, 85].  
**Keywords** [516, 690, 471].  
**Kind** [89, 86, 705, 311, 142, 412, 6, 56].  
**King** [375, 376]. **Knapsack** [408, 496].  
**Kolmogorov** [121, 149, 28, 80].  
**Kolmogorov-Smirnov** [121, 149, 28, 80].  
**Kutta** [195, 631, 629, 677, 544, 285, 733, 840, 514, 543, 719, 119, 230, 526, 720].

**L2A** [253]. **L2B** [253]. **L2CXFT** [853].  
**Lagged** [390, 389]. **Lanczos** [327].  
**Language** [670]. **Languages** [407].  
**Laplace** [492, 790, 606, 605, 692, 115, 673, 469, 470, 27, 127]. **Large** [359, 493, 611, 385, 758, 567, 601, 741, 737, 738, 612, 755, 486].  
**Large-**  
**Scale** [493, 567, 741, 737, 738, 755, 486].  
**Larger** [8, 139]. **Larkin** [495, 534].  
**Last** [721]. **Lattice** [805, 823].  
**Leading** [309]. **Least** [455, 507, 506, 289, 647, 698, 853, 346, 345, 405, 386, 739, 317, 433, 645, 377, 367, 253, 249, 848].  
**Least-Squares** [507, 506, 346, 405, 739, 345].  
**Legendre** [8, 139, 326, 322]. **Lehman** [461].  
**Length** [356, 31]. **Lengths** [303, 416].  
**Level** [727, 820, 753, 661, 660, 687, 670, 842].  
**Level-3** [820, 753]. **Lexicographical** [135].  
**Library** [49, 46, 727, 273, 342, 83, 181, 175, 258, 695, 232, 243, 836, 355, 84, 811, 94].  
**LIFO** [356]. **Like** [794]. **Likelihood** [777].  
**Lilliefors** [121]. **Line** [610, 827].  
**Linear** [280, 279, 51, 732, 731, 298, 293, 86, 582, 54, 281, 96, 125, 300, 295, 161, 159, 551, 360, 359, 409, 698, 427, 426, 608, 395, 406, 711, 710, 590, 626, 589, 661, 660, 357, 420, 132, 407, 463, 398, 785, 69, 579, 739, 261, 315, 312, 385, 60, 236, 235, 607, 106, 747, 746, 355, 131, 117, 459, 278, 555, 377, 367, 842, 848, 454, 383, 156, 546, 538, 531, 510, 512, 500, 112, 244, 266].  
**Linear-quadratic** [842].  
**Linearly** [314, 313, 647, 386].  
**Liouville** [183, 730, 729, 728, 791].  
**Lisp** [849]. **List** [91, 85]. **Lists** [291].  
**Local** [17, 22, 93, 228, 665, 263, 134, 44].  
**Locally** [411, 410]. **Locating** [620].  
**Location** [299, 294, 136, 461, 694].  
**Logarithm** [676, 689]. **Logarithmic** [140].  
**Longest** [356]. **Loops** [556]. **LOPSI** [333].  
**Low** [562, 839, 474].  
**Low-discrepancy** [839]. **Low-Space** [562].  
**Lower** [51]. **LSNNO** [755].  
**LSQR** [377, 367]. **Lyness** [565].  
**LZ** [55, 116].

**M1** [103]. **M3RK** [282]. **MACHAR** [618].  
**Machine** [618, 83, 157]. **Machines** [445].  
**Macroprocessor** [476].  
**MACSYMA** [485, 165]. **Magnitudes** [758].  
**Maintenance** [302]. **Making** [795].  
**Management** [517, 536, 432].  
**Manipulating** [610].  
**Manipulation** [819, 45, 118, 259, 220].  
**Maple** [819]. **Maps** [284]. **Marching** [180].  
**Markov** [803]. **Masked** [57, 26].  
**Mass** [254]. **Matches** [140, 700].  
**Mathematical** [49, 46, 807, 536, 175, 695, 317, 364, 735, 262, 38, 721, 35].  
**Mathieu** [214, 793, 792].  
**MATLAB** [713, 816]. **Matrices** [795, 468, 467, 519, 551, 409, 780, 515, 204, 394, 484, 95, 187, 713, 55, 116, 528, 376, 600, 215, 612, 716, 333, 329, 190, 189, 520].  
**Matrix** [21, 137, 110, 413, 391, 762, 177, 207, 628, 176, 379, 407, 750, 749, 218, 327, 193, 304, 393, 624, 641, 687, 141, 301, 296, 247, 256, 380, 571, 15, 423, 422, 703, 550, 685, 208, 248, 715, 152, 99]. **Matrix-Free** [393].  
**Maximum** [777, 260, 343]. **ME28** [357].  
**Measure** [834, 833, 271].  
**MEBDF** [743, 742]. **Memory** [715].  
**Merge** [265]. **Mesh** [665, 276].  
**Mesh-Moving** [665]. **Meshes** [483].  
**Method** [178, 717, 665, 653, 574, 677, 774, 488, 529, 473, 134, 606, 605, 692, 327, 802, 133, 805, 823, 830, 462, 511, 652, 548, 576, 654, 702, 397, 673, 744, 495, 534, 25, 108, 602, 603, 383, 333, 144, 328, 150, 79].  
**Methods** [319, 595, 260, 841, 790, 560, 651, 285, 740, 733, 840, 261, 385, 554, 40, 557, 208, 119, 371, 156, 421, 199, 277, 244].  
**Mildly** [774]. **MIMD** [820]. **Minefield** [31].  
**Minimal** [545, 25, 265, 79, 429].  
**Minimization** [623, 494, 829, 102, 128, 438, 20, 42, 741, 737, 738, 524, 74, 316].  
**Minimizing** [577, 650].  
**Minimum** [299, 294, 290, 448, 539, 497].  
**Minimum-Cut** [299, 294].  
**Minimum-Degree** [497]. **Minkowski** [409].

**Minor** [69]. **Mirroring** [852].  
**Mises** [148, 334]. **Mixture** [463, 462].  
**Mixture-plus-Acceptance-Rejection** [462].  
**Model** [354, 711, 536, 590, 661, 438, 739, 530].  
**Model/Trust** [438].  
**Model/Trust-Region** [438].  
**Modeling** [407, 547, 670].  
**Models** [777, 398, 528]. **Moderate** [448].  
**Modification** [497].  
**Modified** [374, 311, 774, 412, 427, 426, 608, 714, 19, 330, 194, 253, 249]. **Modular** [524].  
**Modules** [825]. **Monitoring** [49].  
**Monomial** [747, 746]. **Most** [458].  
**Moving** [665, 821]. **Moving-Grid** [821].  
**MP** [169, 255]. **MPGENR** [262].  
**MTIEU1** [793]. **MTIEU2** [793].  
**Multicolor** [600]. **Multicommodity** [842].  
**Multidimensional** [725, 604].  
**Multifacility** [299, 294].  
**Multifrontal** [653, 420, 548, 576, 654].  
**Multigrid** [460]. **Multimodal** [577, 650].  
**Multinomials** [507, 506].  
**Multiple** [408, 724, 169, 168, 255, 274, 31, 321, 585, 805, 823, 447, 497, 496, 712].  
**Multiple-Choice** [408].  
**Multiple-length** [31].  
**Multiple-Precision** [169, 168, 255, 447, 712].  
**Multiplication** [621, 187, 687].  
**Multiplying** [562]. **Multipoint** [167].  
**Multiprecision** [788, 466].  
**Multistep** [285, 287, 156, 546, 512, 244].  
**Multivariate** [562, 488, 768, 806, 128, 837, 601, 74, 316, 500].  
  
**NAG** [727, 243, 811]. **Narrow** [513].  
**National** [429]. **Natural** [387, 100, 415].  
**Nature** [72]. **Nearest** [221]. **Need** [472].  
**Neighbors** [221]. **Nested** [321].  
**Network** [399, 260, 39, 842, 755, 486, 150, 670]. **Networks** [584, 634, 5, 153].  
**Neumann** [192, 2].  
**Newton** [741, 737, 738, 70, 740, 672, 645].  
**Newton-Coates** [70].  
  
**Newton/Bisection** [672].  
**NITPACK** [431, 430]. **NL2SOL** [346, 405].  
**Node** [233, 530, 644].  
**Node-Addition** [530]. **Nodes** [637, 638].  
**Nonic** [680, 679]. **Noninteger** [793, 792].  
**Noniterative** [809].  
**Nonlinear** [584, 465, 464, 399, 705, 829, 777, 488, 346, 345, 745, 473, 405, 739, 317, 364, 154, 373, 850, 76, 166, 511, 652, 645, 324, 323, 210, 283, 633, 52, 755, 620, 619, 440, 441].  
**Nonnegative** [549, 691, 853].  
**Nonrectangular** [402].  
**Nonstandard** [223].  
**Nonstiff** [630, 629, 722, 119, 774].  
**Nonsymmetric** [783, 794]. **Nonzero** [619].  
**Norm** [54, 164, 624, 641, 510].  
**Normal** [374, 11, 649, 768, 806, 301, 296, 766, 765, 157, 248, 370].  
**Normalized** [125, 326, 322].  
**Note** [498, 241, 288, 546, 509, 553].  
**NSDTST** [561]. **NSPIV** [202]. **Null** [830].  
**Null-space** [830]. **Number** [71, 585, 802, 701, 766, 765, 217, 107].  
**Numbers** [783, 291, 137, 50, 157].  
**Numeric** [579].  
**Numerical** [693, 787, 41, 273, 790, 1, 176, 83, 174, 358, 321, 606, 692, 98, 805, 823, 301, 296, 773, 115, 728, 671, 210, 283, 758, 744, 501, 469, 470, 208, 480, 633, 720, 451, 167, 27, 127, 419].  
**Nyström** [631].  
  
**O1** [227]. **Obtaining** [343, 136].  
**ODE** [331, 288, 773, 352].  
**ODEs** [332, 552, 287, 309, 694, 512].  
**ODESSA** [594]. **ODEXPRT** [773].  
**ODRPACK** [656].  
**One** [821, 342, 338, 320, 8, 624, 641, 133, 139, 213, 212, 106, 819, 666, 681].  
**One-Dimensional** [821, 338, 320, 666, 681].  
**One-Norm** [624, 641]. **One-Pass** [133].  
**One-Way** [213, 212]. **Operations** [176].  
**Optimal** [310, 707, 763, 401, 825, 450].  
**Optimization** [622, 841, 487, 493, 232, 463, 154, 373, 850, 325, 318, 764, 555, 567, 45,

755, 670]. **Optimized** [254]. **Orbits** [668].  
**Order** [549, 691, 575, 574, 630, 677, 743, 142, 722, 246, 521, 744, 811, 526, 793, 792, 400].  
**Ordered** [682].  
**Ordering** [379, 5, 598, 99, 153].  
**Orders** [720]. **Ordinary** [693, 41, 630, 743, 372, 176, 444, 442, 722, 594, 593, 90, 87].  
**Orthogonal** [596, 506, 656, 810].  
**ORTHPOL** [810]. **Oscillating** [527].  
**Oscillatory** [444]. **Osculatory** [344, 347].  
**Other** [683, 432]. **Out-of-Core** [548].  
**Overdetermined** [280, 279, 54].  
**Overhead** [288]. **Overlapping** [812].

**Package** [549, 691, 730, 169, 168, 255, 274, 475, 841, 36, 770, 771, 711, 431, 430, 606, 692, 750, 810, 218, 565, 193, 304, 672, 385, 701, 15, 423, 422, 184, 402, 775, 48, 819, 741, 737, 738, 152, 712, 620, 94, 209, 266].  
**Packages** [427, 426, 608, 560, 651].  
**Padé** [224]. **Paged** [360, 359]. **Paging** [654].  
**PAGP** [298, 293]. **Pair** [720]. **Pairs** [515].  
**Papers** [35].  
**Parabolic** [706, 342, 184, 474, 282, 277].  
**Parallel** [582, 188, 518, 820, 453, 504, 764, 736, 842, 798, 68, 59, 328, 206, 418].  
**Parameter** [76].  
**Parameters** [455, 307, 777, 618].  
**Parametrization** [174].  
**Parametrized** [411, 410]. **Part** [781, 782, 193, 543, 304, 15, 423, 422, 152].  
**Partial** [665, 821, 566, 757, 252, 521, 571, 305, 237, 324, 323, 744, 811, 643, 798, 583, 666, 202, 198, 53, 52, 239, 238].  
**Particular** [38]. **Partition** [109].  
**Partitioned** [837].  
**Partitioning** [298, 293, 242, 321, 644, 419].  
**Partitions** [653]. **Pascal** [452].  
**Pascal-SC** [452]. **Pass** [133].  
**Path** [356, 303, 416]. **Patterson** [726].  
**PBASIC** [429]. **PC** [579, 245].  
**PC-BLAS** [579]. **PC-Codes** [245].  
**PDECOL** [757, 704, 237]. **PDEONE** [53].  
**PDEs** [706]. **PDETWO** [324].

**PDETWO/PSETM/GEARB** [324].  
**PDFIND** [551]. **PDS** [856].  
**Penalty** [645, 842]. **Pencil** [781, 782].  
**Percentiles** [800, 799]. **Performance** [632, 662, 696, 556, 561, 444, 373, 23, 138, 715].  
**Performing** [801].  
**Permutations** [182, 348]. **Permuted** [187].  
**PERT** [153, 5]. **PERUSE** [306].  
**Picture** [104].  
**Piecewise** [133, 104, 155, 112].  
**Pipelined** [678].  
**Pivoting** [571, 576, 202, 198].  
**Place** [21, 256]. **Planar** [162, 160, 402].  
**Plane** [545, 479]. **Planning** [547].  
**Plot** [57, 483, 635, 26].  
**Plotting** [67, 78, 592, 591, 669, 191, 257, 24].  
**plus** [462]. **Point** [234, 310, 300, 295, 307, 354, 796, 849, 564, 617, 695, 50, 340, 136, 683, 598, 712, 639, 689, 748, 120].  
**Points** [179, 178, 229, 747, 746, 503, 479, 284].  
**Poisson** [374, 414].  
**Policy** [34, 173, 216, 363, 417, 457, 505, 542, 572, 616, 642, 684, 723, 48, 82].  
**Polyalgorithm** [41]. **Polygamma** [66].  
**Polyhedron** [271].  
**Polynomial** [718, 717, 97, 706, 1, 95, 667, 133, 47, 37, 554, 636, 501, 108, 482, 679, 428, 491].  
**Polynomials** [562, 610, 621, 810, 522, 523, 326, 397, 680, 759, 322, 107].  
**Poole** [376, 375]. **Poor** [71]. **PORT** [175].  
**Portability** [129]. **Portable** [436, 437, 549, 675, 691, 164, 767, 778, 770, 771, 181, 258, 856, 802, 672, 836, 217, 751, 94, 209].  
**Positive** [582, 125, 551, 446].  
**Power** [361, 62]. **Practical** [582, 188].  
**Preassigned** [637, 638]. **Precise** [769, 419].  
**Precision** [169, 168, 255, 274, 508, 535, 447, 66, 340, 637, 638, 712, 120, 94].  
**Precompiler** [223, 94].  
**Preconditioned** [278].  
**Preserving** [344, 347].  
**Primal** [634, 830, 486]. **Prime** [585].  
**Principles** [37].  
**Probabilities** [77, 615, 786, 149, 18, 12].

**Problem** [183, 281, 158, 269, 299, 260, 294, 647, 493, 566, 88, 338, 320, 204, 394, 484, 794, 386, 315, 312, 532, 55, 116, 122, 804, 496, 136, 784, 569, 588, 673, 335, 557, 434].  
**Problem-Solving** [566, 532].  
**Problems** [298, 293, 730, 729, 314, 313, 399, 310, 384, 814, 813, 630, 629, 677, 743, 742, 774, 409, 824, 698, 628, 790, 763, 463, 39, 611, 98, 739, 317, 722, 261, 315, 312, 446, 728, 671, 655, 377, 683, 567, 699, 184, 791, 741, 737, 738, 694, 755, 249, 400].  
**Procedure** [321, 250, 539, 141].  
**Procedures** [17, 22, 93, 228, 195, 163, 463, 387, 100, 415]. **Process** [411, 410, 199].  
**Processing** [634, 849, 104].  
**Processor** [579, 481]. **Processors** [820].  
**Product** [70, 776]. **Product-Type** [70].  
**Products** [259, 220].  
**Profile** [110, 111, 105, 380]. **Program** [800, 89, 86, 492, 349, 314, 164, 158, 67, 137, 299, 78, 57, 232, 429, 686, 496, 262, 459, 184, 483, 635, 411, 68, 82, 428, 257, 26, 24].  
**Programming** [584, 298, 293, 814, 813, 536, 381, 407, 398, 785, 166, 446, 355, 699, 633, 486]. **Programs** [788, 472, 485, 632, 662, 696, 697, 163, 590, 661, 610, 165, 37, 302, 275, 306, 106, 747, 550, 555, 567, 82, 432, 839].  
**Projected** [645]. **Properly** [508].  
**Properties** [197]. **Prototyping** [734, 850].  
**PRS** [186]. **PSETM** [324].  
**Pseudoperipheral** [233]. **Psi** [437].  
**Pure** [634]. **Purpose** [844, 845, 32].  
  
**QR** [362, 396, 794, 816, 688]. **QR-Like** [794].  
**QRUP** [362, 396]. **QSHEP2D** [602].  
**QSHEP3D** [603]. **QUADPACK** [708].  
**Quadratic** [300, 295, 814, 813, 739, 446, 344, 347, 567, 699, 155, 602, 603, 633, 434, 842].  
**Quadratic-Tensor** [739].  
**Quadrature** [709, 70, 196, 338, 320, 810, 227, 16, 211, 726, 72, 44, 637, 638, 68, 449].  
**Quadratures** [587, 450]. **Quantile** [812].  
**Quantiles** [14, 337, 226].  
**Quantitative** [418]. **Quasi** [777, 740, 645].  
  
**Quasi-Likelihood** [777].  
**Quasi-Newton** [740, 645].  
**Quasirandom** [597, 558].  
**Quicksort** [101, 23, 138].  
**Quindiagonal** [125].  
**Quintic** [387, 100, 415, 482, 680].  
**Quotient** [290]. **QZ** [204, 394, 484, 122].  
  
**Radix** [466]. **Random** [499, 71, 11, 291, 529, 585, 802, 145, 462, 701, 766, 765, 570, 599, 682, 157, 217, 612, 370, 489, 563, 144].  
**Random-Access** [612]. **Randomly** [446].  
**Range** [769, 326, 322]. **Ranges** [83].  
**Rank** [732]. **Rank-Deficient** [732].  
**Ranks** [136]. **Rapidly** [677].  
**Ratio** [145, 4, 92].  
**Rational** [732, 147, 117, 495, 534].  
**Ratios** [559, 580, 760, 330]. **Ray** [681].  
**Rayleigh** [716].  
**Real** [142, 696, 551, 360, 379, 39, 30, 624, 641, 47, 81, 215, 759, 99, 333, 329].  
**Realistic** [354]. **Rearrangement** [141].  
**Reasonably** [209]. **Rectangles** [635].  
**Rectangular** [731, 523].  
**Rectilinear** [299, 294].  
**Recurrence** [485, 165].  
**Recursive** [264, 703]. **Reduced** [399, 166].  
**Reduction** [110, 762, 111, 105, 380, 230].  
**References** [516, 690, 471].  
**Refinement** [665, 655, 253, 249].  
**Refinements** [276]. **Region** [438, 184].  
**Regions** [231, 335, 402].  
**Regression** [596, 455, 656, 777].  
**Regularly** [837]. **Rejection** [802, 462].  
**Related** [390, 389, 696, 39].  
**Relations** [485, 165]. **Relative** [558, 403].  
**Relaxed** [653]. **Reliable** [694].  
**Remark** [229, 439, 691, 93, 228, 826, 77, 255, 103, 396, 648, 485, 801, 192, 615, 647, 102, 608, 395, 406, 128, 78, 525, 57, 379, 258, 171, 394, 484, 692, 405, 227, 193, 552, 516, 387, 533, 304, 722, 336, 337, 502, 690, 757, 113, 139, 116, 115, 256, 380, 114, 226, 138, 58, 81, 534, 501, 416, 456, 470, 92, 80, 503, 351, 194,

669, 316, 152, 56, 172, 257, 153, 370, 127, 79].  
**Remarks** [614]. **Reordering** [376, 600].  
**Repeated** [151, 143]. **Reporting** [222].  
**Repository** [852].  
**Representation** [50, 726]. **Require** [42].  
**Requirement** [548]. **Requirements** [474].  
**Requiring** [88]. **Research** [850].  
**Reservoir** [838, 489]. **Residual** [649].  
**Resource** [150]. **Response** [528].  
**Resulting** [242, 600]. **Results** [795].  
**Retarded** [353]. **Reveal** [50].  
**Revised** [150]. **Revisited** [31].  
**Rewweighted** [289]. **Right** [677].  
**Right-Hand** [677]. **Rights** [82].  
**Risch** [518]. **Robust** [781, 782].  
**Robustness** [449]. **Romberg** [196].  
**Root** [508, 568, 646]. **Roots** [108, 620].  
**Rosenbrock** [102, 20, 557, 371].  
**Rotations** [57, 26]. **Rounded** [508, 721].  
**Rounding** [803].  
**Roundoff** [185, 240, 43, 201, 200, 339].  
**Routine** [596, 725, 551].  
**Routines** [49, 507, 709, 362, 396, 771, 342, 268, 561, 708, 338, 320, 810, 243, 373, 532, 72].  
**Row** [427, 426, 608, 537]. **Rows** [702].  
**Rule** [447]. **Rules** [810, 637, 638].  
**Runge** [195, 631, 629, 677, 544, 285, 733, 840, 514, 543, 719, 119, 230, 526, 720].  
**Runge-Kutta** [195, 629, 677, 544, 285, 733, 840, 543, 719, 119, 230, 526, 720].  
**Runge-Kutta-Nyström** [631].

**S13** [297].  
**S14** [251, 148, 334, 149, 226, 92, 80, 194].  
**S15** [151, 114]. **S17** [56]. **S18** [124, 205].  
**S20** [91]. **S21** [350, 270, 172]. **S22** [81].  
**Sample** [264, 786, 136].  
**Samples** [529, 28, 80]. **Sampling** [414, 499, 625, 659, 838, 682, 489, 563].  
**Scalar** [425, 424, 678].  
**Scale** [493, 567, 741, 737, 738, 755, 486].  
**Scaling** [667, 830]. **Scanning** [73].  
**Scattered** [602, 603, 601].  
**Scheduling** [150]. **Schema** [356].  
**Scheme** [537, 643]. **Schemes** [514, 543].  
**Schmidt** [253, 249]. **Schur** [781, 782].  
**Scientific** [517, 609].  
**Scope** [807, 844, 845, 808, 32]. **SD** [309].  
**SD-Formulas** [309]. **Search** [827, 421].  
**Second** [89, 86, 705, 142, 853, 521, 569, 588].  
**Second-Degree** [569, 588].  
**Second-Order** [521]. **Secondary** [611].  
**Select** [773, 103, 29]. **Selected** [780].  
**Selection** [733, 840, 735, 449]. **Self** [824].  
**Self-Adjoint** [824]. **Semantic** [475].  
**Semidiscrete** [282]. **SENAC** [727].  
**Sense** [507]. **Sensitivity** [163, 594, 593].  
**Separable** [686, 239, 238]. **Separably** [419].  
**Separators** [644]. **Sequence** [597, 412, 558].  
**Sequences** [839, 425, 424, 555].  
**Sequential** [499, 682, 736, 633, 563].  
**Series** [799, 286, 697, 372, 425, 424, 361, 62, 65, 351]. **Service** [33, 272]. **Set** [362, 396, 342, 590, 626, 589, 661, 660, 132, 700, 352].  
**Sets** [359, 162, 160, 278, 84, 601].  
**Several** [105]. **Shape** [344, 347].  
**Shape-Preserving** [344, 347].  
**Shepard** [602, 603]. **Shortest** [303, 416].  
**Should** [84]. **SICEDR** [391]. **Sides** [677].  
**SIGMA** [623]. **Signals** [832].  
**Significance** [447]. **Significant** [831, 760].  
**Simple** [354, 476].  
**Simplex** [634, 837, 486, 150].  
**Simplices** [789]. **Simulated** [577, 650].  
**Simulation** [154].  
**Simultaneous** [594, 593, 554, 215, 333, 329].  
**Single** [234, 83, 784]. **Single-Input** [784].  
**Single-Point** [234]. **Singly** [595].  
**Singly-Implicit** [595].  
**Singular** [369, 368, 327, 308].  
**Singular-Value** [308]. **Situ** [126, 256].  
**Size** [287]. **Skew** [190, 189].  
**Skew-Symmetric** [190, 189].  
**SLEIGN** [728]. **Small** [28, 80].  
**Smallest** [103, 29].  
**Smirnov** [121, 149, 28, 80]. **Smith** [248].  
**Smooth** [17, 22, 179, 178, 229, 93, 228, 503, 170]. **Smoothing** [268, 539]. **Sobol** [597].

**Software** [129, 732, 35, 730, 656, 517, 778, 807, 841, 519, 605, 750, 552, 364, 521, 237, 728, 43, 201, 764, 791, 798, 48, 460, 583, 666, 669, 474, 209]. **Solid** [271]. **Solution** [280, 279, 693, 183, 54, 281, 125, 575, 41, 161, 159, 269, 146, 360, 409, 420, 1, 176, 132, 444, 749, 611, 69, 98, 252, 76, 60, 593, 747, 746, 131, 117, 324, 210, 283, 501, 335, 557, 482, 208, 848, 538, 531, 239, 510, 238, 419, 434, 244]. **Solutions** [51, 397, 636, 694, 793, 792, 53, 253, 249]. **Solve** [204, 394, 484, 55, 116, 784, 555, 612]. **SOLVEBLOK** [267, 266]. **Solvents** [413]. **Solver** [357, 453, 504, 594, 583]. **Solvers** [188, 824, 561, 288, 246, 773, 445, 119, 352, 59]. **Solves** [317, 364]. **Solving** [582, 349, 96, 225, 490, 630, 743, 485, 372, 359, 488, 342, 427, 426, 608, 566, 231, 750, 442, 39, 722, 165, 532, 513, 122, 686, 385, 511, 652, 459, 569, 588, 278, 454, 130, 755, 619, 266]. **Some** [46, 485, 207, 444, 165, 532, 122, 573, 23, 527, 720, 512, 627, 138]. **Sort** [91, 85]. **Sorted** [291]. **Sorting** [265]. **Space** [562, 221, 342, 528, 421, 830]. **Space-Efficient** [421]. **Spaces** [450]. **Spanning** [448, 25, 79]. **Sparse** [732, 731, 795, 468, 467, 519, 711, 710, 207, 357, 420, 628, 780, 218, 69, 193, 187, 304, 247, 385, 376, 548, 571, 576, 654, 702, 816, 15, 423, 422, 600, 278, 377, 367, 685, 715, 382, 202, 198, 152, 520]. **Sparse-Matrix** [423]. **Sparser** [795]. **SPECFUN** [771]. **Special** [36, 771, 132, 423, 422, 694]. **Specified** [392, 456]. **Spectrum** [392, 456]. **Sphere** [478, 477]. **Spherical** [192, 2]. **Spline** [268, 745, 387, 100, 415, 747, 746, 344, 775]. **Splines** [564, 617, 539, 347]. **Splitting** [701]. **Spurious** [815]. **Square** [508, 568, 646]. **Squared** [10, 502, 114]. **Squares** [507, 506, 289, 647, 698, 853, 346, 405, 386, 739, 317, 645, 377, 367, 848, 253, 249, 345]. **Squeezing** [458]. **Stability** [195, 753, 443, 197]. **Stabilized** [277]. **Stable** [199]. **Staircase** [261, 454]. **Standard** [46, 472, 796, 695, 429]. **STAR** [60]. **Starters** [285]. **State** [98, 528]. **Statement** [82]. **States** [514, 543]. **Stationary** [300, 295]. **Statistic** [28, 80]. **Statistics** [812, 334]. **STDTST** [561]. **Steady** [98]. **Steiner** [158, 804]. **Step** [487, 287]. **Step-Size** [287]. **Stepsize** [733, 840]. **Stiff** [286, 743, 742, 774, 176, 242, 444, 287, 443, 309, 119, 352, 512, 419, 203]. **Stiffly** [199]. **Stiffness** [119]. **STINT** [203]. **Stochastic** [623, 622]. **Stochastic-Integration** [623]. **Stockmeyer** [376, 375]. **Storage** [494, 88, 254, 611, 537, 548, 612, 230, 474]. **Store** [360, 359]. **Straight** [610]. **Straight-Line** [610]. **Strategies** [44]. **Strategy** [571, 265]. **Structure** [242, 232, 276, 460]. **Structured** [645]. **Student** [13, 14, 336, 337, 226]. **Study** [408, 828, 95, 261, 373, 678]. **Sturm** [183, 730, 729, 728, 791]. **Sturm-Liouville** [183, 730, 729, 728, 791]. **Subdivision** [683]. **Subject** [300, 295]. **Subprograms** [239, 238, 395, 590, 626, 589, 661, 660, 579, 236, 235, 607]. **Subresultant** [186]. **Subroutine** [280, 436, 437, 675, 46, 490, 384, 630, 743, 618, 853, 391, 175, 401, 722, 540, 784, 283, 202, 451, 755]. **Subroutines** [124, 123, 205, 787, 777, 814, 36, 289, 468, 580, 762, 392, 587, 379, 444, 438, 752, 817, 847, 325, 550, 456, 688, 793, 99, 646, 520, 406, 711, 710]. **Subset** [455]. **Subspace** [780]. **Subspaces** [392, 456]. **Successive** [482]. **Sufficient** [827]. **Suitable** [418]. **Suite** [578]. **Suited** [802]. **Supercomputers** [678]. **Supernode** [653]. **Support** [273, 796]. **Surface** [22, 179, 178, 229, 228, 67, 834, 833, 78, 657, 503, 478, 477, 257, 24].

**Surfaces** [592, 591, 669]. **Survey** [101, 305].  
**Sylvester** [750, 749].  
**Symbolic** [146, 224, 530, 383].  
**Symmetric** [582, 96, 125, 551, 420, 621, 611, 571, 278, 215, 190, 189]. **System** [732, 54, 289, 536, 610, 398, 785, 856, 773, 306, 453, 504, 848, 524, 432, 486, 206, 418].  
**Systems** [280, 279, 51, 732, 731, 582, 96, 125, 706, 821, 161, 159, 630, 743, 188, 488, 427, 426, 608, 420, 473, 242, 69, 752, 817, 364, 722, 513, 773, 385, 76, 60, 593, 576, 747, 746, 671, 324, 784, 459, 397, 569, 588, 636, 454, 383, 612, 53, 538, 531, 510, 620, 619, 419, 266].  
**Systolic** [541].  
  
**Table** [786, 302, 639, 689, 748].  
**Table-Driven** [639, 689, 748].  
**Tables** [77, 801, 18, 540]. **Tabulated** [112].  
**Tails** [527]. **Talbot** [673]. **Tarjan** [177].  
**Taylor** [286, 697, 372]. **Technique** [73].  
**Techniques** [161, 159, 733, 840, 655, 678].  
**TEDDY2** [184]. **Temme** [311].  
**Template** [787]. **Template-Driven** [787].  
**Tension** [564, 617, 775].  
**Tensor** [841, 739, 776, 259, 220].  
**Test** [814, 813, 801, 697, 770, 771, 615, 493, 711, 590, 661, 628, 515, 740, 713, 154, 315, 312, 804, 446, 671, 540, 12, 567, 699, 352].  
**Testing** [46, 855, 761, 37, 166, 325, 318, 550, 676]. **Tests** [121, 532, 573, 627, 23, 138, 728].  
**Text** [432]. **th** [103]. **Their** [559, 334, 580].  
**Them** [39]. **Theoretic** [733, 840].  
**Theoretical** [141]. **Theory** [781].  
**Thinning** [809, 736]. **Third** [718, 717, 311].  
**Third-Degree** [718, 717]. **Thoughts** [122].  
**Three** [492, 574, 790, 57, 149, 106, 335, 592, 591, 669, 26].  
**Three-Dimensional** [57, 335, 26].  
**Threshold** [576]. **Time** [665, 310, 821, 763, 786, 140, 838, 832, 282, 277].  
**Time-Dependent** [665, 821].  
**TNPACK** [741, 737, 738].  
**Toeplitz** [132, 752, 817]. **TOMP** [825].  
**TOMS** [807, 844, 82].  
  
**Topological** [5, 153, 619]. **Tour** [31].  
**Transactions** [807]. **Transform** [606, 605, 692, 115, 469, 470, 832, 120, 27, 127].  
**Transformation** [247].  
**Transforming** [556].  
**Transforms** [390, 389, 790].  
**Translation** [788, 171, 579, 415, 607, 75].  
**Transportable** [174, 432].  
**Transposition** [21, 126, 187, 256].  
**Transversal** [343].  
**Tree** [693, 158, 431, 430, 448, 25, 265, 79].  
**Trees** [537]. **Triangle** [533, 378, 440, 441].  
**Triangles** [756, 155, 680, 679].  
**Triangular** [97, 188, 182, 38, 685, 483].  
**Triangularization** [177].  
**Triangulation** [479]. **Triangulations** [683].  
**TRICP** [483].  
**Tridiagonal** [409, 762, 60, 59, 328].  
**TRIEX** [441].  
**Trigonometric** [565, 815, 759].  
**Trivariate** [603]. **Truncated** [741, 737, 738].  
**Trust-Region** [438]. **TSPACK** [775].  
**Two** [234, 61, 551, 824, 647, 560, 9, 187, 386, 261, 113, 136, 324, 323, 481, 480, 793, 474, 651]. **Two-**  
**Dimensional** [824, 324, 323, 481, 480, 474].  
**Type** [70, 810, 252, 452].  
  
**UIMP** [381].  
**Unconstrained** [855, 829, 841, 493, 128, 438, 325, 318, 764, 42, 524, 74, 316].  
**Uniform** [435, 145]. **Unitary** [754, 818].  
**Univariate** [718, 717]. **Unknowns** [510].  
**Unordered** [540]. **Unsymmetric** [357, 780].  
**Updates** [645]. **Updating** [362, 396, 688].  
**Upper** [51, 379, 99]. **Usage** [49, 395, 406, 579, 236, 235, 607, 741, 737].  
**Use** [475, 697, 567, 104].  
**User** [381, 218, 244]. **Using** [769, 622, 390, 389, 97, 506, 225, 263, 372, 780, 134, 564, 617, 338, 320, 438, 290, 611, 812, 822, 145, 537, 541, 636, 157, 265, 65, 351, 466, 612, 45, 118, 130, 199, 120, 619, 440, 441, 841, 851].

**Validation** [658, 539]. **Value** [693, 455, 332, 331, 630, 629, 677, 743, 742, 774, 369, 368, 560, 651, 243, 552, 722, 773, 308, 619, 400]. **Values** [327, 214]. **Variable** [494, 677, 342, 508, 535, 287, 819, 526, 400]. **variable-order** [400]. **Variables** [234, 577, 650, 145, 462, 570, 599, 592, 591, 669, 144]. **Variance** [264, 393, 341]. **Variant** [634]. **Variates** [613]. **Varying** [677]. **Vector** [725, 164, 135, 556, 820, 835, 445]. **Vectorized** [767, 778]. **Vectors** [327]. **Verifier** [429]. **Versatile** [223]. **Versus** [407, 44, 526]. **via** [769, 69]. **View** [42]. **Virtual** [360, 359]. **Visible** [67, 78, 257, 24]. **Volterra** [195, 705, 490].

**Wavelet** [832]. **Way** [213, 212]. **Weeks'** [606, 605, 692]. **Weierstrass'** [270]. **Weight** [637, 638]. **Weighted** [656, 564, 617, 253, 249]. **Weights** [587, 448]. **Well** [802]. **Weyl** [668]. **Within** [687]. **Without** [137]. **Workstations** [715]. **World** [39].

**XMP** [355]. **XNETLIB** [851].

**Yorke** [284].

**Z** [162, 525, 181, 258, 302, 73, 213, 271, 201, 58, 79]. **Zero** [61, 348, 106, 495, 534, 759]. **Zero-Free** [348]. **Zero-One** [106]. **Zerofinding** [37]. **Zeros** [47, 554, 284].

## References

- |  |  |
|--|--|
| <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ellenberger:1960:NSP</b></div> <p>[1] K. W. Ellenberger. ACM algorithm 30: Numerical solution of the polynomial equation. <i>Communications of the ACM</i>, 3(12):643, December 1960. See also [501].</p> | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Herndon:1961:SNF</b></div> <p>[2] J. R. Herndon. ACM algorithm 49: Spherical Neumann function. <i>Communications of the ACM</i>, 4(4):179, April 1961. See also [192].</p>                            |
| <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ellenberger:1960:NSP</b></div>  | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Merner:1962:CEI</b></div> <p>[3] J. N. Merner. ACM algorithm 149: Complete elliptic integral. <i>Communications of the ACM</i>, 5(12):605, December 1962. See also [172].</p>                         |
| <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ellenberger:1960:NSP</b></div>  | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ludwig:1963:IBR</b></div> <p>[4] O. G. Ludwig. ACM algorithm 179: Incomplete beta ratio. <i>Communications of the ACM</i>, 6(6):314, June 1963. See also [92].</p>                                    |
| <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ellenberger:1960:NSP</b></div>  | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Kase:1963:TOP</b></div> <p>[5] R. H. Kase. ACM algorithm 219: Topological ordering for Pert networks. <i>Communications of the ACM</i>, 6(12):738–739, December 1963. See also [153].</p>             |
| <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ellenberger:1960:NSP</b></div>  | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Gautschi:1964:BFF</b></div> <p>[6] W. Gautschi. ACM algorithm 236: Bessel functions of the first kind. <i>Communications of the ACM</i>, 7(8):479–480, August 1964. See also [56].</p>                |
| <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ellenberger:1960:NSP</b></div>  | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Boothroyd:1964:G</b></div> <p>[7] J. Boothroyd. ACM algorithm 246: Graycode. <i>Communications of the ACM</i>, 7(12):701, December 1964. See also [58, 525].</p>                                      |
| <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Ellenberger:1960:NSP</b></div>  | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px; text-align: center;"><b>Gautschi:1965:LFA</b></div> <p>[8] W. Gautschi. ACM algorithm 259: Legendre functions for arguments larger than one. <i>Communications of the ACM</i>, 8(8):488–492, August 1965. See also [139].</p> |

- Fletcher:1966:ITB**
- [9] W. Fletcher. ACM algorithm 284: Interchange of two blocks of data. *Communications of the ACM*, 9(5):326, May 1966. See also [113].
- Hill:1967:CSI**
- [10] I. D. Hill and M. C. Pike. ACM algorithm 299: Chi-squared integral. *Communications of the ACM*, 10(4):243–244, April 1967. See also [114, 502].
- Bell:1968:NRD**
- [11] J. R. Bell. ACM algorithm 334: Normal random deviates. *Communications of the ACM*, 11(7):498, July 1968. See also [370].
- Morris:1969:TP**
- [12] J. Morris. ACM algorithm 346:  $F$ -test probabilities. *Communications of the ACM*, 12(3):184–185, March 1969. See also [615].
- Hill:1970:SD**
- [13] G. W. Hill. ACM algorithm 395: Student's  $t$ -distribution. *Communications of the ACM*, 13(10):617–619, October 1970. See also [226, 336].
- Hill:1970:SQ**
- [14] G. W. Hill. ACM algorithm 396: Student's  $t$ -quantiles. *Communications of the ACM*, 13(10):619–620, October 1970. See also [337].
- McNamee:1971:SMP**
- [15] J. M. McNamee. ACM algorithm 408: A sparse matrix package (part I). *Communications of the ACM*, 14(4):265–273, April 1971. See also [152, 193, 304].
- Gentleman:1972:CCQ**
- [16] W. M. Gentleman. ACM algorithm 424: Clenshaw-Curtis quadrature. *Communications of the ACM*, 15(5):353–355, May 1972. See also [227].
- Akima:1972:ISC**
- [17] H. Akima. ACM algorithm 433: Interpolation and smooth curve fitting based on local procedures. *Communications of the ACM*, 15(10):914–918, October 1972. See also [93].
- March:1972:EPT**
- [18] D. L. March. ACM algorithm 434: Exact probabilities for  $R \times C$  contingency tables. *Communications of the ACM*, 15(11):991–992, November 1972. See also [77].
- Fullerton:1972:MIG**
- [19] W. Fullerton. ACM algorithm 435: Modified incomplete gamma function. *Communications of the ACM*, 15(11):993–995, November 1972. See also [194].
- MacHura:1973:RFM**
- [20] M. MacHura and A. Mulawa. ACM algorithm 450: Rosenbrock function minimization. *Communications of the ACM*, 16(8):482–483, August 1973. See also [102].
- Brenner:1973:MTP**
- [21] N. Brenner. ACM algorithm 467: Matrix transposition in place. *Communications of the ACM*, 16(11):692–694, November 1973. See also [256].
- Akima:1974:BIS**
- [22] H. Akima. ACM algorithm 474: Bivariate interpolation and smooth surface fitting based on local procedures. *Communications of the ACM*, 17(1):26–31, January 1974. See also [228].
- Loeser:1974:SPT**
- [23] R. Loeser. Some performance tests of 'quicksort' and descendants. *Communi-*

*Communications of the ACM*, 17(3):143–152, March 1974.

**Wright:1974:VSP**

- [24] T. Wright. ACM algorithm 475: Visible surface plotting program. *Communications of the ACM*, 17(3):152–155, March 1974. See also [78, 257].

**Page:1974:MST**

- [25] R. L. Page. ACM algorithm 479: A minimal spanning tree clustering method. *Communications of the ACM*, 17(6):321–323, June 1974. See also [79].

**Watkins:1974:MTD**

- [26] S. L. Watkins. ACM algorithm 483: Masked three-dimensional plot program with rotations. *Communications of the ACM*, 17(9):520–523, September 1974. See also [57].

**Veillon:1974:NIL**

- [27] F. Veillon. ACM algorithm 486: Numerical inversion of Laplace transform. *Communications of the ACM*, 17(10):587–589, October 1974. See also [115, 127].

**Pomeranz:1974:ECD**

- [28] J. Pomeranz. ACM algorithm 487: Exact cumulative distribution of the Kolmogorov-Smirnov statistic for small samples. *Communications of the ACM*, 17(12):703–704, December 1974. See also [80].

**Floyd:1975:ASF**

- [29] R. W. Floyd and R. L. Rivest. ACM algorithm 489: The algorithm SELECT – for finding the  $i$ th smallest of  $n$  elements. *Communications of the ACM*, 18(3):173, March 1975. See also [103].

**Grinsberg:1975:DFR**

- [30] E. S. Grinsberg and D. Zaborowski. ACM algorithm 490: The dilogarithm function of a real argument. *Communications of the ACM*, 18(4):200–202, April 1975. See also [81].

**BrinchHansen:1994:MLD**

- [31] Per Brinch Hansen. Multiple-length division revisited: a tour of the minefield. *Software—Practice and Experience*, 24(6):579–601, June 1994. This paper derives an algorithm for division of long integers, and implements it as a literate program, although without identifier cross-references.

**Rice:1975:PS**

- [32] John R. Rice. Purpose and scope. *ACM Transactions on Mathematical Software*, 1(1):1–3, March 1975.

**Anonymous:1975:ADS**

- [33] Anonymous. Algorithms distribution service. *ACM Transactions on Mathematical Software*, 1(1):4–4, March 1975.

**Fosdick:1975:AP**

- [34] Lloyd D. Fosdick. Algorithms policy. *ACM Transactions on Mathematical Software*, 1(1):5–6, March 1975.

**Anonymous:1975:PMS**

- [35] Anonymous. Papers from Mathematical Software II. *ACM Transactions on Mathematical Software*, 1(1):7–12, March 1975.

**Cody:1975:FPS**

- [36] W. J. Cody. The FUNPACK package of special function subroutines. *ACM Transactions on Mathematical Software*, 1(1):13–25, March 1975.

**Jenkins:1975:PTP**

- [37] M. A. Jenkins and J. F. Traub. Principles for testing polynomial zero-finding programs. *ACM Transactions on Mathematical Software*, 1(1):26–34, March 1975.

**Parlett:1975:ICC**

- [38] B. N. Parlett and Y. Wang. The influence of the compiler on the cost of mathematical software—in particular on the cost of triangular factorization. *ACM Transactions on Mathematical Software*, 1(1):35–46, March 1975.

**Glover:1975:RWA**

- [39] Fred Glover and Darwin Klingman. Real world applications of network related problems and breakthroughs in solving them efficiently. *ACM Transactions on Mathematical Software*, 1(1):47–55, March 1975.

**Ng:1975:CCM**

- [40] Edward W. Ng. A comparison of computational methods and algorithms for the complex gamma function. *ACM Transactions on Mathematical Software*, 1(1):56–70, March 1975.

**Byrne:1975:PNS**

- [41] G. D. Byrne and A. C. Hindmarsh. A polyalgorithm for the numerical solution of ordinary differential equations. *ACM Transactions on Mathematical Software*, 1(1):71–96, March 1975.

**Powell:1975:VUM**

- [42] M. J. D. Powell. A view of unconstrained minimization algorithms that do not require derivatives. *ACM Transactions on Mathematical Software*, 1(2):97–107, June 1975.

**Miller:1975:SRA**

- [43] Webb Miller. Software for roundoff analysis. *ACM Transactions on Mathematical Software*, 1(2):108–128, June 1975.

**Malcolm:1975:LVG**

- [44] Michael A. Malcolm and R. Bruce Simpson. Local versus global strategies for adaptive quadrature. *ACM Transactions on Mathematical Software*, 1(2):129–146, June 1975.

**Stoutemyer:1975:AOU**

- [45] David R. Stoutemyer. Analytical optimization using computer algebraic manipulation. *ACM Transactions on Mathematical Software*, 1(2):147–164, June 1975.

**Barinka:1975:SEC**

- [46] Lawrence L. Barinka. Some experience with constructing, testing, and certifying a standard mathematical subroutine library. *ACM Transactions on Mathematical Software*, 1(2):165–177, June 1975.

**Jenkins:1975:AZR**

- [47] M. A. Jenkins. Algorithm 493: Zeros of a real polynomial [C2]. *ACM Transactions on Mathematical Software*, 1(2):178–189, June 1975.

**Rice:1975:SPP**

- [48] John R. Rice. Software package policy. *ACM Transactions on Mathematical Software*, 1(3):193–195, September 1975.

**Bailey:1975:UAM**

- [49] Carl B. Bailey and Rondall E. Jones. Usage and argument monitoring of mathematical library routines. *ACM Transactions on Mathematical Software*, 1(3):196–209, September 1975.

**George:1975:ARR**

- [50] James E. George. Algorithms to reveal the representation of characters, integers, and floating-point numbers. *ACM Transactions on Mathematical Software*, 1(3):210–216, September 1975.

**Aird:1975:CAU**

- [51] T. J. Aird and Robert E. Lynch. Computable accurate upper and lower error bounds for approximate solutions of linear algebraic systems. *ACM Transactions on Mathematical Software*, 1(3):217–231, September 1975.

**Sincovec:1975:SNP**

- [52] Richard F. Sincovec and Niel K. Madsen. Software for nonlinear partial differential equations. *ACM Transactions on Mathematical Software*, 1(3):232–260, September 1975.

**Sincovec:1975:APS**

- [53] Richard F. Sincovec and Niel K. Madsen. Algorithm 494: PDEONE, solutions of systems of partial differential equations [D3]. *ACM Transactions on Mathematical Software*, 1(3):261–263, September 1975.

**Barrodale:1975:ASO**

- [54] I. Barrodale and C. Phillips. Algorithm 495: Solution of an overdetermined system of linear equations in the Chebychev norm [F4]. *ACM Transactions on Mathematical Software*, 1(3):264–270, September 1975.

**Kaufman:1975:ALA**

- [55] Linda Kaufman. Algorithm 496: The LZ algorithm to solve the generalized eigenvalue problem for complex matrices [F2]. *ACM Transactions on Mathematical Software*, 1(3):271–281, September 1975.

**Skovgaard:1975:RBF**

- [56] Ove Skovgaard. Remark on “Algorithm 236: Bessel functions of the first kind [S17]”. *ACM Transactions on Mathematical Software*, 1(3):282–284, September 1975. See [6].

**Feinstein:1975:RMT**

- [57] Robert Feinstein. Remark on “Algorithm 483: Masked three-dimensional plot program with rotations [J6]”. *ACM Transactions on Mathematical Software*, 1(3):285–285, September 1975. See [26].

**Misra:1975:RG**

- [58] Jayadev Misra. Remark on “Algorithm 246: Graycode [Z]”. *ACM Transactions on Mathematical Software*, 1(3):285–285, September 1975. See [7, 525].

**Stone:1975:PTE**

- [59] H. Stone. Parallel tridiagonal equation solvers. *ACM Transactions on Mathematical Software*, 1(4):289–307, December 1975.

**Lambiotte:1975:STL**

- [60] Jules J. Lambiotte and Robert G. Voigt. The solution of tridiagonal linear systems on the CDC STAR 100 computer. *ACM Transactions on Mathematical Software*, 1(4):308–329, December 1975.

**Bus:1975:TEA**

- [61] J. C. P. Bus and T. J. Dekker. Two efficient algorithms with guaranteed convergence for finding a zero of a function. *ACM Transactions on Mathematical Software*, 1(4):330–345, December 1975.

**Norman:1975:CFP**

- [62] A. C. Norman. Computing with formal power series. *ACM Transactions*

- on *Mathematical Software*, 1(4):346–356, December 1975.
- Griss:1976:ASS**
- [63] Kenneth W. Neves. Automatic integration of functional differential equations: An approach. *ACM Transactions on Mathematical Software*, 1(4):357–368, December 1975.
- Neves:1975:AIF**
- [64] Kenneth W. Neves. Algorithm 497: Automatic integration of functional differential equations [D2]. *ACM Transactions on Mathematical Software*, 1(4):369–371, December 1975.
- Neves:1975:AAI**
- [65] P. J. Prince. Algorithm 498: Airy functions using Chebyshev series approximations. *ACM Transactions on Mathematical Software*, 1(4):372–379, December 1975. See also [351].
- Prince:1975:AAF**
- [66] John Gregg Lewis. Certification of “Algorithm 349: Polygamma functions with arbitrary precision. *ACM Transactions on Mathematical Software*, 1(4):380–382, December 1975.
- Lewis:1975:CPF**
- [67] Gordon E. Bromage. Certification of “Algorithm 475: Visible surface plotting program [J6]”. *ACM Transactions on Mathematical Software*, 1(4):381–382, December 1975.
- Bromage:1975:CVS**
- [68] John R. Rice. Parallel algorithms for adaptive quadrature III. program correctness. *ACM Transactions on Mathematical Software*, 2(1):1–30, March 1976.
- Rice:1976:PAA**
- [69] Martin L. Griss. The algebraic solution of sparse linear systems via minor expansion. *ACM Transactions on Mathematical Software*, 2(1):31–49, March 1976.
- Duris:1976:GCP**
- [70] Charles S. Duris. Generating and compounding product-type Newton-Coates quadrature formulas. *ACM Transactions on Mathematical Software*, 2(1):50–58, March 1976.
- Bays:1976:IPR**
- [71] Carter Bays and S. D. Durham. Improving a poor random number generator. *ACM Transactions on Mathematical Software*, 2(1):59–64, March 1976.
- Lyness:1976:CNA**
- [72] J. N. Lyness and J. J. Kaganove. Comments on the nature of automatic quadrature routines. *ACM Transactions on Mathematical Software*, 2(1):65–81, March 1976.
- Kinsner:1976:AES**
- [73] W. Kinsner and E. Della Torre. Algorithm 499: An efficient scanning technique [Z]. *ACM Transactions on Mathematical Software*, 2(1):82–86, March 1976.
- Shanno:1976:AMU**
- [74] D. F. Shanno and K. H. Phua. Algorithm 500: Minimization of unconstrained multivariate functions [E4]. *ACM Transactions on Mathematical Software*, 2(1):87–94, March 1976.
- Simpson:1976:AFT**
- [75] Joseph C. Simpson. Algorithm 501: Fortran translation of Algorithm 409, discrete Chebychev curve fit [E2]. *ACM*

*Transactions on Mathematical Software*,  
2(1):95–97, March 1976.

**Kubicek:1976:ADS**

- [76] Milan Kubíček. Algorithm 502: Dependence of solution of nonlinear systems on a parameter [C5]. *ACM Transactions on Mathematical Software*, 2(1):98–107, March 1976.

**Boulton:1976:REP**

- [77] D. M. Boulton. Remark on “Algorithm 434: Exact probabilities for  $R \times C$  contingency tables [G2]”. *ACM Transactions on Mathematical Software*, 2(1):108–108, March 1976. See [18].

**Duta:1976:RVS**

- [78] Lucian D. Duta. Remark on “Algorithm 475: Visible surface plotting program [J6]”. *ACM Transactions on Mathematical Software*, 2(1):109–110, March 1976. See [24].

**White:1976:RMS**

- [79] G. M. White, S. Goudreau, and J. L. Legros. Remark on “Algorithm 479: A minimal spanning tree clustering method [Z]”. *ACM Transactions on Mathematical Software*, 2(1):110–111, March 1976. See [25].

**Pomeranz:1976:REC**

- [80] J. Pomeranz. Remark on “Algorithm 487: Exact cumulative distribution of the Kolmogorov-Smirnov statistic for small samples [S14]”. *ACM Transactions on Mathematical Software*, 2(1):111–111, March 1976. See [28].

**Morris:1976:RDF**

- [81] Robert Morris. Remark on “Algorithm 490: The dilogarithm function of a real argument [S22]”. *ACM Transactions on Mathematical Software*, 2(1):112–112, March 1976. See [30].

**Rice:1976:TPS**

- [82] John R. Rice. TOMS policy statement: The rights of program authors in the evaluation of programs. *ACM Transactions on Mathematical Software*, 2(2):113–114, June 1976.

**Ford:1976:DSN**

- [83] B. Ford and D. K. Sayers. Developing a single numerical algorithms library for different machine ranges. *ACM Transactions on Mathematical Software*, 2(2):115–131, June 1976.

**Paul:1976:SEF**

- [84] George Paul and M. Wayne Wilson. Should the elementary function library be incorporated into computer instruction sets? *ACM Transactions on Mathematical Software*, 2(2):132–142, June 1976.

**Janko:1976:LIS**

- [85] Wolfgang Janko. A list insertion sort for keys with arbitrary key distribution. *ACM Transactions on Mathematical Software*, 2(2):143–153, June 1976.

**Atkinson:1976:APL**

- [86] Kendall Atkinson. An automatic program for linear Fredholm integral equations of the second kind. *ACM Transactions on Mathematical Software*, 2(2):154–171, June 1976.

**Shampine:1976:GEE**

- [87] L. F. Shampine and H. A. Watts. Global error estimates for ordinary differential equations. *ACM Transactions on Mathematical Software*, 2(2):172–186, June 1976.

**Ericksen:1976:ICP**

- [88] J. H. Ericksen and R. Wilhelmson. Implementation of a convective problem re-

quiring auxiliary storage. *ACM Transactions on Mathematical Software*, 2(2): 187–195, June 1976.

**Atkinson:1976:AAP**

- [89] Kendall Atkinson. Algorithm 503: An automatic program for Fredholm integral equations of the second kind [D5]. *ACM Transactions on Mathematical Software*, 2(2):196–199, June 1976.

**Shampine:1976:AGG**

- [90] L. F. Shampine and H. A. Watts. Algorithm 504: GERK: Global error estimation for ordinary differential equations [D]. *ACM Transactions on Mathematical Software*, 2(2):200–203, June 1976.

**Janko:1976:ALI**

- [91] Wolfgang Janko. Algorithm 505: A list insertion sort for keys with arbitrary key distribution [S20]. *ACM Transactions on Mathematical Software*, 2(2): 204–206, June 1976.

**Pike:1976:RIB**

- [92] Malcolm C. Pike and Jennie SooHoo. Remark on “Algorithm 179: Incomplete beta ratio [S14]”. *ACM Transactions on Mathematical Software*, 2(2): 207–208, June 1976. See [4].

**Anderson:1976:RIS**

- [93] Michael R. Anderson. Remark on “Algorithm 433: Interpolation and smooth curve fitting based on local procedures [E2]”. *ACM Transactions on Mathematical Software*, 2(2):208–208, June 1976. See [17].

**Wyatt:1976:PEP**

- [94] W. T. Wyatt, Jr., D. W. Lozier, and D. J. Orser. A portable extended precision arithmetic package and library

with Fortran precompiler. *ACM Transactions on Mathematical Software*, 2(3): 209–231, September 1976.

**Gentleman:1976:AAC**

- [95] W. M. Gentleman and S. C. Johnson. Analysis of algorithms, A case study: Determinants of matrices with polynomial entries. *ACM Transactions on Mathematical Software*, 2(3): 232–241, September 1976.

**Barwell:1976:CAS**

- [96] Victor Barwell and Alan George. A comparison of algorithms for solving symmetric indefinite systems of linear equations. *ACM Transactions on Mathematical Software*, 2(3):242–251, September 1976.

**Bartels:1976:HIU**

- [97] Richard Bartels and Alec Steingart. Hermite interpolation using a triangular polynomial basis. *ACM Transactions on Mathematical Software*, 2(3): 252–256, September 1976.

**Hall:1976:NSS**

- [98] C. A. Hall, R. W. Luczak, and A. G. Serdy. Numerical solution of steady state heat flow problems over curved domains. *ACM Transactions on Mathematical Software*, 2(3):257–274, September 1976.

**Stewart:1976:AHE**

- [99] G. W. Stewart. Algorithm 506: HQR3 and EXCHNG: Fortran subroutines for calculating and ordering the eigenvalues of a real upper Hessenberg matrix [F2]. *ACM Transactions on Mathematical Software*, 2(3):275–280, September 1976. See also [379].

**Herriot:1976:APQ**

- [100] John G. Herriot and Christian H. Reinsch. Algorithm 507: Procedures for quintic natural spline interpolation [E1]. *ACM Transactions on Mathematical Software*, 2(3):281–289, September 1976. See also [387].

**Loeser:1976:SAQ**

- [101] Rudolf Loeser. Survey on algorithms 347, 426, and quicksort. *ACM Transactions on Mathematical Software*, 2(3):290–299, September 1976.

**Davies:1976:RRF**

- [102] Alan M. Davies. Remark on “Algorithm 450: Rosenbrock function minimization [E4]”. *ACM Transactions on Mathematical Software*, 2(3):300–301, September 1976. See [20].

**Brown:1976:RAS**

- [103] Theodore Brown. Remark on “Algorithm 489: The algorithm SELECT—for finding the  $i$ th smallest of  $n$  elements [M1]”. *ACM Transactions on Mathematical Software*, 2(3):301–304, September 1976. See [29].

**Pavlidis:1976:UAP**

- [104] Theodosios Pavlidis. The use of algorithms of piecewise approximations for picture processing applications. *ACM Transactions on Mathematical Software*, 2(4):305–321, December 1976.

**Gibbs:1976:CSB**

- [105] Norman E. Gibbs, William G. Poole Jr., and Paul K. Stockmeyer. A comparison of several bandwidth and profile reduction algorithms. *ACM Transactions on Mathematical Software*, 2(4):322–330, December 1976.

**Mahendrarajah:1976:CTA**

- [106] A. Mahendrarajah and F. Fiala. A comparison of three algorithms for linear zero-one programs. *ACM Transactions on Mathematical Software*, 2(4):331–334, December 1976.

**Weinberger:1976:FPA**

- [107] P. J. Weinberger and L. P. Rothschild. Factoring polynomials over algebraic number fields. *ACM Transactions on Mathematical Software*, 2(4):335–350, December 1976.

**Pinkert:1976:EMF**

- [108] James R. Pinkert. An exact method for finding the roots of a complex polynomial. *ACM Transactions on Mathematical Software*, 2(4):351–363, December 1976.

**Rubin:1976:PI**

- [109] Frank Rubin. Partition of integers. *ACM Transactions on Mathematical Software*, 2(4):364–374, December 1976.

**Crane:1976:AMB**

- [110] H. L. Crane Jr., Norman E. Gibbs, William G. Poole Jr., and Paul K. Stockmeyer. Algorithm 508: Matrix bandwidth and profile reduction [F1]. *ACM Transactions on Mathematical Software*, 2(4):375–377, December 1976. See also [380].

**Gibbs:1976:AHP**

- [111] Norman E. Gibbs. Algorithm 509: A hybrid profile reduction algorithm [F1]. *ACM Transactions on Mathematical Software*, 2(4):378–387, December 1976. See also [380].

**Wilson:1976:APL**

- [112] D. G. Wilson. Algorithm 510: Piecewise linear approximation to tabulated

data [E2]. *ACM Transactions on Mathematical Software*, 2(4):388–391, December 1976.

**Ito:1976:RIT**

- [113] M. R. Ito. Remark on “Algorithm 284: Interchange of two blocks of data [K2]”. *ACM Transactions on Mathematical Software*, 2(4):392–393, December 1976. See [9].

**Lozy:1976:RCS**

- [114] Mohamed el Lozy. Remark on “Algorithm 299: Chi-squared integral [S15]”. *ACM Transactions on Mathematical Software*, 2(4):393–395, December 1976. See [10, 502].

**Koppelaar:1976:RNI**

- [115] Henk Koppelaar and Peter Molenaar. Remark on “Algorithm 486: Numerical inversion of Laplace transform [D5]”. *ACM Transactions on Mathematical Software*, 2(4):395–396, December 1976. See [27].

**Kaufman:1976:RLA**

- [116] Linda Kaufman. Remark on “Algorithm 496: The LZ algorithm to solve the generalized eigenvalue problem for complex matrices [F2]”. *ACM Transactions on Mathematical Software*, 2(4):396–396, December 1976. See [55].

**McClellan:1977:ESL**

- [117] Michael T. McClellan. The exact solution of linear equations with rational function coefficients. *ACM Transactions on Mathematical Software*, 3(1):1–25, March 1977.

**Stoutemyer:1977:AEA**

- [118] David R. Stoutemyer. Automatic error analysis using computer algebraic manipulation. *ACM Transactions on Math-*

*ematical Software*, 3(1):26–43, March 1977.

**Shampine:1977:SND**

- [119] L. F. Shampine. Stiff and nonstiff differential equation solvers, II: Detecting stiffness with Runge-Kutta methods. *ACM Transactions on Mathematical Software*, 3(1):44–53, March 1977.

**Tran-Thong:1977:FPF**

- [120] Tran-Thong and Bede Liu. Floating point fast Fourier transform computation using double precision floating point accumulators. *ACM Transactions on Mathematical Software*, 3(1):54–59, March 1977.

**Gonzalez:1977:EAK**

- [121] Teofilo Gonzalez, Sartaj Sahni, and W. R. Franta. An efficient algorithm for the Kolmogorov-Smirnov and Lilliefors tests. *ACM Transactions on Mathematical Software*, 3(1):60–64, March 1977.

**Kaufman:1977:STQ**

- [122] L. Kaufman. Some thoughts on the QZ algorithm for solving the generalized eigenvalue problem. *ACM Transactions on Mathematical Software*, 3(1):65–75, March 1977.

**Amos:1977:CSI**

- [123] D. E. Amos, S. L. Daniel, and M. K. Weston. CDC 6600 subroutines IBESS and JBESS for Bessel functions  $I_\nu(x)$  and  $J_\nu(x)$ ,  $x \geq 0, \nu \geq 0$ . *ACM Transactions on Mathematical Software*, 3(1):76–92, March 1977.

**Amos:1977:ACS**

- [124] D. E. Amos, S. L. Daniel, and M. K. Weston. Algorithm 511: CDC 6600 subroutines IBESS and JBESS for Bessel functions  $I_\nu(x)$  and  $J_\nu(x)$ ,  $x \geq 0, \nu \geq 0$

- [S18]. *ACM Transactions on Mathematical Software*, 3(1):93–95, March 1977.
- Benson:1977:ANA**
- [125] A. Benson and D. J. Evans. Algorithm 512: A normalized algorithm for solution of the positive definite symmetric quindagonal systems of linear equations [F4]. *ACM Transactions on Mathematical Software*, 3(1):96–103, March 1977.
- Cate:1977:AAS**
- [126] Esko G. Cate and David W. Twigg. Algorithm 513: Analysis of in-situ transposition [F1]. *ACM Transactions on Mathematical Software*, 3(1):104–110, March 1977.
- Veillon:1977:RNI**
- [127] Françoise Veillon. Remark on “Algorithm 486: Numerical inversion of Laplace transform”. *ACM Transactions on Mathematical Software*, 3(1):111–111, March 1977. See [27].
- Dunham:1977:RMU**
- [128] Charles Dunham. Remark on “Algorithm 500: Minimization of unconstrained multivariate functions [E4]”. *ACM Transactions on Mathematical Software*, 3(1):112–112, March 1977. See [74].
- Aird:1977:PMS**
- [129] Thomas J. Aird. Portability of mathematical software coded in Fortran. *ACM Transactions on Mathematical Software*, 3(2):113–127, June 1977.
- Stoutemyer:1977:ASI**
- [130] David R. Stoutemyer. Analytically solving integral equations by using computer algebra. *ACM Transactions on Mathematical Software*, 3(2):128–146, June 1977.
- McClellan:1977:CAE**
- [131] Michael T. McClellan. A comparison of algorithms for the exact solution of linear equations. *ACM Transactions on Mathematical Software*, 3(2):147–158, June 1977.
- Farden:1977:SSS**
- [132] David C. Farden. The solution of a special set of Hermitian Toeplitz linear equations. *ACM Transactions on Mathematical Software*, 3(2):159–163, June 1977.
- Ichida:1977:CFO**
- [133] Kozo Ichida, Takeshi Kiyono, and Fuji-ichi Yoshimoto. Curve fitting by a one-pass method with a piecewise cubic polynomial. *ACM Transactions on Mathematical Software*, 3(2):164–174, June 1977.
- Ellis:1977:ANM**
- [134] T. M. R. Ellis and D. H. McLain. Algorithm 514: A new method of cubic curve fitting using local data [E2]. *ACM Transactions on Mathematical Software*, 3(2):175–179, June 1977.
- Buckles:1977:AGV**
- [135] B. P. Buckles and M. Lybanon. Algorithm 515: Generation of a vector from the lexicographical index [G6]. *ACM Transactions on Mathematical Software*, 3(2):180–182, June 1977.
- McKean:1977:AAO**
- [136] J. W. McKean and T. A. Ryan, Jr. Algorithm 516: An algorithm for obtaining confidence intervals and point estimates based on ranks in the two sample location problem [G1]. *ACM Transactions on Mathematical Software*, 3(2):183–185, June 1977.

**Chan:1977:APC**

- [137] S. P. Chan, R. Feldman, and B. N. Parlett. Algorithm 517: A program for computing the condition numbers of matrix eigenvalues without computing eigenvectors [F2]. *ACM Transactions on Mathematical Software*, 3(2):186–203, June 1977.

**Mackay:1977:RPT**

- [138] M. Mackay and J. E. Radue. Remark on “Some performance tests of ‘Quicksort’ and descendants”. *ACM Transactions on Mathematical Software*, 3(2):204–204, June 1977. See [23].

**Jansen:1977:RLF**

- [139] J. K. M. Jansen. Remark on “Algorithm 259: Legendre functions for arguments larger than one”. *ACM Transactions on Mathematical Software*, 3(2):204–205, June 1977. See [8].

**Friedman:1977:AFB**

- [140] Jerome H. Friedman, Jon Louis Bentley, and Raphael Ari Finkel. An algorithm for finding best matches in logarithmic expected time. *ACM Transactions on Mathematical Software*, 3(3):209–226, September 1977.

**Ito:1977:MRP**

- [141] Tetsuro Ito and Makoto Kizawa. The matrix rearrangement procedure for graph-theoretical algorithms and its application to the generation of fundamental cycles. *ACM Transactions on Mathematical Software*, 3(3):227–231, September 1977.

**Cody:1977:CRF**

- [142] W. J. Cody, Rose M. Motley, and L. Wayne Fullerton. The computation of real fractional order Bessel functions

of the second kind. *ACM Transactions on Mathematical Software*, 3(3):232–239, September 1977.

**Gautschi:1977:ERI**

- [143] Walter Gautschi. Evaluation of repeated integrals of the coerror function. *ACM Transactions on Mathematical Software*, 3(3):240–252, September 1977.

**Walker:1977:EMG**

- [144] Alastair J. Walker. An efficient method for generating discrete random variables with general distributions. *ACM Transactions on Mathematical Software*, 3(3):253–256, September 1977.

**Kinderman:1977:CGR**

- [145] A. J. Kinderman and J. F. Monahan. Computer generation of random variables using the ratio of uniform deviates. *ACM Transactions on Mathematical Software*, 3(3):257–260, September 1977.

**Cohen:1977:SSF**

- [146] Jacques Cohen and Joel Katcoff. Symbolic solution of finite-difference equations. *ACM Transactions on Mathematical Software*, 3(3):261–271, September 1977.

**Fateman:1977:ADC**

- [147] Richard J. Fateman. An algorithm for deciding the convergence of the rational iteration  $x_{n+1} = f(x_n)$ . *ACM Transactions on Mathematical Software*, 3(3):272–278, September 1977.

**Hill:1977:AIB**

- [148] G. W. Hill. Algorithm 518: Incomplete Bessel function  $I_0$ . The von Mises distribution [S14]. *ACM Transactions on Mathematical Software*, 3(3):279–284, September 1977.

- Kallman:1977:ATA**
- [149] Ralph Kallman. Algorithm 519: Three algorithms for computing Kolmogorov-Smirnov probabilities with arbitrary boundaries and a certification of algorithm 487 [S14]. *ACM Transactions on Mathematical Software*, 3(3): 285–294, September 1977.
- Weglarz:1977:AAR**
- [150] Jan Weglarz, Jacek Blazewicz, Wojciech Cellary, and Roman Slowinski. Algorithm 520: An automatic revised simplex method for constrained resource network scheduling [H]. *ACM Transactions on Mathematical Software*, 3(3): 295–300, September 1977.
- Gautschi:1977:ARI**
- [151] Walter Gautschi. Algorithm 521: Repeated integrals of the coerror function [S15]. *ACM Transactions on Mathematical Software*, 3(3):301–302, September 1977.
- Sipala:1977:RSM**
- [152] Paolo Sipala. Remark on “Algorithm 408: A sparse matrix package (part I) [F4]”. *ACM Transactions on Mathematical Software*, 3(3):303–303, September 1977. See [15].
- Tenney:1977:RTO**
- [153] Dennis Tenney. Remark on “Algorithm 219: Topological ordering for PERT networks”. *ACM Transactions on Mathematical Software*, 3(3):303–303, September 1977. See [5].
- Hillstrom:1977:STA**
- [154] Kenneth E. Hillstrom. A simulation test approach to the evaluation of nonlinear optimization algorithms. *ACM Transactions on Mathematical Software*, 3(4): 305–315, December 1977.
- Powell:1977:PQA**
- [155] M. J. D. Powell and M. A. Sabin. Piecewise quadratic approximations on triangles. *ACM Transactions on Mathematical Software*, 3(4):316–325, December 1977.
- Skeel:1977:BLM**
- [156] Robert D. Skeel and Antony K. Kong. Blended linear multistep methods. *ACM Transactions on Mathematical Software*, 3(4):326–345, December 1977.
- Payne:1977:NRN**
- [157] W. H. Payne. Normal random numbers: Using machine analysis to choose the best algorithm. *ACM Transactions on Mathematical Software*, 3(4): 346–358, December 1977.
- Boyce:1977:IPF**
- [158] William A. Boyce. An improved program for the full Steiner tree problem. *ACM Transactions on Mathematical Software*, 3(4):359–385, December 1977.
- Cabay:1977:CTE**
- [159] S. Cabay and T. P. L. Lam. Congruence techniques for the exact solution of integer systems of linear equations. *ACM Transactions on Mathematical Software*, 3(4):386–397, December 1977.
- Eddy:1977:NCH**
- [160] William F. Eddy. A new convex hull algorithm for planar sets. *ACM Transactions on Mathematical Software*, 3(4): 398–403, December 1977.
- Cabay:1977:AEC**
- [161] S. Cabay and T. P. L. Lam. Algorithm 522: ESOLVE, congruence techniques for the exact solution of integer systems

- of linear equations [F4]. *ACM Transactions on Mathematical Software*, 3(4): 404–410, December 1977.
- Eddy:1977:ACN**
- [162] W. F. Eddy. Algorithm 523: CONVEX, A new convex hull algorithm for planar sets [Z]. *ACM Transactions on Mathematical Software*, 3(4):411–412, December 1977.
- Dinkel:1978:SAP**
- [163] John J. Dinkel, Gary A. Kochenberger, and S. N. Wong. Sensitivity analysis procedures for geometric programs: Computational aspects. *ACM Transactions on Mathematical Software*, 4(1):1–14, March 1978.
- Blue:1978:PFP**
- [164] James L. Blue. A portable Fortran program to find the Euclidean norm of a vector. *ACM Transactions on Mathematical Software*, 4(1):15–23, March 1978.
- Ivie:1978:SMP**
- [165] John Ivie. Some MACSYMA programs for solving recurrence relations. *ACM Transactions on Mathematical Software*, 4(1):24–33, March 1978. See also [485].
- Lasdon:1978:DTG**
- [166] L. S. Lasdon, A. D. Waren, A. Jain, and M. Ratner. Design and testing of a generalized reduced gradient code for nonlinear programming. *ACM Transactions on Mathematical Software*, 4(1):34–50, March 1978.
- Tsao:1978:MNI**
- [167] Nai-Kuan Tsao and Rose Marie Prior. On multipoint numerical interpolation. *ACM Transactions on Mathematical Software*, 4(1):51–56, March 1978.
- Brent:1978:FMP**
- [168] Richard P. Brent. A Fortran multiple-precision arithmetic package. *ACM Transactions on Mathematical Software*, 4(1):57–70, March 1978.
- Brent:1978:AMF**
- [169] Richard P. Brent. Algorithm 524: MP, A Fortran multiple-precision arithmetic package [A1]. *ACM Transactions on Mathematical Software*, 4(1):71–81, March 1978. See also [255, 274].
- Rice:1978:AAA**
- [170] John R. Rice. Algorithm 525: ADAPT, adaptive smooth curve fitting [E2]. *ACM Transactions on Mathematical Software*, 4(1):82–94, March 1978.
- Futrell:1978:RTA**
- [171] R. Futrell. Remark on “Fortran translation of Algorithm 409: Discrete Chebyshev curve fit [E2]”. *ACM Transactions on Mathematical Software*, 4(1):95–95, March 1978. See [75].
- Skovgaard:1978:RCE**
- [172] Ove Skovgaard. Remark on “Algorithm 149: Complete elliptic integral [S21]”. *ACM Transactions on Mathematical Software*, 4(1):95–95, March 1978. See [3].
- Krogh:1978:AP**
- [173] Fred T. Krogh. Algorithms policy. *ACM Transactions on Mathematical Software*, 4(2):97–99, June 1978.
- Ford:1978:PET**
- [174] Brian Ford. Parametrization of the environment for transportable numerical software. *ACM Transactions on Mathematical Software*, 4(2):100–103, June 1978.

**Fox:1978:PMS**

- [175] P. A. Fox, A. D. Hall, and N. L. Schryer. The PORT mathematical subroutine library. *ACM Transactions on Mathematical Software*, 4(2):104–126, June 1978.

**Enright:1978:IEM**

- [176] W. H. Enright. Improving the efficiency of matrix operations in the numerical solution of stiff ordinary differential equations. *ACM Transactions on Mathematical Software*, 4(2):127–136, June 1978.

**Duff:1978:ITA**

- [177] I. S. Duff and J. K. Reid. An implementation of Tarjan’s algorithm for the block triangularization of a matrix. *ACM Transactions on Mathematical Software*, 4(2):137–147, June 1978.

**Akima:1978:MBI**

- [178] Hiroshi Akima. A method of bivariate interpolation and smooth surface fitting for irregularly distributed data points. *ACM Transactions on Mathematical Software*, 4(2):148–159, June 1978.

**Akima:1978:ABI**

- [179] Hiroshi Akima. Algorithm 526: Bivariate interpolation and smooth surface fitting for irregularly distributed data points [E1]. *ACM Transactions on Mathematical Software*, 4(2):160–164, June 1978. See also [229, 503].

**Bank:1978:AFI**

- [180] Randolph E. Bank. Algorithm 527: A Fortran implementation of the generalized marching algorithm [D3]. *ACM Transactions on Mathematical Software*, 4(2):165–176, June 1978.

**Fox:1978:AFP**

- [181] P. A. Fox, A. D. Hall, and N. L. Schryer. Algorithm 528: Framework for a portable library [Z]. *ACM Transactions on Mathematical Software*, 4(2):177–188, June 1978.

**Duff:1978:APB**

- [182] I. S. Duff and J. K. Reid. Algorithm 529: Permutations to block triangular form [F1]. *ACM Transactions on Mathematical Software*, 4(2):189–192, June 1978.

**Bailey:1978:ASS**

- [183] P. B. Bailey, M. K. Gordon, and L. F. Shampine. Automatic solution of the Sturm-Liouville problem. *ACM Transactions on Mathematical Software*, 4(3):193–208, September 1978.

**Polak:1978:TPP**

- [184] S. J. Polak, J. Schrooten, and C. Barnveld Binkhuysen. TEDDY2, A program package for parabolic composite region problems. *ACM Transactions on Mathematical Software*, 4(3):209–227, September 1978.

**Larson:1978:ECE**

- [185] John Larson and Ahmed Sameh. Efficient calculation of the effects of round-off errors. *ACM Transactions on Mathematical Software*, 4(3):228–236, September 1978.

**Brown:1978:SPA**

- [186] W. S. Brown. The subresultant PRS algorithm. *ACM Transactions on Mathematical Software*, 4(3):237–249, September 1978.

**Gustavson:1978:TFA**

- [187] Fred G. Gustavson. Two fast algorithms for sparse matrices: Multiplication and

- permuted transposition. *ACM Transactions on Mathematical Software*, 4(3): 250–269, September 1978.
- Chen:1978:PPB**
- [188] S. C. Chen, D. J. Kuck, and A. H. Sameh. Practical parallel band triangular systems solvers. *ACM Transactions on Mathematical Software*, 4(3): 270–277, September 1978.
- Ward:1978:ECS**
- [189] R. C. Ward and L. J. Gray. Eigen-system computation for skew-symmetric and a class of symmetric matrices. *ACM Transactions on Mathematical Software*, 4(3):278–285, September 1978.
- Ward:1978:AAC**
- [190] R. C. Ward and L. J. Gray. Algorithm 530: An algorithm for computing the eigensystem of skew-symmetric matrices and a class of symmetric matrices [F2]. *ACM Transactions on Mathematical Software*, 4(3):286–289, September 1978.
- Snyder:1978:ACP**
- [191] William V. Snyder. Algorithm 531: Contour plotting [J6]. *ACM Transactions on Mathematical Software*, 4(3): 290–294, September 1978.
- Coleman:1978:RSN**
- [192] John P. Coleman. Remark on “Algorithm 49: Spherical Neumann function”. *ACM Transactions on Mathematical Software*, 4(3):295–295, September 1978. See [2].
- Gustavson:1978:RSM**
- [193] Fred G. Gustavson. Remark on “Algorithm 408: A sparse matrix package (part I) [F4]”. *ACM Transactions on Mathematical Software*, 4(3): 295–295, September 1978. See [15].
- Schoene:1978:RMI**
- [194] Andrew Y. Schoene. Remark on “Algorithm 435: Modified incomplete gamma function [S14]”. *ACM Transactions on Mathematical Software*, 4(3):296–304, September 1978. See [19].
- Baker:1978:SAC**
- [195] Christopher T. H. Baker and Malcolm S. Keech. Stability analysis of certain Runge-Kutta procedures for Volterra integral equations. *ACM Transactions on Mathematical Software*, 4(4):305–315, December 1978.
- Fairweather:1978:IRQ**
- [196] Graeme Fairweather. An investigation of Romberg quadrature. *ACM Transactions on Mathematical Software*, 4(4): 316–322, December 1978.
- Shampine:1978:SPA**
- [197] Lawrence F. Shampine. Stability properties of Adams codes. *ACM Transactions on Mathematical Software*, 4(4): 323–329, December 1978.
- Sherman:1978:ASG**
- [198] Andrew H. Sherman. Algorithms for sparse Gaussian elimination with partial pivoting. *ACM Transactions on Mathematical Software*, 4(4):330–338, December 1978.
- Tendler:1978:SSI**
- [199] Joel M. Tendler, Theodore A. Bickart, and Zdenek Picel. A stiffly stable integration process using cyclic composite methods. *ACM Transactions on Mathematical Software*, 4(4):339–368, December 1978.
- Miller:1978:SRA**
- [200] Webb Miller and David Spooner. Software for roundoff analysis, II. *ACM*

*Transactions on Mathematical Software*, 4(4):369–387, December 1978.

**Miller:1978:ASR**

- [201] Webb Miller and David Spooner. Algorithm 532: Software for roundoff analysis [Z]. *ACM Transactions on Mathematical Software*, 4(4):388–390, December 1978.

**Sherman:1978:ANF**

- [202] Andrew H. Sherman. Algorithm 533: NSPIV, A Fortran subroutine for sparse Gaussian elimination with partial pivoting [F4]. *ACM Transactions on Mathematical Software*, 4(4):391–398, December 1978.

**Tendler:1978:ASS**

- [203] Joel M. Tendler, Theodore A. Bickart, and Zdenek Picel. Algorithm 534: STINT: STiff (differential equations) INTegrator [D2]. *ACM Transactions on Mathematical Software*, 4(4):399–403, December 1978.

**Garbow:1978:AQA**

- [204] Burton S. Garbow. Algorithm 535: The QZ algorithm to solve the generalized eigenvalue problem for complex matrices [F2]. *ACM Transactions on Mathematical Software*, 4(4):404–410, December 1978. See also [394, 484].

**Amos:1978:ECS**

- [205] Donald E. Amos. Erratum: “Algorithm 511: CDC 6600 subroutines IBESS and JBESS for Bessel functions  $I_\nu(x)$  and  $J_\nu(x)$ ,  $x \geq 0, \nu \geq 0$  [S18]”. *ACM Transactions on Mathematical Software*, 4(4):411–411, December 1978. See [124].

**Zave:1979:DAP**

- [206] Pamela Zave and Werner C. Rheinboldt. Design of an adaptive, parallel

finite-element system. *ACM Transactions on Mathematical Software*, 5(1):1–17, March 1979.

**Duff:1979:SDF**

- [207] I. S. Duff and J. K. Reid. Some design features of a sparse matrix code. *ACM Transactions on Mathematical Software*, 5(1):18–35, March 1979.

**Proskurowski:1979:NSH**

- [208] Wlodzimierz Proskurowski. Numerical solution of Helmholtz’s equation by implicit capacitance matrix methods. *ACM Transactions on Mathematical Software*, 5(1):36–49, March 1979.

**Yohe:1979:SIA**

- [209] J. M. Yohe. Software for interval arithmetic: A reasonably portable package. *ACM Transactions on Mathematical Software*, 5(1):50–63, March 1979.

**More:1979:NSN**

- [210] Jorge J. Moré and Michel Y. Cosnard. Numerical solution of nonlinear equations. *ACM Transactions on Mathematical Software*, 5(1):64–85, March 1979.

**Kahaner:1979:EAD**

- [211] David K. Kahaner and Mark B. Wells. An experimental algorithm for  $N$ -dimensional adaptive quadrature. *ACM Transactions on Mathematical Software*, 5(1):86–96, March 1979.

**Knoble:1979:EOW**

- [212] H. D. Knoble, C. Forney, Jr., and F. S. Bader. An efficient one-way enciphering algorithm. *ACM Transactions on Mathematical Software*, 5(1):97–107, March 1979.

**Knoble:1979:AEO**

- [213] H. D. Knoble. Algorithm 536: An efficient one-way enciphering algorithm

- [Z]. *ACM Transactions on Mathematical Software*, 5(1):108–111, March 1979.
- Leeb:1979:ACV**
- [214] Walter R. Leeb. Algorithm 537: Characteristic values of Mathieu’s differential equation. *ACM Transactions on Mathematical Software*, 5(1):112–117, March 1979.
- Nikolai:1979:AEE**
- [215] Paul J. Nikolai. Algorithm 538: Eigenvectors and eigenvalues of real generalized symmetric matrices by simultaneous iteration [F2]. *ACM Transactions on Mathematical Software*, 5(1):118–125, March 1979.
- Krogh:1979:AAP**
- [216] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 5(2):129–131, June 1979.
- Schrage:1979:MPF**
- [217] Linus Schrage. A more portable Fortran random number generator. *ACM Transactions on Mathematical Software*, 5(2):132–138, June 1979.
- George:1979:DUI**
- [218] Alan George and Joseph W. H. Liu. The design of a user interface for a sparse matrix package. *ACM Transactions on Mathematical Software*, 5(2):139–162, June 1979.
- Payne:1979:CG**
- [219] W. H. Payne and F. M. Ives. Combination generators. *ACM Transactions on Mathematical Software*, 5(2):163–172, June 1979.
- deBoor:1979:ECM**
- [220] Carl de Boor. Efficient computer manipulation of tensor products. *ACM Transactions on Mathematical Software*, 5(2):173–182, June 1979.
- Cleary:1979:AAF**
- [221] John Gerald Cleary. Analysis of an algorithm for finding nearest neighbors in Euclidean space. *ACM Transactions on Mathematical Software*, 5(2):183–192, June 1979.
- Crowder:1979:RCE**
- [222] Harlan Crowder, Ron S. Dembo, and John M. Mulvey. On reporting computational experiments with mathematical software. *ACM Transactions on Mathematical Software*, 5(2):193–203, June 1979.
- Crary:1979:VPN**
- [223] Fred D. Crary. A versatile precompiler for nonstandard arithmetics. *ACM Transactions on Mathematical Software*, 5(2):204–217, June 1979.
- Geddes:1979:SCP**
- [224] K. O. Geddes. Symbolic computation of padé approximants. *ACM Transactions on Mathematical Software*, 5(2):218–233, June 1979.
- Bogen:1979:ASI**
- [225] Richard A. Bogen. Addendum to “Analytically solving integral equations by using computer algebra”. *ACM Transactions on Mathematical Software*, 5(2):234–237, June 1979.
- Lozy:1979:RSD**
- [226] Mohamed el Lozy. Remark on “Algorithm 395: Student’s  $t$ -distribution” and remark on “Algorithm 396: Student’s quantiles [S14]”. *ACM Transactions on Mathematical Software*, 5(2):238–239, June 1979. See [13, 14, 336, 502].

**Geddes:1979:RCC**

- [227] K. O. Geddes. Remark on “Algorithm 424: Clenshaw-Curtis quadrature [O1]”. *ACM Transactions on Mathematical Software*, 5(2):240–240, June 1979. See [16].

**Anderson:1979:RBI**

- [228] M. R. Anderson. Remark on “Algorithm 474: Bivariate interpolation and smooth surface fitting based on local procedures”. *ACM Transactions on Mathematical Software*, 5(2):241–241, June 1979. See [22].

**Akima:1979:RBI**

- [229] Hiroshi Akima. Remark on “Algorithm 526: Bivariate interpolation and smooth surface fitting for irregularly distributed data points [E1]”. *ACM Transactions on Mathematical Software*, 5(2):242–243, June 1979. See [179, 503].

**Shampine:1979:SRR**

- [230] L. F. Shampine. Storage reduction for Runge-Kutta codes. *ACM Transactions on Mathematical Software*, 5(3):245–250, September 1979.

**Ehrlich:1979:SBE**

- [231] L. W. Ehrlich. Solving the biharmonic equation on irregular regions. *ACM Transactions on Mathematical Software*, 5(3):251–258, September 1979.

**Gill:1979:DSF**

- [232] Philip E. Gill, Walter Murray, Susan M. Picken, and Margaret H. Wright. The design and structure of a Fortran program library for optimization. *ACM Transactions on Mathematical Software*, 5(3):259–283, September 1979.

**George:1979:IPN**

- [233] Alan George and Joseph W. H. Liu. An implementation of a pseudoperipheral node finder. *ACM Transactions on Mathematical Software*, 5(3):284–295, September 1979.

**Bennett:1979:SPE**

- [234] James Michael Bennett and Robert Neff Bryan. A single-point exchange algorithm for approximating functions of two variables. *ACM Transactions on Mathematical Software*, 5(3):296–307, September 1979.

**Lawson:1979:BLA**

- [235] C. L. Lawson, R. J. Hanson, D. R. Kincaid, and F. T. Krogh. Basic Linear Algebra Subprograms for Fortran usage. *ACM Transactions on Mathematical Software*, 5(3):308–323, September 1979.

**Lawson:1979:ABL**

- [236] C. L. Lawson, R. J. Hanson, D. R. Kincaid, and F. T. Krogh. Algorithm 539: Basic Linear Algebra Subprograms for Fortran usage [F1]. *ACM Transactions on Mathematical Software*, 5(3):324–325, September 1979. See also [395, 406, 579, 607].

**Madsen:1979:APG**

- [237] N. K. Madsen and R. F. Sincovec. Algorithm 540: PDECOL, general collocation software for partial differential equations [D3]. *ACM Transactions on Mathematical Software*, 5(3):326–351, September 1979. See also [757].

**Swartztrauber:1979:AEF**

- [238] Paul N. Swartztrauber and Roland A. Sweet. Algorithm 541: Efficient Fortran subprograms for the solution of separable elliptic partial differential equations

- [D3]. *ACM Transactions on Mathematical Software*, 5(3):352–364, September 1979.
- Steuerwalt:1979:CEF**
- [239] Michael Steuerwalt. Certification of “Algorithm 541: Efficient Fortran subprograms for the solution of separable elliptic partial differential equations [D3]. *ACM Transactions on Mathematical Software*, 5(3):365–371, September 1979.
- Larson:1979:ECE**
- [240] John Larson. Errata: “Efficient calculation of the effects of roundoff errors”. *ACM Transactions on Mathematical Software*, 5(3):372–372, September 1979. See [185].
- Gear:1979:EN**
- [241] C. W. Gear. Editor’s note. *ACM Transactions on Mathematical Software*, 5(4):373–373, December 1979.
- Enright:1979:APS**
- [242] W. H. Enright and M. S. Kamel. Automatic partitioning of stiff systems and exploiting the resulting structure. *ACM Transactions on Mathematical Software*, 5(4):374–385, December 1979.
- Gladwell:1979:IVR**
- [243] Ian Gladwell. Initial value routines in the NAG library. *ACM Transactions on Mathematical Software*, 5(4):386–400, December 1979.
- Zlatev:1979:ASD**
- [244] Zahari Zlatev and Per Grove Thomssen. Automatic solution of differential equations based on the user of linear multistep methods. *ACM Transactions on Mathematical Software*, 5(4):401–414, December 1979.
- Stetter:1979:GEE**
- [245] Hans J. Stetter. Global error estimation in Adams PC-codes. *ACM Transactions on Mathematical Software*, 5(4):415–430, December 1979.
- Houstis:1979:HOF**
- [246] E. N. Houstis and T. S. Papatheodorou. High-order fast elliptic equation solvers. *ACM Transactions on Mathematical Software*, 5(4):431–441, December 1979.
- Kaufman:1979:ADH**
- [247] L. Kaufman. Application of dense Householder transformation to a sparse matrix. *ACM Transactions on Mathematical Software*, 5(4):442–450, December 1979.
- Rayward-Smith:1979:CSN**
- [248] V. J. Rayward-Smith. On computing the Smith normal form of an integer matrix. *ACM Transactions on Mathematical Software*, 5(4):451–456, December 1979.
- Wampler:1979:SWL**
- [249] Roy H. Wampler. Solutions to weighted least squares problems by modified Gram-Schmidt with iterative refinement. *ACM Transactions on Mathematical Software*, 5(4):457–465, December 1979.
- Gautschi:1979:CPI**
- [250] Walter Gautschi. A computational procedure for incomplete gamma functions. *ACM Transactions on Mathematical Software*, 5(4):466–481, December 1979.
- Gautschi:1979:AIG**
- [251] W. Gautschi. Algorithm 542: Incomplete gamma functions [S14]. *ACM Transactions on Mathematical Software*, 5(4):482–489, December 1979.

**Houstis:1979:AFF**

- [252] E. N. Houstis and T. S. Papatheodorou. Algorithm 543: FFT9, fast solution of Helmholtz-type partial differential equations [D3]. *ACM Transactions on Mathematical Software*, 5(4):490–493, December 1979.

**Wampler:1979:ALL**

- [253] Roy H. Wampler. Algorithm 544: L2A and L2B, weighted least squares solutions by modified Gram-Schmidt with iterative refinement [F4]. *ACM Transactions on Mathematical Software*, 5(4):494–499, December 1979.

**Fraser:1979:AOM**

- [254] D. Fraser. Algorithm 545: An optimized mass storage FFT [C6]. *ACM Transactions on Mathematical Software*, 5(4):500–517, December 1979.

**Brent:1979:RMF**

- [255] R. P. Brent. Remark on “Algorithm 524: MP, A Fortran multiple-precision arithmetic package [A1]”. *ACM Transactions on Mathematical Software*, 5(4):518–519, December 1979. See [169, 274].

**Leathers:1979:RAS**

- [256] Burton L. Leathers. Remark on “Algorithm 513: Analysis of in-situ transposition [F1]” and remark on “Algorithm 467: Matrix transposition in place”. *ACM Transactions on Mathematical Software*, 5(4):520–520, December 1979. See [126, 21].

**Swieten:1979:RVS**

- [257] A. C. M. van Swieten and J. Th. M. de Hosson. Remark on “Algorithm 475: Visible surface plotting program”. *ACM Transactions on Mathematical Software*, 5(4):521–523, December 1979. See [24].

**Fox:1979:RFP**

- [258] Phyllis Fox. Remark on “Algorithm 528: Framework for a portable library [Z]”. *ACM Transactions on Mathematical Software*, 5(4):524–524, December 1979. See [181].

**deBoor:1979:CCM**

- [259] Carl de Boor. Corrigenda: “Efficient computer manipulation of tensor products”. *ACM Transactions on Mathematical Software*, 5(4):525–525, December 1979. See [220].

**Cheung:1980:CCE**

- [260] To-Yat Cheung. Computational comparison of eight methods for the maximum network flow problem. *ACM Transactions on Mathematical Software*, 6(1):1–16, March 1980.

**Ho:1980:CST**

- [261] James K. Ho and Etienne Loute. A comparative study of two methods for staircase linear problems. *ACM Transactions on Mathematical Software*, 6(1):17–30, March 1980.

**Michaels:1980:MPG**

- [262] William M. Michaels and Richard P. O’Neill. A mathematical program generator MPGENR. *ACM Transactions on Mathematical Software*, 6(1):31–44, March 1980.

**Chung:1980:ACF**

- [263] Won L. Chung. Automatic curve fittings using an adaptive local algorithm. *ACM Transactions on Mathematical Software*, 6(1):45–57, March 1980.

**Clark:1980:REV**

- [264] Gordon M. Clark. Recursive estimation of the variance of the sample aver-

age. *ACM Transactions on Mathematical Software*, 6(1):58–67, March 1980.

**Power:1980:ISU**

- [265] Leigh R. Power. Internal sorting using a minimal tree merge strategy. *ACM Transactions on Mathematical Software*, 6(1):68–79, March 1980.

**deBoor:1980:SPS**

- [266] Carl de Boor and Richard Weiss. SOLVEBLOK: A package for solving almost block diagonal linear systems. *ACM Transactions on Mathematical Software*, 6(1):80–87, March 1980.

**deBoor:1980:AS**

- [267] Carl de Boor and Richard Weiss. Algorithm 546: SOLVEBLOK [F4]. *ACM Transactions on Mathematical Software*, 6(1):88–91, March 1980.

**Duris:1980:AFR**

- [268] Charles S. Duris. Algorithm 547: FORTRAN routines for discrete cubic spline interpolation and smoothing [E1], [E3]. *ACM Transactions on Mathematical Software*, 6(1):92–103, March 1980.

**Carpaneto:1980:ASA**

- [269] Giorgio Carpaneto and Paolo Toth. Algorithm 548: Solution of the assignment problem [H]. *ACM Transactions on Mathematical Software*, 6(1):104–111, March 1980.

**Eckhardt:1980:AWE**

- [270] Ulrich Eckhardt. Algorithm 549: Weierstrass' elliptic functions [S21]. *ACM Transactions on Mathematical Software*, 6(1):112–120, March 1980.

**Messner:1980:ASP**

- [271] A. M. Messner and G. Q. Taylor. Algorithm 550: Solid polyhedron measure

[Z]. *ACM Transactions on Mathematical Software*, 6(1):121–130, March 1980.

**Anonymous:1980:AAD**

- [272] Anonymous. ACM Algorithms Distribution Service expanded. *ACM Transactions on Mathematical Software*, 6(1):131–132, March 1980.

**Chan:1980:NLS**

- [273] Tony F. Chan, William M. Coughran, Jr., Eric H. Grosse, and Michael T. Heath. A numerical library and its support. *ACM Transactions on Mathematical Software*, 6(2):135–145, June 1980.

**Brent:1980:AIB**

- [274] Richard P. Brent, Judith A. Hooper, and J. Michael Yohe. An AUGMENT interface for Brent's multiple precision arithmetic package. *ACM Transactions on Mathematical Software*, 6(2):146–149, June 1980. See [169, 255].

**Kedem:1980:ADC**

- [275] Gershon Kedem. Automatic differentiation of computer programs. *ACM Transactions on Mathematical Software*, 6(2):150–165, June 1980.

**Rheinboldt:1980:DSA**

- [276] Werner C. Rheinboldt and Charles K. Mesztenyi. On a data structure for adaptive finite element mesh refinements. *ACM Transactions on Mathematical Software*, 6(2):166–187, June 1980.

**Verwer:1980:ICS**

- [277] J. G. Verwer. An implementation of a class of stabilized explicit methods for the time integration of parabolic equations. *ACM Transactions on Mathematical Software*, 6(2):188–205, June 1980.

- Munksgaard:1980:SSS**
- [278] N. Munksgaard. Solving sparse symmetric sets of linear equations by preconditioned conjugate gradients. *ACM Transactions on Mathematical Software*, 6(2): 206–219, June 1980.
- Abdelmalek:1980:SOS**
- [279] Nabih N. Abdelmalek.  $L_1$  solution of overdetermined systems of linear equations. *ACM Transactions on Mathematical Software*, 6(2):220–227, June 1980.
- Abdelmalek:1980:AFS**
- [280] Nabih N. Abdelmalek. Algorithm 551: A FORTRAN subroutine for the  $L_1$  solution of overdetermined systems of linear equations [F4]. *ACM Transactions on Mathematical Software*, 6(2): 228–230, June 1980.
- Barrodale:1980:ASC**
- [281] I. Barrodale and F. D. K. Roberts. Algorithm 552: Solution of the constrained  $\ell_1$  linear approximation problem [F4]. *ACM Transactions on Mathematical Software*, 6(2):231–235, June 1980.
- Verwer:1980:AME**
- [282] J. G. Verwer. Algorithm 553: M3RK, an explicit time integrator for semidiscrete parabolic equations [D3]. *ACM Transactions on Mathematical Software*, 6(2): 236–239, June 1980.
- More:1980:ABF**
- [283] J. J. Moré and M. Y. Cosnard. Algorithm 554: BRENTM, A Fortran subroutine for the numerical solution of nonlinear equations [F5]. *ACM Transactions on Mathematical Software*, 6(2): 240–251, June 1980.
- Watson:1980:ACY**
- [284] L. T. Watson and D. Fenner. Algorithm 555: Chow-Yorke algorithm for fixed points or zeros of  $C^2$  maps [C5]. *ACM Transactions on Mathematical Software*, 6(2):252–259, June 1980.
- Gear:1980:RKS**
- [285] C. W. Gear. Runge-Kutta starters for multistep methods. *ACM Transactions on Mathematical Software*, 6(3): 263–279, September 1980.
- Barton:1980:TSS**
- [286] David Barton. On Taylor series and stiff equations. *ACM Transactions on Mathematical Software*, 6(3):280–294, September 1980.
- Jackson:1980:AIV**
- [287] K. R. Jackson and R. Sacks-Davis. An alternative implementation of variable step-size multistep formulas for stiff ODEs. *ACM Transactions on Mathematical Software*, 6(3):295–318, September 1980.
- Gupta:1980:NAO**
- [288] G. K. Gupta. A note about overhead costs in ODE solvers. *ACM Transactions on Mathematical Software*, 6(3): 319–326, September 1980.
- Coleman:1980:SSI**
- [289] David Coleman, Paul Holland, Neil Kaden, Virginia Klema, and Stephen C. Peters. A system of subroutines for iteratively reweighted least squares computations. *ACM Transactions on Mathematical Software*, 6(3):327–336, September 1980.
- George:1980:FIM**
- [290] Alan George and Joseph W. H. Liu. A fast implementation of the mini-

num degree algorithm using quotient graphs. *ACM Transactions on Mathematical Software*, 6(3):337–358, September 1980.

**Bentley:1980:GSL**

- [291] Jon Louis Bentley and James B. Saxe. Generating sorted lists of random numbers. *ACM Transactions on Mathematical Software*, 6(3):359–364, September 1980.

**Amos:1980:CEI**

- [292] Donald E. Amos. Computation of exponential integrals. *ACM Transactions on Mathematical Software*, 6(3):365–377, September 1980.

**Arthur:1980:PPA**

- [293] Jeffrey L. Arthur and A. Ravindran. PAGP, A partitioning algorithm for (linear) goal programming problems. *ACM Transactions on Mathematical Software*, 6(3):378–386, September 1980.

**Cheung:1980:MLP**

- [294] To-Yat Cheung. Multifacility location problem with rectilinear distance by the minimum-cut approach. *ACM Transactions on Mathematical Software*, 6(3):387–390, September 1980.

**Betts:1980:CAC**

- [295] J. T. Betts. A compact algorithm for computing the stationary point of a quadratic function subject to linear constraints. *ACM Transactions on Mathematical Software*, 6(3):391–397, September 1980.

**Kaagstroem:1980:ANC**

- [296] Bo Kågström and Axel Ruhe. An algorithm for numerical computation of the Jordan normal form of a complex matrix. *ACM Transactions on Mathemat-*

*ical Software*, 6(3):398–419, September 1980.

**Amos:1980:AEI**

- [297] Donald E. Amos. Algorithm 556: Exponential integrals [S13]. *ACM Transactions on Mathematical Software*, 6(3):420–428, September 1980. See remark in [439].

**Arthur:1980:APP**

- [298] J. L. Arthur and A. Ravindran. Algorithm 557: PAGP, A partitioning algorithm for (linear) goal programming problems [H]. *ACM Transactions on Mathematical Software*, 6(3):429–429, September 1980.

**Cheung:1980:APM**

- [299] To-Yat Cheung. Algorithm 558: A program for the multifacility location problem with rectilinear distance by the minimum-cut approach [H]. *ACM Transactions on Mathematical Software*, 6(3):430–431, September 1980.

**Betts:1980:ASP**

- [300] J. T. Betts. Algorithm 559: The stationary point of a quadratic function subject to linear constraints [E4]. *ACM Transactions on Mathematical Software*, 6(3):432–436, September 1980.

**Kaagstroem:1980:AJA**

- [301] Bo Kågström and Axel Ruhe. Algorithm 560: JNF, an algorithm for numerical computation of the Jordan normal form of a complex matrix [F2]. *ACM Transactions on Mathematical Software*, 6(3):437–443, September 1980.

**Kahaner:1980:AFI**

- [302] D. K. Kahaner. Algorithm 561: FORTRAN implementation of heap programs for efficient table maintenance

[Z]. *ACM Transactions on Mathematical Software*, 6(3):444–449, September 1980.

**Pape:1980:ASP**

- [303] U. Pape. Algorithm 562: Shortest path lengths [H]. *ACM Transactions on Mathematical Software*, 6(3):450–455, September 1980. See also [416].

**Harms:1980:RSM**

- [304] U. Harms, H. Kollakowski, and G. Möller. Remark on “Algorithm 408: A sparse matrix package (part 1) [F4]”. *ACM Transactions on Mathematical Software*, 6(3):456–457, September 1980. See [15].

**Machura:1980:SSP**

- [305] Marek Machura and Roland A. Sweet. A survey of software for partial differential equations. *ACM Transactions on Mathematical Software*, 6(4):461–488, December 1980.

**Kurator:1980:PIS**

- [306] William G. Kurator and Richard P. O’Neill. PERUSE: An interactive system for mathematical programs. *ACM Transactions on Mathematical Software*, 6(4):489–509, December 1980.

**Brown:1980:EPB**

- [307] W. S. Brown and S. I. Feldman. Environment parameters and basic functions for floating-point computation. *ACM Transactions on Mathematical Software*, 6(4):510–523, December 1980.

**Luk:1980:CSV**

- [308] Franklin T. Luk. Computing the singular-value decomposition on the IL-LIAC IV. *ACM Transactions on Mathematical Software*, 6(4):524–539, December 1980.

**Sacks-Davis:1980:FLC**

- [309] R. Sacks-Davis. Fixed leading coefficient implementation of SD-formulas for stiff ODEs. *ACM Transactions on Mathematical Software*, 6(4):540–562, December 1980.

**Bentley:1980:OET**

- [310] Jon Louis Bentley, Bruce W. Weide, and Andrew C. Yao. Optimal expected-time algorithms for closest point problems. *ACM Transactions on Mathematical Software*, 6(4):563–580, December 1980.

**Campbell:1980:TAM**

- [311] J. B. Campbell. On Temme’s algorithm for the modified Bessel function of the third kind. *ACM Transactions on Mathematical Software*, 6(4):581–586, December 1980.

**Hoffman:1980:TPG**

- [312] K. L. Hoffman and D. R. Shier. A test problem generator for discrete linear  $L_1$  approximation problems. *ACM Transactions on Mathematical Software*, 6(4):587–593, December 1980.

**Bartels:1980:LCD**

- [313] Richard H. Bartels and Andrew R. Conn. Linearly constrained discrete  $\ell_1$  problems. *ACM Transactions on Mathematical Software*, 6(4):594–608, December 1980.

**Bartels:1980:APL**

- [314] Richard H. Bartels and Andrew R. Conn. Algorithm 563: A program for linearly constrained discrete  $\ell_1$  problems. *ACM Transactions on Mathematical Software*, 6(4):609–614, December 1980.

**Hoffman:1980:ATP**

- [315] K. L. Hoffman and D. R. Shier. Algorithm 564: A test problem generator for discrete linear  $L_1$  approximation problems. *ACM Transactions on Mathematical Software*, 6(4):615–617, December 1980.

**Shanno:1980:RMU**

- [316] D. F. Shanno and K. H. Phua. Remark on “Algorithm 500: Minimization of unconstrained multivariate functions [E4]”. *ACM Transactions on Mathematical Software*, 6(4):618–622, December 1980. See [74].

**Hiebert:1981:EMS**

- [317] K. L. Hiebert. An evaluation of mathematical software that solves nonlinear least squares problems. *ACM Transactions on Mathematical Software*, 7(1):1–16, March 1981.

**More:1981:TUO**

- [318] Jorge J. Moré, Burton S. Garbow, and Kenneth E. Hillstom. Testing unconstrained optimization software. *ACM Transactions on Mathematical Software*, 7(1):17–41, March 1981.

**Akl:1981:CCG**

- [319] Selim G. Akl. A comparison of combination generation methods. *ACM Transactions on Mathematical Software*, 7(1):42–45, March 1981.

**Fritsch:1981:DIU**

- [320] F. N. Fritsch, D. K. Kahaner, and J. N. Lyness. Double integration using one-dimensional adaptive quadrature routines: A software interface problem. *ACM Transactions on Mathematical Software*, 7(1):46–75, March 1981. See also [338].

**Friedman:1981:NPP**

- [321] Jerome H. Friedman and Margaret H. Wright. A nested partitioning procedure for numerical multiple integration. *ACM Transactions on Mathematical Software*, 7(1):76–92, March 1981.

**Smith:1981:ERA**

- [322] J. M. Smith, F. W. J. Olver, and D. W. Lozier. Extended-range arithmetic and normalized Legendre polynomials. *ACM Transactions on Mathematical Software*, 7(1):93–105, March 1981.

**Melgaard:1981:GST**

- [323] David K. Melgaard and Richard F. Sincovec. General software for two-dimensional nonlinear partial differential equations. *ACM Transactions on Mathematical Software*, 7(1):106–125, March 1981.

**Melgaard:1981:APS**

- [324] David K. Melgaard and Richard F. Sincovec. Algorithm 565: PDETWO/PSETM/GEARB: Solution of systems of two-dimensional nonlinear partial differential equations [D3]. *ACM Transactions on Mathematical Software*, 7(1):126–135, March 1981.

**More:1981:AFS**

- [325] J. J. Moré, B. S. Garbow, and K. E. Hillstom. Algorithm 566: FORTRAN subroutines for testing unconstrained optimization software [C5 [E4]]. *ACM Transactions on Mathematical Software*, 7(1):136–140, March 1981. See also [826].

**Lozier:1981:AER**

- [326] D. W. Lozier and J. M. Smith. Algorithm 567: Extended-range arithmetic and normalized Legendre polynomials

[A1], [C1]. *ACM Transactions on Mathematical Software*, 7(1):141–146, March 1981.

**Golub:1981:BLM**

- [327] Gene H. Golub, Franklin T. Luk, and Michael L. Overton. A block Lanczos method for computing the singular values and corresponding singular vectors of a matrix. *ACM Transactions on Mathematical Software*, 7(2):149–169, June 1981.

**Wang:1981:PMT**

- [328] H. H. Wang. A parallel method for tridiagonal equations. *ACM Transactions on Mathematical Software*, 7(2):170–183, June 1981.

**Stewart:1981:SIA**

- [329] William J. Stewart and Alan Jennings. A simultaneous iteration algorithm for real matrices. *ACM Transactions on Mathematical Software*, 7(2):184–198, June 1981.

**Hill:1981:EIR**

- [330] Geoffrey W. Hill. Evaluation and inversion of the ratios of modified Bessel functions,  $I_1(x)/I_0(x)$  and  $I_{1.5}(x)/I_{0.5}(x)$ . *ACM Transactions on Mathematical Software*, 7(2):199–208, June 1981.

**Ascher:1981:CSB**

- [331] U. Ascher, J. Christiansen, and R. D. Russell. Collocation software for boundary value ODE's. *ACM Transactions on Mathematical Software*, 7(2):209–222, June 1981.

**Ascher:1981:ACC**

- [332] U. Ascher, J. Christiansen, and R. D. Russell. Algorithm 569: COLSYS: Collocation software for boundary-value ODEs [D2]. *ACM Transactions on*

*Mathematical Software*, 7(2):223–229, June 1981. See also [552].

**Stewart:1981:ALS**

- [333] William J. Stewart and Alan Jennings. Algorithm 570: LOPSI: A simultaneous iteration method for real matrices [F2]. *ACM Transactions on Mathematical Software*, 7(2):230–232, June 1981.

**Hill:1981:ASM**

- [334] Geoffrey W. Hill. Algorithm 571: Statistics for von Mises' and Fisher's distributions of directions:  $I_1(x)/I_0(x)$ ,  $I_{1.5}(x)/I_{0.5}(x)$  and their inverses [S14]. *ACM Transactions on Mathematical Software*, 7(2):233–238, June 1981.

**O'Leary:1981:ASH**

- [335] Dianne P. O'Leary and Olof Widlund. Algorithm 572: Solution of the Helmholtz equation for the Dirichlet problem on general bounded three-dimensional regions [D3]. *ACM Transactions on Mathematical Software*, 7(2):239–246, June 1981.

**Hill:1981:RSD**

- [336] G. W. Hill. Remark on "Algorithm 395: Student's  $t$ -distribution". *ACM Transactions on Mathematical Software*, 7(2):247–249, June 1981. See [13, 14, 226].

**Hill:1981:RSQ**

- [337] G. W. Hill. Remark on "Algorithm 396: Student's  $t$ -quantiles". *ACM Transactions on Mathematical Software*, 7(2):250–251, June 1981. See [14].

**Fritsch:1981:CIU**

- [338] F. N. Fritsch. Corrigendum: "Double integration using one-dimensional adaptive quadrature routines: A software interface problem". *ACM Trans-*

- actions on Mathematical Software*, 7(2): 252–252, June 1981. See [320].
- Ukkonen:1981:CER**
- [339] Esko Ukkonen. On the calculation of the effects of roundoff errors. *ACM Transactions on Mathematical Software*, 7(3): 259–271, September 1981.
- Linnainmaa:1981:SDP**
- [340] Seppo Linnainmaa. Software for doubled-precision floating-point computations. *ACM Transactions on Mathematical Software*, 7(3):272–283, September 1981.
- Lii:1981:CBC**
- [341] K. S. Lii and K. N. Helland. Cross-bispectrum computation and variance estimation. *ACM Transactions on Mathematical Software*, 7(3):284–294, September 1981.
- Dew:1981:SLR**
- [342] P. M. Dew and J. E. Walsh. A set of library routines for solving parabolic equations in one space variable. *ACM Transactions on Mathematical Software*, 7(3):295–314, September 1981.
- Duff:1981:AOM**
- [343] I. S. Duff. On algorithms for obtaining a maximum transversal. *ACM Transactions on Mathematical Software*, 7(3): 315–330, September 1981.
- McAllister:1981:ACS**
- [344] David F. McAllister and John A. Roulrier. An algorithm for computing a shape-preserving osculatory quadratic spline. *ACM Transactions on Mathematical Software*, 7(3):331–347, September 1981.
- Dennis:1981:ANL**
- [345] John E. Dennis, Jr., David M. Gay, and Roy E. Welsch. An adaptive nonlinear least-squares algorithm. *ACM Transactions on Mathematical Software*, 7(3): 348–368, September 1981.
- Dennis:1981:ANE**
- [346] John E. Dennis, Jr., David M. Gay, and Roy E. Welsch. Algorithm 573: NL2SOL—an adaptive nonlinear least-squares algorithm [E4]. *ACM Transactions on Mathematical Software*, 7(3): 369–383, September 1981. See also [405].
- McAllister:1981:ASP**
- [347] D. F. McAllister and J. A. Roulrier. Algorithm 574: Shape-preserving osculatory quadratic splines [E1, E2]. *ACM Transactions on Mathematical Software*, 7(3): 384–386, September 1981.
- Duff:1981:APZ**
- [348] I. S. Duff. Algorithm 575: Permutations for a zero-free diagonal [F1]. *ACM Transactions on Mathematical Software*, 7(3):387–390, September 1981.
- Barrodale:1981:AFP**
- [349] I. Barrodale and G. F. Stuart. Algorithm 576: A FORTRAN program for solving  $\mathbf{Ax} = \mathbf{b}$  [F4]. *ACM Transactions on Mathematical Software*, 7(3): 391–397, September 1981.
- Carlson:1981:AAI**
- [350] B. C. Carlson and Elaine M. Notis. Algorithm 577: Algorithms for incomplete elliptic integrals [S21]. *ACM Transactions on Mathematical Software*, 7(3): 398–403, September 1981.
- Razaz:1981:RAF**
- [351] M. Razaz and J. L. Schonfelder. Remark on “Algorithm 498: Airy func-

tions using Chebyshev series approximations". *ACM Transactions on Mathematical Software*, 7(3):404–405, September 1981. See [65].

**Shampine:1981:ETS**

- [352] Lawrence F. Shampine. Evaluation of a test set for stiff ODE solvers. *ACM Transactions on Mathematical Software*, 7(4):409–420, December 1981.

**Neves:1981:CIE**

- [353] Kenneth W. Neves. Control of interpolatory error in retarded differential equations. *ACM Transactions on Mathematical Software*, 7(4):421–444, December 1981.

**Brown:1981:SRM**

- [354] W. S. Brown. A simple but realistic model of floating-point computation. *ACM Transactions on Mathematical Software*, 7(4):445–480, December 1981.

**Marsten:1981:DXL**

- [355] Roy E. Marsten. The design of the XMP linear programming library. *ACM Transactions on Mathematical Software*, 7(4):481–497, December 1981.

**Pallottino:1981:EAD**

- [356] Stefano Pallottino and Tommaso Toffoli. An efficient algorithm for determining the length of the longest dead path in a "LIFO" branch-and-bound exploration schema. *ACM Transactions on Mathematical Software*, 7(4):498–504, December 1981.

**Duff:1981:MSU**

- [357] I. S. Duff. ME28: A sparse unsymmetric linear equation solver for complex equations. *ACM Transactions on Mathematical Software*, 7(4):505–511, December 1981.

**Fornberg:1981:NDA**

- [358] Bengt Fornberg. Numerical differentiation of analytic functions. *ACM Transactions on Mathematical Software*, 7(4):512–526, December 1981.

**Croz:1981:SLF**

- [359] J. J. Du Croz, S. M. Nugent, J. K. Reid, and D. B. Taylor. Solving large full sets of linear equations in a paged virtual store. *ACM Transactions on Mathematical Software*, 7(4):527–536, December 1981.

**Croz:1981:ASR**

- [360] J. J. Du Croz, S. M. Nugent, J. K. Reid, and D. B. Taylor. Algorithm 578: Solution of real linear equations in a paged virtual store [F4]. *ACM Transactions on Mathematical Software*, 7(4):537–541, December 1981.

**Fornberg:1981:ACC**

- [361] B. Fornberg. Algorithm 579: CPSC: Complex power series coefficients [D4]. *ACM Transactions on Mathematical Software*, 7(4):542–547, December 1981.

**Buckley:1981:AQS**

- [362] A. Buckley. Algorithm 580: QRUP: A set of FORTRAN routines for updating QR factorizations [F5]. *ACM Transactions on Mathematical Software*, 7(4):548–549, December 1981. See also [396].

**Krogh:1982:AAP**

- [363] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 8(1):1–4, March 1982.

**Hiebert:1982:EMS**

- [364] K. L. Hiebert. An evaluation of mathematical software that solves systems

of nonlinear equations. *ACM Transactions on Mathematical Software*, 8(1):5–20, March 1982.

**Dunham:1982:CBC**

- [365] Charles B. Dunham. Choice of basis for Chebyshev approximation. *ACM Transactions on Mathematical Software*, 8(1):21–25, March 1982.

**Deo:1982:AGF**

- [366] Narsingh Deo, G. M. Prabhu, and M. S. Krishnamoorthy. Algorithms for generating fundamental cycles in a graph. *ACM Transactions on Mathematical Software*, 8(1):26–42, March 1982.

**Paige:1982:LAS**

- [367] Christopher C. Paige and Michael A. Saunders. LSQR: An algorithm for sparse linear equations and sparse least squares. *ACM Transactions on Mathematical Software*, 8(1):43–71, March 1982.

**Chan:1982:IAC**

- [368] Tony F. Chan. An improved algorithm for computing the singular value decomposition. *ACM Transactions on Mathematical Software*, 8(1):72–83, March 1982.

**Chan:1982:AIA**

- [369] Tony F. Chan. Algorithm 581: An improved algorithm for computing the singular value decomposition [F1]. *ACM Transactions on Mathematical Software*, 8(1):84–88, March 1982.

**Tracht:1982:RNR**

- [370] Allen E. Tracht. Remark on “Algorithm 334: Normal random deviates”. *ACM Transactions on Mathematical Software*, 8(1):89–89, March 1982. See [11].

**Shampine:1982:IRM**

- [371] L. F. Shampine. Implementation of Rosenbrock methods. *ACM Transactions on Mathematical Software*, 8(2):93–113, June 1982.

**Corliss:1982:SOD**

- [372] George Corliss and Y. F. Chang. Solving ordinary differential equations using Taylor series. *ACM Transactions on Mathematical Software*, 8(2):114–144, June 1982.

**Hoaglin:1982:EDA**

- [373] David C. Hoaglin, Virginia C. Klema, and Stephen C. Peters. Exploratory data analysis in a study of the performance of nonlinear optimization routines. *ACM Transactions on Mathematical Software*, 8(2):145–162, June 1982.

**Ahrens:1982:CGP**

- [374] J. H. Ahrens and U. Dieter. Computer generation of Poisson deviates from modified normal distributions. *ACM Transactions on Mathematical Software*, 8(2):163–179, June 1982.

**Lewis:1982:IGP**

- [375] John G. Lewis. Implementation of the Gibbs-Poole-Stockmeyer and Gibbs-King algorithms. *ACM Transactions on Mathematical Software*, 8(2):180–189, June 1982.

**Lewis:1982:AGP**

- [376] John G. Lewis. Algorithm 582: The Gibbs-Poole-Stockmeyer and Gibbs-King algorithms for reordering sparse matrices. *ACM Transactions on Mathematical Software*, 8(2):190–194, June 1982.

**Paige:1982:ALS**

- [377] Christopher C. Paige and Michael A. Saunders. Algorithm 583: LSQR: Sparse linear equations and least squares problems. *ACM Transactions on Mathematical Software*, 8(2):195–209, June 1982.

**Laurie:1982:ACA**

- [378] D. P. Laurie. Algorithm 584: CUBTRI: Automatic cubature over a triangle. *ACM Transactions on Mathematical Software*, 8(2):210–218, June 1982. See also [533].

**Flamm:1982:RHE**

- [379] David S. Flamm and Robert A. Walker. Remark on “Algorithm 506: HQR3 and EXCHNG: Fortran subroutines for calculating and ordering the eigenvalues of a real upper Hessenberg matrix [F2]”. *ACM Transactions on Mathematical Software*, 8(2):219–220, June 1982. See [99].

**Lewis:1982:RMB**

- [380] John G. Lewis. Remark on “Algorithms 508 and 509: Matrix bandwidth and profile reduction [F1] and A hybrid profile reduction algorithm [F1]”. *ACM Transactions on Mathematical Software*, 8(2):221–221, June 1982. See [110, 111].

**Ellison:1982:UUI**

- [381] E. F. D. Ellison and Gautam Mitra. UIMP: User interface for mathematical programming. *ACM Transactions on Mathematical Software*, 8(3):229–255, September 1982.

**Schreiber:1982:NIS**

- [382] Robert Schreiber. A new implementation of sparse Gaussian elimination. *ACM Transactions on Mathematical Software*, 8(3):256–276, September 1982.

**Sasaki:1982:EGE**

- [383] Tateaki Sasaki and Hirokazu Murao. Efficient Gaussian elimination method for symbolic determinants and linear systems. *ACM Transactions on Mathematical Software*, 8(3):277–289, September 1982.

**Brezinski:1982:ASG**

- [384] C. Brezinski. Algorithm 585: A subroutine for the general interpolation and extrapolation problems. *ACM Transactions on Mathematical Software*, 8(3):290–301, September 1982.

**Kincaid:1982:AIF**

- [385] David R. Kincaid, John R. Respass, David M. Young, and Roger G. Grimes. Algorithm 586: ITPACK 2C: A FORTRAN package for solving large sparse linear systems by adaptive accelerated iterative methods. *ACM Transactions on Mathematical Software*, 8(3):302–322, September 1982.

**Hanson:1982:ATA**

- [386] Richard J. Hanson and Karen H. Haskell. Algorithm 587: Two algorithms for the linearly constrained least squares problem. *ACM Transactions on Mathematical Software*, 8(3):323–333, September 1982. See also [647].

**Hanson:1982:RPQ**

- [387] R. J. Hanson. Remark on “Algorithm 507: Procedures for quintic natural spline interpolation [E1]”. *ACM Transactions on Mathematical Software*, 8(3):334–334, September 1982. See [100].

**Wolfe:1982:CCG**

- [388] Philip Wolfe. Checking the calculation of gradients. *ACM Transactions on Mathematical Software*, 8(4):337–343, December 1982.

**Anderson:1982:FHT**

- [389] Walter L. Anderson. Fast Hankel transforms using related and lagged convolutions. *ACM Transactions on Mathematical Software*, 8(4):344–368, December 1982.

**Anderson:1982:AFH**

- [390] Walter L. Anderson. Algorithm 588: Fast Hankel transforms using related and lagged convolutions. *ACM Transactions on Mathematical Software*, 8(4):369–370, December 1982.

**Dongarra:1982:ASF**

- [391] Jack J. Dongarra. Algorithm 589: SICE DR: A FORTRAN subroutine for improving the accuracy of computed matrix eigenvalues. *ACM Transactions on Mathematical Software*, 8(4):371–375, December 1982.

**Dooren:1982:ADE**

- [392] P. Van Dooren. Algorithm 590: DSUBSP and EXCHQZ: FORTRAN subroutines for computing deflating subspaces with specified spectrum. *ACM Transactions on Mathematical Software*, 8(4):376–382, December 1982. See also [456].

**Hemmerle:1982:ACM**

- [393] William J. Hemmerle. Algorithm 591: A comprehensive matrix-free algorithm for analysis of variance. *ACM Transactions on Mathematical Software*, 8(4):383–401, December 1982.

**Garbow:1982:RQA**

- [394] B. S. Garbow. Remark on “Algorithm 535: The QZ algorithm to solve the generalized eigenvalue problem for complex matrices [F2]”. *ACM Transactions on Mathematical Software*, 8(4):402–402, December 1982. See [204, 484].

**Dodson:1982:RBL**

- [395] David S. Dodson and Roger G. Grimes. Remark on “Algorithm 539: Basic Linear Algebra Subprograms for Fortran usage [F1]”. *ACM Transactions on Mathematical Software*, 8(4):403–404, December 1982. See [236, 406, 579, 607].

**Buckley:1982:RQS**

- [396] A. Buckley. Remark on “Algorithm 580: QRUP: A set of FORTRAN routines for updating QR factorizations [F5]”. *ACM Transactions on Mathematical Software*, 8(4):405–405, December 1982. See [362].

**Morgan:1983:MCA**

- [397] Alexander P. Morgan. A method for computing all solutions to systems of polynomials equations. *ACM Transactions on Mathematical Software*, 9(1):1–17, March 1983.

**Greenberg:1983:FDA**

- [398] Harvey Greenberg. A functional description of ANALYZE: A computer-assisted analysis system for linear programming models. *ACM Transactions on Mathematical Software*, 9(1):18–56, March 1983.

**Beck:1983:RGA**

- [399] P. Beck, L. Lasdon, and M. Engquist. A reduced gradient algorithm for nonlinear network problems. *ACM Transactions on Mathematical Software*, 9(1):57–70, March 1983.

**Hanson:1983:CDE**

- [400] P. M. Hanson and W. H. Enright. Controlling the defect in existing variable-order Adams codes for initial-value problems. *ACM Transactions on Mathematical Software*, 9(1):71–97, March 1983.

**Gaffney:1983:AFS**

- [401] Patrick W. Gaffney. Algorithm 592: A FORTRAN subroutine for computing the optimal estimate of  $f(x)$ . *ACM Transactions on Mathematical Software*, 9(1):98–116, March 1983.

**Proskurowski:1983:APH**

- [402] Włodzimierz Proskurowski. Algorithm 593: A package for the Helmholtz equation in nonrectangular planar regions. *ACM Transactions on Mathematical Software*, 9(1):117–124, March 1983.

**Larson:1983:ASR**

- [403] John L. Larson, Mary E. Pasternak, and John A. Wisniewski. Algorithm 594: Software for relative error analysis. *ACM Transactions on Mathematical Software*, 9(1):125–130, March 1983.

**Martello:1983:AEA**

- [404] Silvano Martello. Algorithm 595: An enumerative algorithm for finding Hamiltonian circuits in a directed graph. *ACM Transactions on Mathematical Software*, 9(1):131–138, March 1983.

**Gay:1983:RNE**

- [405] David M. Gay. Remark on “Algorithm 573: NL2SOL—an adaptive nonlinear least-squares algorithm”. *ACM Transactions on Mathematical Software*, 9(1):139–139, March 1983. See [346].

**Dodson:1983:CRB**

- [406] David S. Dodson. Corrigendum: Remark on “Algorithm 539: Basic Linear Algebra Subroutines for FORTRAN usage”. *ACM Transactions on Mathematical Software*, 9(1):140–140, March 1983. See [236, 395, 579, 607].

**Fourer:1983:MLV**

- [407] Robert Fourer. Modeling languages versus matrix generators for linear programming. *ACM Transactions on Mathematical Software*, 9(2):143–183, June 1983.

**Armstrong:1983:CSM**

- [408] R. D. Armstrong, D. S. Kung, P. Sinha, and A. A. Zoltners. A computational study of a multiple-choice knapsack algorithm. *ACM Transactions on Mathematical Software*, 9(2):184–198, June 1983.

**Cryer:1983:ESL**

- [409] C. W. Cryer. The efficient solution of linear complementarity problems for tridiagonal Minkowski matrices. *ACM Transactions on Mathematical Software*, 9(2):199–214, June 1983.

**Rheinboldt:1983:LPC**

- [410] Werner C. Rheinboldt and John V. Burkardt. A locally parametrized continuation process. *ACM Transactions on Mathematical Software*, 9(2):215–235, June 1983.

**Rheinboldt:1983:APL**

- [411] Werner C. Rheinboldt and John V. Burkardt. Algorithm 596: A program for a locally parametrized continuation process. *ACM Transactions on Mathematical Software*, 9(2):236–241, June 1983.

**Cody:1983:ASM**

- [412] W. J. Cody. Algorithm 597: Sequence of modified Bessel functions of the first kind. *ACM Transactions on Mathematical Software*, 9(2):242–245, June 1983.

**Davis:1983:AAC**

- [413] George J. Davis. Algorithm 598: An algorithm to compute solvents of the ma-

- trix equation  $AX^2 + BX + C = 0$ . *ACM Transactions on Mathematical Software*, 9(2):246–254, June 1983.
- Ahrens:1983:ASG**
- [414] J. H. Ahrens, K. D. Kohrt, and U. Dieter. Algorithm 599: Sampling from Gamma and Poisson distributions. *ACM Transactions on Mathematical Software*, 9(2):255–257, June 1983.
- Herriott:1983:ATA**
- [415] John G. Herriott and Christian H. Reinsch. Algorithm 600: Translation of Algorithm 507: Procedures for quintic natural spline interpolation. *ACM Transactions on Mathematical Software*, 9(2):258–259, June 1983.
- Pape:1983:RSP**
- [416] U. Pape. Remark on “Algorithm 562: Shortest path lengths”. *ACM Transactions on Mathematical Software*, 9(2):260–260, June 1983. See [303].
- Krogh:1983:AAP**
- [417] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 9(2):261–264, June 1983.
- Zave:1983:QEF**
- [418] Pamela Zave and George E. Cole, Jr. A quantitative evaluation of the feasibility of, and suitable hardware architectures for, an adaptive, parallel finite-element system. *ACM Transactions on Mathematical Software*, 9(3):271–292, September 1983.
- Watkins:1983:NSS**
- [419] David S. Watkins and Ralph W. Hanson-Smith. The numerical solution of separably stiff systems by precise partitioning. *ACM Transactions on Mathematical Software*, 9(3):293–301, September 1983.
- Duff:1983:MSI**
- [420] I. S. Duff and J. K. Reid. The multifrontal solution of indefinite sparse symmetric linear systems. *ACM Transactions on Mathematical Software*, 9(3):302–325, September 1983.
- Tarjan:1983:SEI**
- [421] Robert E. Tarjan. Space-efficient implementations of graph search methods. *ACM Transactions on Mathematical Software*, 9(3):326–339, September 1983.
- McNamee:1983:SMP**
- [422] J. M. McNamee. A sparse matrix package—part II: Special cases. *ACM Transactions on Mathematical Software*, 9(3):340–343, September 1983.
- McNamee:1983:ASM**
- [423] J. M. McNamee. Algorithm 601: A sparse-matrix package—part II: Special cases. *ACM Transactions on Mathematical Software*, 9(3):344–345, September 1983.
- Fessler:1983:HAA**
- [424] Theodore Fessler, William F. Ford, and David A. Smith. HURRY: An acceleration algorithm for scalar sequences and series. *ACM Transactions on Mathematical Software*, 9(3):346–354, September 1983.
- Fessler:1983:AHA**
- [425] Theodore Fessler, William F. Ford, and David A. Smith. Algorithm 602: HURRY: An acceleration algorithm for scalar sequences and series. *ACM Transactions on Mathematical Software*, 9(3):355–357, September 1983.

**Diaz:1983:FPS**

- [426] J. C. Diaz, G. Fairweather, and P. Keast. FORTRAN packages for solving certain almost block diagonal linear systems by modified alternate row and column elimination. *ACM Transactions on Mathematical Software*, 9(3):358–375, September 1983.

**Diaz:1983:ACA**

- [427] J. C. Diaz, G. Fairweather, and P. Keast. Algorithm 603: COLROW and ARCECO: FORTRAN packages for solving certain almost block diagonal linear systems by modified alternate row and column elimination. *ACM Transactions on Mathematical Software*, 9(3):376–380, September 1983. See also [608].

**Sauer:1983:AFP**

- [428] Frederick W. Sauer. Algorithm 604: A FORTRAN program for the calculation of an extremal polynomial. *ACM Transactions on Mathematical Software*, 9(3):381–383, September 1983.

**Hopkins:1983:APV**

- [429] T. R. Hopkins. Algorithm 605: PBA-SIC: A verifier program for American National Standard Minimal BASIC. *ACM Transactions on Mathematical Software*, 9(4):391–394, December 1983.

**Gaffney:1983:NIT**

- [430] P. W. Gaffney, J. W. Wooten, K. A. Kessel, and W. R. McKinney. NITPACK: An interactive tree package. *ACM Transactions on Mathematical Software*, 9(4):395–417, December 1983.

**Gaffney:1983:ANI**

- [431] P. W. Gaffney, J. W. Wooten, K. A. Kessel, and W. R. McKinney. Algorithm

606: NITPACK: An interactive tree package. *ACM Transactions on Mathematical Software*, 9(4):418–426, December 1983.

**Snyder:1983:ATE**

- [432] W. V. Snyder and R. J. Hanson. Algorithm 607: Text exchange system: A transportable system for management and exchange of programs and other text. *ACM Transactions on Mathematical Software*, 9(4):427–440, December 1983.

**Horn:1983:CLE**

- [433] B. K. P. Horn. The curve of least energy. *ACM Transactions on Mathematical Software*, 9(4):441–460, December 1983.

**West:1983:AAS**

- [434] David H. West. Algorithm 608: Approximate solution of the quadratic assignment problem. *ACM Transactions on Mathematical Software*, 9(4):461–466, December 1983.

**Amos:1983:UAE**

- [435] D. E. Amos. Uniform asymptotic expansions for exponential integrals  $E_n(x)$  and Bickley functions  $Ki_n(x)$ . *ACM Transactions on Mathematical Software*, 9(4):467–479, December 1983.

**Amos:1983:APFa**

- [436] D. E. Amos. Algorithm 609: A portable FORTRAN subroutine for the Bickley functions  $Ki_n(x)$ . *ACM Transactions on Mathematical Software*, 9(4):480–493, December 1983.

**Amos:1983:APFb**

- [437] D. E. Amos. Algorithm 610: A portable FORTRAN subroutine for derivatives

- of the psi function. *ACM Transactions on Mathematical Software*, 9(4):494–502, December 1983.
- Gay:1983:ASU**
- [438] David M. Gay. Algorithm 611: Subroutines for unconstrained minimization using a model/trust-region approach. *ACM Transactions on Mathematical Software*, 9(4):503–524, December 1983.
- Amos:1983:REI**
- [439] Donald E. Amos. Remark on “Algorithm 556: Exponential integrals”. *ACM Transactions on Mathematical Software*, 9(4):525–525, December 1983. See [297].
- deDoncker:1984:AAI**
- [440] Elise de Doncker and Ian Robinson. An algorithm for automatic integration over a triangle using nonlinear extrapolation. *ACM Transactions on Mathematical Software*, 10(1):1–16, March 1984.
- deDoncker:1984:ATI**
- [441] Elise de Doncker and Ian Robinson. Algorithm 612: TRIEX: Integration over a TRIangle using nonlinear EXtrapolation. *ACM Transactions on Mathematical Software*, 10(1):17–22, March 1984.
- Gear:1984:SOD**
- [442] C. W. Gear and O. Østerby. Solving ordinary differential equations with discontinuities. *ACM Transactions on Mathematical Software*, 10(1):23–44, March 1984.
- Krogh:1984:ARI**
- [443] Fred T. Krogh and Kris Stewart. Asymptotic ( $h \rightarrow \infty$ ) absolute stability for BDFs applied to stiff differential equations. *ACM Transactions on Mathematical Software*, 10(1):45–57, March 1984.
- Gaffney:1984:PES**
- [444] Patrick W. Gaffney. A performance evaluation of some FORTRAN subroutines for the solution of stiff oscillatory ordinary differential equations. *ACM Transactions on Mathematical Software*, 10(1):58–72, March 1984.
- Kaufman:1984:BES**
- [445] Linda Kaufman. Banded eigenvalue solvers on vector machines. *ACM Transactions on Mathematical Software*, 10(1):73–85, March 1984.
- Lenard:1984:RGT**
- [446] Melanie L. Lenard and Michael Minkoff. Randomly generated test problems for positive definite quadratic programming. *ACM Transactions on Mathematical Software*, 10(1):86–96, March 1984.
- Jones:1984:SRM**
- [447] Christopher B. Jones. A significance rule for multiple-precision arithmetic. *ACM Transactions on Mathematical Software*, 10(1):97–107, March 1984.
- Haymond:1984:AMS**
- [448] R. E. Haymond, J. P. Jarvis, and D. R. Shier. Algorithm 613: Minimum spanning tree for moderate integer weights. *ACM Transactions on Mathematical Software*, 10(1):108–111, March 1984.
- Shapiro:1984:IRG**
- [449] Henry D. Shapiro. Increasing robustness in global adaptive quadrature through interval selection heuristics. *ACM Transactions on Mathematical Software*, 10(2):117–139, June 1984.
- Sikorski:1984:OQS**
- [450] K. Sikorski and F. Stenger. Optimal quadratures in  $H_p$  spaces. *ACM Trans-*

actions on *Mathematical Software*, 10(2):140–151, June 1984.

**Sikorski:1984:AFS**

- [451] K. Sikorski, F. Stenger, and J. Schwing. Algorithm 614: A FORTRAN subroutine for numerical integration in  $H_p$ . *ACM Transactions on Mathematical Software*, 10(2):152–160, June 1984.

**Rall:1984:DPS**

- [452] L. B. Rall. Differentiation in Pascal-SC: Type GRADIENT. *ACM Transactions on Mathematical Software*, 10(2):161–184, June 1984.

**Lawrie:1984:CCC**

- [453] D. H. Lawrie and A. H. Sameh. The computation and communication complexity of a parallel banded system solver. *ACM Transactions on Mathematical Software*, 10(2):185–195, June 1984. See also [504].

**Reid:1984:SAB**

- [454] J. K. Reid and A. Jennings. On solving almost block diagonal (staircase) linear systems. *ACM Transactions on Mathematical Software*, 10(2):196–201, June 1984.

**Armstrong:1984:ABS**

- [455] R. D. Armstrong, P. O. Beck, and M. T. Kung. Algorithm 615: The best subset of parameters in least absolute value regression. *ACM Transactions on Mathematical Software*, 10(2):202–206, June 1984.

**Petkov:1984:RDE**

- [456] P. Hr. Petkov, N. D. Christov, and M. M. Konstantinov. Remark on “Algorithm 590: DSUBSP and EXCHQZ: FORTRAN subroutines for computing

deflating subspaces with specified spectrum”. *ACM Transactions on Mathematical Software*, 10(2):207–207, June 1984. See [392].

**Krogh:1984:AAP**

- [457] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 10(2):208–211, June 1984.

**Dongarra:1984:SMA**

- [458] Jack J. Dongarra and Stanley C. Eisenstat. Squeezing the most out of an algorithm in CRAY FORTRAN. *ACM Transactions on Mathematical Software*, 10(3):219–230, September 1984.

**Molchanov:1984:PCS**

- [459] I. N. Molchanov, V. S. Zubatenko, L. D. Nikolenko, and M. F. Yakovlev. A program complex for solving systems of linear algebraic equations. *ACM Transactions on Mathematical Software*, 10(3):231–241, September 1984.

**Rivara:1984:DDS**

- [460] Maria-Cecilia Rivara. Design and data structure of fully adaptive multigrid, finite-element software. *ACM Transactions on Mathematical Software*, 10(3):242–264, September 1984.

**Monahan:1984:AFC**

- [461] J. F. Monahan. Algorithm 616: Fast computation of the Hodges-Lehman location estimator. *ACM Transactions on Mathematical Software*, 10(3):265–270, September 1984. This paper reduces the previous complexity bound for the Hodges-Lehman location estimator from  $O(n^2 \log n)$  to  $O(n \log n)$ .

**Kronmal:1984:ACA**

- [462] R. A. Kronmal and A. V. Peterson. An acceptance-complement ana-

logue of the mixture-plus-acceptance-rejection method for generating random variables. *ACM Transactions on Mathematical Software*, 10(3):271–281, September 1984.

**Gill:1984:POP**

- [463] Philip E. Gill, Walter Murray, Michael A. Saunders, and Margaret H. Wright. Procedures for optimization problems with a mixture of bounds and general linear constraints. *ACM Transactions on Mathematical Software*, 10(3):282–298, September 1984.

**Aluffi-Pentini:1984:DEA**

- [464] Filippo Aluffi-Pentini, Valerio Parisi, and Francesco Zirilli. A differential-equations algorithm for nonlinear equations. *ACM Transactions on Mathematical Software*, 10(3):299–316, September 1984.

**Aluffi-Pentini:1984:ADD**

- [465] Filippo Aluffi-Pentini, Valerio Parisi, and Francesco Zirilli. Algorithm 617: DAFNE: A differential-equations algorithm for nonlinear equations. *ACM Transactions on Mathematical Software*, 10(3):317–324, September 1984.

**Regener:1984:MID**

- [466] Eric Regener. Multiprecision integer division examples using arbitrary radix. *ACM Transactions on Mathematical Software*, 10(3):325–328, September 1984. See also [31].

**Coleman:1984:SES**

- [467] Thomas F. Coleman, Burton S. Garbow, and Jorge J. Moré. Software for estimating sparse Jacobian matrices. *ACM Transactions on Mathematical Software*, 10(3):329–345, September 1984.

**Coleman:1984:AFS**

- [468] Thomas F. Coleman, Burton S. Garbow, and Jorge J. Moré. Algorithm 618: Fortran subroutines for estimating sparse Jacobian matrices. *ACM Transactions on Mathematical Software*, 10(3):346–347, September 1984.

**Piessens:1984:AAN**

- [469] Robert Piessens and Rudi Huysmans. Algorithm 619: Automatic numerical inversion of the Laplace transform [D5]. *ACM Transactions on Mathematical Software*, 10(3):348–353, September 1984.

**Piessens:1984:RNI**

- [470] Robert Piessens. Remark on “Algorithm 486: Numerical inversion of Laplace transform”. *ACM Transactions on Mathematical Software*, 10(3):354–354, September 1984. See [127, 115].

**Rice:1984:ARK**

- [471] John R. Rice and Richard J. Hanson. Algorithm 620: References and keywords for *collected algorithms of the acm*. *ACM Transactions on Mathematical Software*, 10(4):359–360, December 1984. See also [516, 690].

**Black:1984:NIS**

- [472] Cheryl M. Black, Robert P. Burton, and Thomas M. Miller. The need for an industry standard of accuracy for elementary-function programs. *ACM Transactions on Mathematical Software*, 10(4):361–366, December 1984.

**Eiger:1984:BMS**

- [473] A. Eiger, K. Sikorski, and F. Stenger. A bisection method for systems of nonlinear equations. *ACM Transactions on Mathematical Software*, 10(4):367–377, December 1984.

**Sommeijer:1984:ASL**

- [474] B. P. Sommeijer and P. J. van der Houven. Algorithm 621: Software with low storage requirements for two-dimensional parabolic differential equations. *ACM Transactions on Mathematical Software*, 10(4):378–396, December 1984.

**Bundy:1984:GIP**

- [475] Alan Bundy. A generalized interval package and its use for semantic checking. *ACM Transactions on Mathematical Software*, 10(4):397–409, December 1984.

**Rice:1984:ASM**

- [476] John R. Rice, Calvin Ribbens, and William A. Ward. Algorithm 622: A simple macroprocessor. *ACM Transactions on Mathematical Software*, 10(4):410–416, December 1984.

**Renka:1984:IDS**

- [477] Robert J. Renka. Interpolation of data on the surface of a sphere. *ACM Transactions on Mathematical Software*, 10(4):417–436, December 1984.

**Renka:1984:AIS**

- [478] Robert J. Renka. Algorithm 623: Interpolation on the surface of a sphere. *ACM Transactions on Mathematical Software*, 10(4):437–439, December 1984.

**Renka:1984:ATI**

- [479] Robert J. Renka. Algorithm 624: Triangulation and interpolation at arbitrarily distributed points in the plane. *ACM Transactions on Mathematical Software*, 10(4):440–442, December 1984.

**Rice:1984:NCG**

- [480] John R. Rice. Numerical computation with general two-dimensional do-

mains. *ACM Transactions on Mathematical Software*, 10(4):443–452, December 1984.

**Rice:1984:ATD**

- [481] John R. Rice. Algorithm 625: A two-dimensional domain processor. *ACM Transactions on Mathematical Software*, 10(4):453–462, December 1984.

**Preusser:1984:CCS**

- [482] Albrecht Preusser. Computing contours by successive solution of quintic polynomial equations. *ACM Transactions on Mathematical Software*, 10(4):463–472, December 1984.

**Preusser:1984:ATE**

- [483] Albrecht Preusser. Algorithm 626: TRICP—A contour plot program for triangular meshes. *ACM Transactions on Mathematical Software*, 10(4):473–475, December 1984.

**Garbow:1984:RQA**

- [484] B. S. Garbow. Remark on “Algorithm 535: The QZ algorithm to solve the generalized eigenvalue problem for complex matrices [F2]”. *ACM Transactions on Mathematical Software*, 10(4):476–476, December 1984. See [204, 394].

**Celis:1984:RCE**

- [485] Pedro Celis. Remark: Corrections and errors in John Ivie’s some MACSYMA programs for solving recurrence relations. *ACM Transactions on Mathematical Software*, 10(4):477–478, December 1984. See [165].

**Tomlin:1985:IPS**

- [486] J. A. Tomlin and J. S. Welch. Integration of a primal simplex network algorithm with a large-scale mathematical

- programming system. *ACM Transactions on Mathematical Software*, 11(1): 1–11, March 1985.
- Davidon:1985:ESD**
- [487] William C. Davidon and Jorge Nocedal. Evaluation of step directions in optimization algorithms. *ACM Transactions on Mathematical Software*, 11(1):12–19, March 1985.
- Cuyt:1985:CIM**
- [488] Annie A. M. Cuyt and L. B. Rall. Computational implementation of the multivariate Halley method for solving nonlinear systems of equations. *ACM Transactions on Mathematical Software*, 11(1):20–36, March 1985.
- Vitter:1985:RSR**
- [489] Jeffrey Scott Vitter. Random sampling with a reservoir. *ACM Transactions on Mathematical Software*, 11(1):37–57, March 1985.
- Bownds:1985:AFS**
- [490] John M. Bownds and Lee Applebaum. Algorithm 627: A FORTRAN subroutine for solving Volterra integral equations. *ACM Transactions on Mathematical Software*, 11(1):58–65, March 1985.
- Winkler:1985:AAC**
- [491] F. Winkler, B. Buchberger, F. Lichtemberger, and H. Rolletschek. Algorithm 628: An algorithm for constructing canonical bases of polynomial ideals. *ACM Transactions on Mathematical Software*, 11(1):66–78, March 1985.
- Atkinson:1985:AIE**
- [492] Kendall E. Atkinson. Algorithm 629: An integral equation program for Laplace’s equation in three dimensions. *ACM Transactions on Mathematical Software*, 11(2):85–96, June 1985.
- Dembo:1985:TPG**
- [493] R. S. Dembo and T. Steihaug. A test problem generator for large-scale unconstrained optimization. *ACM Transactions on Mathematical Software*, 11(2): 97–102, June 1985.
- Buckley:1985:ABE**
- [494] A. Buckley and A. LeNir. Algorithm 630: BBVSCG—A variable storage algorithm for function minimization. *ACM Transactions on Mathematical Software*, 11(2):103–119, June 1985.
- Norton:1985:AFB**
- [495] Victor Norton. Algorithm 631: Finding a bracketed zero by Larkin’s method of rational interpolation. *ACM Transactions on Mathematical Software*, 11(2): 120–134, June 1985. See [534].
- Martello:1985:APM**
- [496] Silvano Martello and Paolo Toth. Algorithm 632: A program for the 0–1 multiple knapsack problem. *ACM Transactions on Mathematical Software*, 11(2): 135–140, June 1985.
- Liu:1985:MMD**
- [497] Joseph W. H. Liu. Modification of the minimum-degree algorithm by multiple elimination. *ACM Transactions on Mathematical Software*, 11(2):141–153, June 1985.
- Gan:1985:NCG**
- [498] C. T. Gan. A note on combination generators. *ACM Transactions on Mathematical Software*, 11(2):154–156, June 1985.
- Ahrens:1985:SRS**
- [499] J. H. Ahrens and U. Dieter. Sequential random sampling. *ACM Transactions on Mathematical Software*, 11(2): 157–169, June 1985.

**Ward:1985:AAL**

- [500] R. C. Ward, G. J. Davis, and V. E. Kane. Algorithm 633: An algorithm for linear dependency analysis of multivariate data. *ACM Transactions on Mathematical Software*, 11(2):170–182, June 1985.

**Novotny:1985:RNS**

- [501] Milan Novotny. Remark on “Algorithm 30: Numerical solution of the polynomial equation”. *ACM Transactions on Mathematical Software*, 11(2):183–184, June 1985. See [1].

**Hill:1985:RCS**

- [502] I. D. Hill and M. C. Pike. Remark on “Algorithm 299: Chi-squared integral”. *ACM Transactions on Mathematical Software*, 11(2):185–185, June 1985. See [10, 114].

**Preusser:1985:RBI**

- [503] Albrecht Preusser. Remark on “Algorithm 526: Bivariate interpolation and smooth surface fitting for irregularly distributed data points [E1]”. *ACM Transactions on Mathematical Software*, 11(2):186–187, June 1985. See [179, 229].

**Lawrie:1985:CCC**

- [504] D. H. Lawrie and A. H. Sameh. Corrections to “The computation and communication complexity of a parallel banded system solver”. *ACM Transactions on Mathematical Software*, 11(2):188–188, June 1985. See [453].

**Krogh:1985:AAP**

- [505] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 11(2):193–196, June 1985.

**Bartels:1985:LSF**

- [506] Richard H. Bartels and John J. Jezioranski. Least-squares fitting using orthogonal multinomials. *ACM Transactions on Mathematical Software*, 11(3):201–217, September 1985.

**Bartels:1985:ACE**

- [507] Richard H. Bartels and John J. Jezioranski. Algorithm 634: CONSTR and EVAL: Routines for fitting multinomials in a least-squares sense. *ACM Transactions on Mathematical Software*, 11(3):218–228, September 1985.

**Hull:1985:PRV**

- [508] T. E. Hull and A. Abrham. Properly rounded variable precision square root. *ACM Transactions on Mathematical Software*, 11(3):229–237, September 1985.

**Stewart:1985:NCD**

- [509] G. W. Stewart. A note on complex division. *ACM Transactions on Mathematical Software*, 11(3):238–241, September 1985. See also [553].

**Streit:1985:AAS**

- [510] Roy L. Streit. Algorithm 635: An algorithm for the solution of systems of complex linear equations in the  $L_\infty$  norm with constraints on the unknowns. *ACM Transactions on Mathematical Software*, 11(3):242–249, September 1985.

**Le:1985:EDF**

- [511] D. Le. An efficient derivative-free method for solving nonlinear equations. *ACM Transactions on Mathematical Software*, 11(3):250–262, September 1985. See also [652].

**Tischer:1985:ESN**

- [512] P. E. Tischer and G. K. Gupta. An evaluation of some new cyclic linear mul-

timestep formulas for stiff ODEs. *ACM Transactions on Mathematical Software*, 11(3):263–270, September 1985.

**Johnsson:1985:SNB**

- [513] S. Lennart Johnsson. Solving narrow banded systems on ensemble architectures. *ACM Transactions on Mathematical Software*, 11(3):271–288, September 1985.

**Hall:1985:ESR**

- [514] George Hall. Equilibrium states of Runge Kutta schemes. *ACM Transactions on Mathematical Software*, 11(3):289–301, September 1985.

**Ericksen:1985:IPT**

- [515] Wilhelm S. Ericksen. Inverse pairs of test matrices. *ACM Transactions on Mathematical Software*, 11(3):302–304, September 1985.

**Hamilton:1985:RRK**

- [516] Dennis E. Hamilton. Remark on “Algorithm 620: References and keywords for collected algorithms of the acm”. *ACM Transactions on Mathematical Software*, 11(3):305–307, September 1985. See [471, 690].

**Boisvert:1985:GFM**

- [517] Ronald F. Boisvert, Sally E. Howe, and David K. Kahaner. GAMS: A framework for the management of scientific software. *ACM Transactions on Mathematical Software*, 11(4):313–355, December 1985.

**Davenport:1985:PRA**

- [518] J. H. Davenport and B. M. Trager. On the parallel Risch algorithm (II). *ACM Transactions on Mathematical Software*, 11(4):356–362, December 1985.

**Coleman:1985:SES**

- [519] Thomas F. Coleman, Burton S. Garbow, and Jorge J. More. Software for estimating sparse Hessian matrices. *ACM Transactions on Mathematical Software*, 11(4):363–377, December 1985.

**Coleman:1985:AFS**

- [520] Thomas F. Coleman, Burton S. Garbow, and Jorge J. Moré. Algorithm 636: FORTRAN subroutines for estimating sparse Hessian matrices. *ACM Transactions on Mathematical Software*, 11(4):378–378, December 1985.

**Houstis:1985:CSS**

- [521] E. N. Houstis, W. F. Mitchell, and J. R. Rice. Collocation software for second-order elliptic partial differential equations. *ACM Transactions on Mathematical Software*, 11(4):379–412, December 1985.

**Houstis:1985:AGC**

- [522] E. N. Houstis, W. F. Mitchell, and J. R. Rice. Algorithm 637: GENCOL: Collocation of general domains with bicubic Hermite polynomials. *ACM Transactions on Mathematical Software*, 11(4):413–415, December 1985.

**Houstis:1985:AIH**

- [523] E. N. Houstis, W. F. Mitchell, and J. R. Rice. Algorithm 638: INTCOL and HERMCOL: Collocation on rectangular domains with bicubic Hermite polynomials. *ACM Transactions on Mathematical Software*, 11(4):416–418, December 1985.

**Schnabel:1985:MSA**

- [524] Robert B. Schnabel, John E. Koonatz, and Barry E. Weiss. A modular system of algorithms for unconstrained minimization. *ACM Transactions on Math-*

*ematical Software*, 11(4):419–440, December 1985.

**Er:1985:RG**

- [525] M. C. Er. Remark on “Algorithm 246: Graycode [Z]”. *ACM Transactions on Mathematical Software*, 11(4):441–443, December 1985. See [7, 58].

**Shampine:1986:FVV**

- [526] L. F. Shampine and L. S. Baca. Fixed versus variable order Runge-Kutta. *ACM Transactions on Mathematical Software*, 12(1):1–23, March 1986.

**Lyness:1986:AIS**

- [527] James Lyness and Gwendolen Hines. Algorithm 639: To integrate some infinite oscillating tails. *ACM Transactions on Mathematical Software*, 12(1):24–25, March 1986.

**Lamb:1986:AEC**

- [528] Alan J. Lamb. Algorithm 640: Efficient calculation of frequency response matrices from state space models. *ACM Transactions on Mathematical Software*, 12(1):26–33, March 1986.

**Deak:1986:EMG**

- [529] I. Deak. The economical method for generating random samples from discrete distributions. *ACM Transactions on Mathematical Software*, 12(1):34–36, March 1986.

**Law:1986:NAM**

- [530] Kincho H. Law and Steven J. Fenives. A node-addition model for symbolic factorization. *ACM Transactions on Mathematical Software*, 12(1):37–50, March 1986.

**Springer:1986:ESG**

- [531] Jörn Springer. Exact solution of general integer systems of linear equations. *ACM Transactions on Mathematical Software*, 12(1):51–61, March 1986.

**Jansen:1986:HAA**

- [532] Paul Jansen and Peter Weidner. High-accuracy arithmetic software—some tests of the ACRITH problem-solving routines. *ACM Transactions on Mathematical Software*, 12(1):62–70, March 1986.

**Hanson:1986:RCA**

- [533] Richard J. Hanson. Remark on “Algorithm 584: CUBTRI: Automatic cubature over a triangle”. *ACM Transactions on Mathematical Software*, 12(1):71–71, March 1986. See [378].

**Norton:1986:RFB**

- [534] Victor Norton. Remark on “Algorithm 631: Finding a bracketed zero by Larkin’s method of rational interpolation”. *ACM Transactions on Mathematical Software*, 12(1):72–72, March 1986. See [495].

**Hull:1986:VPE**

- [535] T. E. Hull and A. Abrham. Variable precision exponential function. *ACM Transactions on Mathematical Software*, 12(2):79–91, June 1986.

**Dolk:1986:GMM**

- [536] Daniel R. Dolk. A generalized model management system for mathematical programming. *ACM Transactions on Mathematical Software*, 12(2):92–126, June 1986.

**Liu:1986:CRS**

- [537] Joseph W. Liu. A compact row storage scheme for Cholesky factors using

elimination trees. *ACM Transactions on Mathematical Software*, 12(2):127–148, June 1986.

**Springer:1986:AES**

- [538] Jörn Springer. Algorithm 641: Exact solution of general systems of linear equations. *ACM Transactions on Mathematical Software*, 12(2):149–149, June 1986.

**Hutchinson:1986:AFP**

- [539] M. F. Hutchinson. Algorithm 642: A fast procedure for calculating minimum cross-validation cubic smoothing splines. *ACM Transactions on Mathematical Software*, 12(2):150–153, June 1986.

**Menta:1986:AFF**

- [540] Cyrus R. Menta and Nitin R. Patel. Algorithm 643: FEXACT: A FORTRAN subroutine for Fisher’s exact test on unordered  $r \times c$  contingency tables. *ACM Transactions on Mathematical Software*, 12(2):154–161, June 1986.

**McKeown:1986:IIU**

- [541] G. P. McKeown. Iterated interpolation using a systolic array. *ACM Transactions on Mathematical Software*, 12(2):162–170, June 1986.

**Krogh:1986:AAP**

- [542] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 12(2):171–174, June 1986.

**Hall:1986:ESR**

- [543] George Hall. Equilibrium states of Runge-Kutta schemes: Part II. *ACM Transactions on Mathematical Software*, 12(3):183–192, September 1986.

**Enright:1986:IRK**

- [544] W. H. Enright, K. R. Jackson, S. P. Nørsett, and P. G. Thomsen. Inter-

polants for Runge-Kutta formulas. *ACM Transactions on Mathematical Software*, 12(3):193–218, September 1986.

**Kallay:1986:PCM**

- [545] Michael Kallay. Plane curves of minimal energy. *ACM Transactions on Mathematical Software*, 12(3):219–222, September 1986.

**Skeel:1986:NBL**

- [546] Robert D. Skeel and Thu V. Vu. Note on blended linear multistep formulas. *ACM Transactions on Mathematical Software*, 12(3):223–224, September 1986.

**Sagie:1986:CAM**

- [547] Ike Sagie. Computer-aided modeling and planning (CAMP). *ACM Transactions on Mathematical Software*, 12(3):225–248, September 1986.

**Liu:1986:SRC**

- [548] Joseph W. H. Liu. On the storage requirement in the out-of-core multifrontal method for sparse factorization. *ACM Transactions on Mathematical Software*, 12(3):249–264, September 1986.

**Amos:1986:APP**

- [549] D. E. Amos. Algorithm 644: A portable package for Bessel functions of a complex argument and nonnegative order. *ACM Transactions on Mathematical Software*, 12(3):265–273, September 1986. See also [691].

**Nash:1986:AST**

- [550] J. C. Nash and R. L. C. Wang. Algorithm 645: Subroutines for testing programs that compute the generalized inverse of a matrix. *ACM Transactions on Mathematical Software*, 12(3):274–277, September 1986.

**Crawford:1986:APR**

- [551] Charles R. Crawford. Algorithm 646: PDFIND: A routine to find a positive definite linear combination of two real symmetric matrices. *ACM Transactions on Mathematical Software*, 12(3):278–282, September 1986.

**Hake:1986:RCC**

- [552] J.-Fr. Hake. Remark on “Algorithm 569: COLSYS: Collocation software for boundary-value ODEs [D2]”. *ACM Transactions on Mathematical Software*, 12(3):283–284, September 1986. See [332].

**Stewart:1986:CNC**

- [553] G. W. Stewart. Corrigendum: “A note on complex division”. *ACM Transactions on Mathematical Software*, 12(3):285–285, September 1986. See [509].

**Milovanovic:1986:CEI**

- [554] G. V. Milovanović and M. S. Petković. On computational efficiency of the iterative methods for the simultaneous approximation of polynomial zeros. *ACM Transactions on Mathematical Software*, 12(4):295–306, December 1986.

**Nazareth:1986:IAO**

- [555] J. L. Nazareth. Implementation aids for optimization algorithms that solve sequences of linear programs. *ACM Transactions on Mathematical Software*, 12(4):307–323, December 1986.

**Cowell:1986:TFD**

- [556] Wayne R. Cowell and Christopher P. Thompson. Transforming Fortran DO loops to improve performance on vector architectures. *ACM Transactions on Mathematical Software*, 12(4):324–353, December 1986.

**Ostermann:1986:SCP**

- [557] A. Ostermann, P. Kaps, and T. D. Bui. The solution of a combustion problem with Rosenbrock methods. *ACM Transactions on Mathematical Software*, 12(4):354–361, December 1986.

**Fox:1986:AIR**

- [558] Bennett L. Fox. Algorithm 647: Implementation and relative efficiency of quasirandom sequence generators. *ACM Transactions on Mathematical Software*, 12(4):362–376, December 1986.

**DiDonato:1986:CIG**

- [559] Armido R. DiDonato and Alfred H. Morris. Computation of the incomplete gamma function ratios and their inverse. *ACM Transactions on Mathematical Software*, 12(4):377–393, December 1986.

**Enright:1987:TFP**

- [560] W. H. Enright and J. D. Pryce. Two FORTRAN packages for assessing initial value methods. *ACM Transactions on Mathematical Software*, 13(1):1–27, March 1987. See also [651].

**Enright:1987:ANS**

- [561] W. H. Enright and J. D. Pryce. Algorithm 648: NSDTST and STDTST: Routines for assessing the performance of IV solvers. *ACM Transactions on Mathematical Software*, 13(1):28–34, March 1987.

**Alagar:1987:FLS**

- [562] Vangalur S. Alagar and David K. Probst. A fast, low-space algorithm for multiplying dense multivariate polynomials. *ACM Transactions on Mathematical Software*, 13(1):35–57, March 1987.

**Vitter:1987:EAS**

- [563] Jeffrey Scott Vitter. An efficient algorithm for sequential random sampling. *ACM Transactions on Mathematical Software*, 13(1):58–67, March 1987.

**Foley:1987:IIP**

- [564] Thomas A. Foley. Interpolation with interval and point tension controls using cubic weighted  $v$ -splines. *ACM Transactions on Mathematical Software*, 13(1):68–96, March 1987. See also [617].

**Guinta:1987:APC**

- [565] G. Guinta and A. Murli. Algorithm 649: A package for computing trigonometric Fourier coefficients based on Lyness’s algorithm. *ACM Transactions on Mathematical Software*, 13(1):97–107, March 1987.

**Dyksen:1987:IEI**

- [566] Wayne R. Dyksen and Calvin J. Ribbens. Interactive ELLPACK: An interactive problem-solving environment for elliptic partial differential equations. *ACM Transactions on Mathematical Software*, 13(2):113–132, June 1987.

**Pardalos:1987:GLS**

- [567] Panos M. Pardalos. Generation of large-scale quadratic programs for use as global optimization test problems. *ACM Transactions on Mathematical Software*, 13(2):133–137, June 1987.

**Johnson:1987:AES**

- [568] Kenneth C. Johnson. Algorithm 650: Efficient square root implementation on the 68000. *ACM Transactions on Mathematical Software*, 13(2):138–151, June 1987. See also [581].

**Morgan:1987:BBS**

- [569] Alexander Morgan and Vadim Shapiro. Box-bisection for solving second-degree systems and the problem of clustering. *ACM Transactions on Mathematical Software*, 13(2):152–167, June 1987. See also [588].

**Monahan:1987:AGC**

- [570] John F. Monahan. An algorithm for generating chi random variables. *ACM Transactions on Mathematical Software*, 13(2):168–172, June 1987. See also [581, 599].

**Liu:1987:PPS**

- [571] Joseph W. H. Liu. A partial pivoting strategy for sparse symmetric matrix decomposition. *ACM Transactions on Mathematical Software*, 13(2):173–182, June 1987.

**Krogh:1987:AAP**

- [572] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 13(2):183–186, June 1987.

**Kearfott:1987:STG**

- [573] R. Baker Kearfott. Some tests of generalized bisection. *ACM Transactions on Mathematical Software*, 13(3):197–220, September 1987. See also [627].

**Boisvert:1987:FOA**

- [574] Ronald F. Boisvert. A fourth-order-accurate Fourier method for the Helmholtz equation in three dimensions. *ACM Transactions on Mathematical Software*, 13(3):221–234, September 1987.

**Boisvert:1987:AAH**

- [575] Ronald F. Boisvert. Algorithm 651: Algorithm HFFT—high-order fast-direct solution of the Helmholtz equation.

*ACM Transactions on Mathematical Software*, 13(3):235–249, September 1987. See also [581].

**Liu:1987:TPM**

- [576] Joseph W. H. Liu. On threshold pivoting in the multifrontal method for sparse indefinite systems. *ACM Transactions on Mathematical Software*, 13(3):250–261, September 1987.

**Corana:1987:MMF**

- [577] A. Corana, M. Marchesi, C. Martini, and S. Ridella. Minimizing multimodal functions of continuous variables with the “simulated annealing” algorithm. *ACM Transactions on Mathematical Software*, 13(3):262–280, September 1987. See also [650].

**Watson:1987:AHS**

- [578] Layne T. Watson, Stephen C. Billups, and Alexander P. Morgan. Algorithm 652: HOMPACT: A suite of codes for globally convergent homotopy algorithms. *ACM Transactions on Mathematical Software*, 13(3):281–310, September 1987.

**Hanson:1987:ATA**

- [579] R. J. Hanson and F. T. Krogh. Algorithm 653: Translation of Algorithm 539: PC-BLAS Basic Linear Algebra Subprograms for FORTRAN usage with the INTEL 8087, 80287 numeric data processor. *ACM Transactions on Mathematical Software*, 13(3):311–317, September 1987. See [236, 395, 406, 607].

**DiDonato:1987:AFS**

- [580] Armido R. DiDonato and Alfred H. Morris Jr. Algorithm 654: FORTRAN subroutines for computing the incomplete gamma function ratios and their inverse. *ACM Transactions on Mathemat-*

*ical Software*, 13(3):318–319, September 1987.

**Anonymous:1987:C**

- [581] Anonymous. Corrigendum. *ACM Transactions on Mathematical Software*, 13(3):320–320, September 1987. See [568, 570, 575].

**Bar-On:1987:PPA**

- [582] Ilan Bar-On. A practical parallel algorithm for solving band symmetric positive definite systems of linear equations. *ACM Transactions on Mathematical Software*, 13(4):323–332, December 1987.

**Schoenauer:1987:SCB**

- [583] Willi Schönauer and Eric Schnepf. Software considerations for the “black box” solver FIDISOL for partial differential equations. *ACM Transactions on Mathematical Software*, 13(4):333–349, December 1987.

**Ahlfeld:1987:NPG**

- [584] David P. Ahlfeld, John M. Mulvey, Ron S. Dembo, and Stavros A. Zenios. Nonlinear programming on generalized networks. *ACM Transactions on Mathematical Software*, 13(4):350–367, December 1987.

**Haas:1987:MPR**

- [585] Alexander Haas. The multiple prime random number generator. *ACM Transactions on Mathematical Software*, 13(4):368–381, December 1987.

**Schneider:1987:EEA**

- [586] Michael H. Schneider. The expanding equilibrium algorithm. *ACM Transactions on Mathematical Software*, 13(4):382–398, December 1987.

**Elhay:1987:AIF**

- [587] Sylvan Elhay and Jaroslav Kautsky. Algorithm 655: IQPACK: FORTRAN subroutines for the weights of interpolatory quadratures. *ACM Transactions on Mathematical Software*, 13(4):399–415, December 1987.

**Morgan:1987:CBS**

- [588] Alexander Morgan and Vadim Shapiro. Corrigendum: “Box-Bisection for solving second-degree systems and the problem of clustering”. *ACM Transactions on Mathematical Software*, 13(4):416–416, December 1987. See [569].

**Dongarra:1988:ESF**

- [589] Jack J. Dongarra, Jeremy Du Croz, Sven Hammarling, and Richard J. Hanson. An extended set of FORTRAN Basic Linear Algebra Subprograms. *ACM Transactions on Mathematical Software*, 14(1):1–17, March 1988. See also [626].

**Dongarra:1988:AES**

- [590] Jack J. Dongarra, Jeremy Du Croz, Sven Hammarling, and Richard J. Hanson. Algorithm 656: An extended set of Basic Linear Algebra Subprograms: Model implementation and test programs. *ACM Transactions on Mathematical Software*, 14(1):18–32, March 1988.

**Sewell:1988:PCS**

- [591] Granville Sewell. Plotting contour surfaces of a function of three variables. *ACM Transactions on Mathematical Software*, 14(1):33–41, March 1988.

**Sewell:1988:ASP**

- [592] Granville Sewell. Algorithm 657: Software for plotting contour surfaces of a

function of three variables. *ACM Transactions on Mathematical Software*, 14(1):42–44, March 1988. See also [669].

**Leis:1988:SSS**

- [593] Jorge R. Leis and Mark A. Kramer. The simultaneous solution and sensitivity analysis of systems described by ordinary differential equations. *ACM Transactions on Mathematical Software*, 14(1):45–60, March 1988.

**Leis:1988:AOO**

- [594] Jorge R. Leis and Mark A. Kramer. Algorithm 658: ODESSA: An ordinary differential equation solver with explicit simultaneous sensitivity analysis. *ACM Transactions on Mathematical Software*, 14(1):61–67, March 1988.

**Butcher:1988:TEI**

- [595] J. C. Butcher. Towards efficient implementation of singly-implicit methods. *ACM Transactions on Mathematical Software*, 14(1):68–75, March 1988.

**Ammann:1988:RCR**

- [596] Larry Ammann and John Van Ness. A routine for converting regression algorithms into corresponding orthogonal regression algorithms. *ACM Transactions on Mathematical Software*, 14(1):76–87, March 1988.

**Bratley:1988:AIS**

- [597] Paul Bratley and Bennett L. Fox. Algorithm 659: Implementing Sobol’s quasirandom sequence generator. *ACM Transactions on Mathematical Software*, 14(1):88–100, March 1988.

**Robertazzi:1988:BFP**

- [598] T. G. Robertazzi and S. C. Schwartz. Best “ordering” for floating-point addition. *ACM Transactions on Mathe-*

*mathematical Software*, 14(1):101–110, March 1988.

**Monahan:1988:CAG**

- [599] John F. Monahan. Corrigendum: “An algorithm for generating chi random variables”. *ACM Transactions on Mathematical Software*, 14(1):111–111, March 1988. See [570].

**Melhem:1988:MRS**

- [600] Rami G. Melhem and K. V. S. Ramarao. Multicolor reordering of sparse matrices resulting from irregular grids. *ACM Transactions on Mathematical Software*, 14(2):117–138, June 1988.

**Renka:1988:MIL**

- [601] Robert J. Renka. Multivariate interpolation of large sets of scattered data. *ACM Transactions on Mathematical Software*, 14(2):139–148, June 1988.

**Renka:1988:AQQa**

- [602] Robert J. Renka. Algorithm 660: QSHEP2D: Quadratic Shepard method for bivariate interpolation of scattered data. *ACM Transactions on Mathematical Software*, 14(2):149–150, June 1988.

**Renka:1988:AQQb**

- [603] Robert J. Renka. Algorithm 661: QSHEP3D; quadratic Shepard method for trivariate interpolation of scattered data. *ACM Transactions on Mathematical Software*, 14(2):151–152, June 1988.

**Wan:1988:AMD**

- [604] S. J. Wan, S. K. M. Wong, and P. Prusinkiewicz. An algorithm for multidimensional data clustering. *ACM Transactions on Mathematical Software*, 14(2):153–162, June 1988.

**Garbow:1988:SIW**

- [605] B. S. Garbow, G. Giunta, J. N. Lyness, and A. Murli. Software for an implementation of Weeks’ method for the inverse Laplace transform. *ACM Transactions on Mathematical Software*, 14(2):163–170, June 1988.

**Garbow:1988:AFS**

- [606] B. S. Garbow, G. Giunta, J. N. Lyness, and A. Murli. Algorithm 662: A FORTRAN software package for the numerical inversion of the Laplace transform based on Weeks’ method. *ACM Transactions on Mathematical Software*, 14(2):171–176, June 1988. See also [692].

**Louter-Nool:1988:ATA**

- [607] Margreet Louter-Nool. Algorithm 663: Translation of Algorithm 539: Basic Linear Algebra Subprograms for FORTRAN usage in FORTRAN 200 for the Cyber 205. *ACM Transactions on Mathematical Software*, 14(2):177–195, June 1988. See [236, 395, 406, 579].

**Diaz:1988:RCA**

- [608] J. C. Diaz, G. Fairweather, and P. Keast. Remark on “Algorithm 603: COLROW and ARCECO: FORTRAN packages for solving certain almost block diagonal linear systems by modified alternate row and column elimination”. *ACM Transactions on Mathematical Software*, 14(2):196–196, June 1988. See [427].

**Hull:1988:EHS**

- [609] T. E. Hull, M. S. Cohen, J. T. M. Sawshuk, and D. B. Wortman. Exception handling in scientific computing. *ACM Transactions on Mathematical Software*, 14(3):201–217, September 1988.

**Freeman:1988:DSM**

- [610] Timothy S. Freeman, Gregory M. Imirzian, Erich Kaltofen, and Lakshman Yagati. Dagwood: A system for manipulating polynomials given by straight-line programs. *ACM Transactions on Mathematical Software*, 14(3):218–240, September 1988.

**Grimes:1988:SLD**

- [611] Roger G. Grimes and Horst D. Simon. Solution of large, dense symmetric generalized eigenvalue problems using secondary storage. *ACM Transactions on Mathematical Software*, 14(3):241–256, September 1988.

**Schrauf:1988:AGA**

- [612] Géza Schrauf. Algorithm 664: A Gauss algorithm to solve systems with large banded matrices using random-access disk storage. *ACM Transactions on Mathematical Software*, 14(3):257–260, September 1988.

**Minh:1988:GGV**

- [613] D. L. Minh. Generating gamma variates. *ACM Transactions on Mathematical Software*, 14(3):261–266, September 1988.

**Duff:1988:RIN**

- [614] Iain S. Duff and Torbjörn Wiberg. Remarks on implementation of  $O(n^{1/2}\tau)$  assignment algorithms. *ACM Transactions on Mathematical Software*, 14(3):267–287, September 1988.

**Cormack:1988:RTP**

- [615] R. S. Cormack and I. D. Hill. Remark on “Algorithm 346:  $F$ -test probabilities”. *ACM Transactions on Mathematical Software*, 14(3):288–289, September 1988. See [12].

**Krogh:1988:AAP**

- [616] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 14(3):290–293, September 1988.

**Foley:1988:CIP**

- [617] Thomas A. Foley. Corrigendum: “Interpolation with interval and point tension controls using cubic weighted  $v$ -splines”. *ACM Transactions on Mathematical Software*, 14(3):297–297, September 1988. See [564].

**Cody:1988:AMS**

- [618] W. J. Cody. Algorithm 665: MACHAR: A subroutine to dynamically determine machine parameters. *ACM Transactions on Mathematical Software*, 14(4):303–311, December 1988.

**Vrahatis:1988:SSN**

- [619] Michael N. Vrahatis. Solving systems of nonlinear equations using the nonzero value of the topological degree. *ACM Transactions on Mathematical Software*, 14(4):312–329, December 1988.

**Vrahatis:1988:ACM**

- [620] Michael N. Vrahatis. Algorithm 666: CHABIS: A mathematical software package for locating and evaluating roots of systems of nonlinear equations. *ACM Transactions on Mathematical Software*, 14(4):330–336, December 1988.

**Garavelli:1988:AMS**

- [621] John S. Garavelli. An algorithm for the multiplication of symmetric polynomials. *ACM Transactions on Mathematical Software*, 14(4):337–344, December 1988.

- Aluffi-Pentini:1988:GOA**
- [622] Filippo Aluffi-Pentini, Valerio Parisi, and Francesco Zirilli. A global optimization algorithm using stochastic differential equations. *ACM Transactions on Mathematical Software*, 14(4):345–365, December 1988.
- Aluffi-Pentini:1988:ASE**
- [623] Filippo Aluffi-Pentini, Valerio Parisi, and Francesco Zirilli. Algorithm 667: SIGMA—A stochastic-integration global minimization algorithm. *ACM Transactions on Mathematical Software*, 14(4):366–380, December 1988.
- Higham:1988:AFC**
- [624] Nicholas J. Higham. Algorithm 674: FORTRAN codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation. *ACM Transactions on Mathematical Software*, 14(4):381–396, December 1988. See also [641].
- Kachitvichyanukul:1988:AHS**
- [625] Voratas Kachitvichyanukul and Bruce W. Schmeiser. Algorithm 668: H2PEC: Sampling from the hypergeometric distribution. *ACM Transactions on Mathematical Software*, 14(4):397–398, December 1988.
- Dongarra:1988:CES**
- [626] Jack J. Dongarra, Jeremy Du Croz, Sven Hammarling, and Richard J. Hanson. Corrigenda: “An extended set of FORTRAN Basic Linear Algebra Subprograms”. *ACM Transactions on Mathematical Software*, 14(4):399–399, December 1988. See [589].
- Kearfott:1988:CTG**
- [627] R. Baker Kearfott. Corrigenda: “Some tests of generalized bisection”. *ACM Transactions on Mathematical Software*, 14(4):399–399, December 1988. See [573].
- Duff:1989:SMT**
- [628] Iain S. Duff, Roger G. Grimes, and John G. Lewis. Sparse matrix test problems. *ACM Transactions on Mathematical Software*, 15(1):1–14, March 1989.
- Cash:1989:BRK**
- [629] J. R. Cash. A block 6(4) Runge-Kutta formula for nonstiff initial value problems. *ACM Transactions on Mathematical Software*, 15(1):15–28, March 1989.
- Cash:1989:ABF**
- [630] J. R. Cash. Algorithm 669: BRKF45: A FORTRAN subroutine for solving first-order systems of nonstiff initial value problems for ordinary differential equations. *ACM Transactions on Mathematical Software*, 15(1):29–30, March 1989. See also [722].
- Brankin:1989:ARK**
- [631] R. W. Brankin, I. Gladwell, J. R. Dormand, P. J. Prince, and W. L. Seward. Algorithm 670: a Runge-Kutta-Nyström code. *ACM Transactions on Mathematical Software*, 15(1):31–40, March 1989.
- Cody:1989:PEP**
- [632] W. J. Cody and L. Stoltz. Performance evaluation of programs for certain Bessel functions. *ACM Transactions on Mathematical Software*, 15(1):41–48, March 1989.
- Shanno:1989:NES**
- [633] David F. Shanno and Kang Hoh Phua. Numerical experience with sequential quadratic programming algorithms for equality constrained nonlinear programming. *ACM Transactions on Mathematical Software*, 15(1):49–63, March 1989.

**Chang:1989:IPS**

- [634] Michael D. Chang, Chou-Hong J. Chen, and Michael Engquist. An improved primal simplex variant for pure processing networks. *ACM Transactions on Mathematical Software*, 15(1):64–78, March 1989.

**Preusser:1989:AFF**

- [635] Albrecht Preusser. Algorithm 671: FARB-E-2D: Fill area with bicubics on rectangles—A contour plot program. *ACM Transactions on Mathematical Software*, 15(1):79–89, March 1989.

**Morgan:1989:FAI**

- [636] Alexander P. Morgan, Andrew J. Sommese, and Layne T. Watson. Finding all isolated solutions to polynomial systems using HOMPACT. *ACM Transactions on Mathematical Software*, 15(2):93–122, June 1989.

**Patterson:1989:AGIa**

- [637] T. N. L. Patterson. An algorithm for generating interpolatory quadrature rules of the highest degree of precision with preassigned nodes for general weight functions. *ACM Transactions on Mathematical Software*, 15(2):123–136, June 1989.

**Patterson:1989:AGIb**

- [638] T. N. L. Patterson. Algorithm 672: Generation of interpolatory quadrature rules of the highest degree of precision with preassigned nodes for general weight functions. *ACM Transactions on Mathematical Software*, 15(2):137–143, June 1989.

**Tang:1989:TDI**

- [639] Ping Tak Peter Tang. Table-driven implementation of the exponential function

in IEEE floating-point arithmetic. *ACM Transactions on Mathematical Software*, 15(2):144–157, June 1989.

**Vitter:1989:ADH**

- [640] Jeffrey Scott Vitter. Algorithm 673: Dynamic Huffman coding. *ACM Transactions on Mathematical Software*, 15(2):158–167, June 1989.

**Higham:1989:CFC**

- [641] Nicholas J. Higham. Corrigendum: “Algorithm 674: FORTRAN codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation”. *ACM Transactions on Mathematical Software*, 15(2):168–168, June 1989. See [624].

**Krogh:1989:AAP**

- [642] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 15(2):169–172, June 1989.

**Ribbens:1989:FAG**

- [643] Calvin J. Ribbens. A fast adaptive grid scheme for elliptic partial differential equations. *ACM Transactions on Mathematical Software*, 15(3):179–197, September 1989.

**Liu:1989:GPA**

- [644] Joseph W. H. Liu. A graph partitioning algorithm by node separators. *ACM Transactions on Mathematical Software*, 15(3):198–219, September 1989.

**Mahdavi-Amiri:1989:CNL**

- [645] Nezam Mahdavi-Amiri and Richard H. Bartels. Constrained nonlinear least squares: An exact penalty approach with projected structured quasi-Newton updates. *ACM Transactions on Mathematical Software*, 15(3):220–242, September 1989.

- Vanbegin:1989:AFS**
- [646] Michel Vanbegin, Paul Van Dooren, and Michel Verhaegen. Algorithm 675: FORTRAN subroutines for computing the square root covariance filter and square root information filter in dense or Hessenberg forms. *ACM Transactions on Mathematical Software*, 15(3):243–256, September 1989.
- Dadurkevicius:1989:RA**
- [647] Virgis Dadurkevicius. Remark on “Algorithm 587: Two algorithms for the linearly constrained least squares problem”. *ACM Transactions on Mathematical Software*, 15(3):257–261, September 1989. See [386].
- Buckley:1989:RA**
- [648] A. Buckley. Remark on algorithm 630. *ACM Transactions on Mathematical Software*, 15(3):262–274, September 1989. See [494].
- Domich:1989:RHN**
- [649] Paul D. Domich. Residual Hermite normal form computations. *ACM Transactions on Mathematical Software*, 15(3):275–286, September 1989.
- Corana:1989:CMF**
- [650] A. Corana, M. Marchesi, C. Martini, and S. Ridella. Corrigenda: “Minimizing multimodal functions of continuous variables with the ‘simulated annealing’ algorithm. *ACM Transactions on Mathematical Software*, 15(3):287–287, September 1989. See [577].
- Enright:1989:CFP**
- [651] W. H. Enright and J. D. Pryce. Corrigenda: “Two FORTRAN packages for assessing initial value methods”. *ACM Transactions on Mathematical Software*, 15(3):287–287, September 1989. See [560].
- Le:1989:CED**
- [652] D. Le. Corrigenda: “An efficient derivative-free method for solving nonlinear equations”. *ACM Transactions on Mathematical Software*, 15(3):287–287, September 1989. See [511].
- Ashcraft:1989:IRS**
- [653] Cleve Ashcraft and Roger Grimes. The influence of relaxed supernode partitions on the multifrontal method. *ACM Transactions on Mathematical Software*, 15(4):291–309, December 1989.
- Liu:1989:MMP**
- [654] Joseph W. H. Liu. The multifrontal method and paging in sparse Cholesky factorization. *ACM Transactions on Mathematical Software*, 15(4):310–325, December 1989.
- Mitchell:1989:CAR**
- [655] William F. Mitchell. A comparison of adaptive refinement techniques for elliptic problems. *ACM Transactions on Mathematical Software*, 15(4):326–347, December 1989.
- Boggs:1989:AOS**
- [656] Paul T. Boggs, Janet R. Donaldson, Richard h. Byrd, and Robert B. Schnabel. Algorithm 676: ODRPACK: Software for weighted orthogonal distance regression. *ACM Transactions on Mathematical Software*, 15(4):348–364, December 1989.
- Montefusco:1989:ASI**
- [657] Laura Bacchelli Montefusco and Giulio Casciola. Algorithm 677:  $C^1$  surface interpolation. *ACM Transactions on Mathematical Software*, 15(4):365–374, December 1989.

**Corliss:1989:IIV**

- [658] George Corliss and Gary Krenz. Indefinite integration with validation. *ACM Transactions on Mathematical Software*, 15(4):375–393, December 1989.

**Kachitvichyanukul:1989:ABS**

- [659] Voratas Kachitvichyanukul and Bruce W. Schmeiser. Algorithm 678: BTPEC: Sampling from the binomial distribution. *ACM Transactions on Mathematical Software*, 15(4):394–397, December 1989.

**Dongarra:1990:SLB**

- [660] Jack J. Dongarra, Jeremy Du Croz, Sven Hammarling, and Iain Duff. A set of level 3 Basic Linear Algebra Subprograms. *ACM Transactions on Mathematical Software*, 16(1):1–17, March 1990.

**Dongarra:1990:ASL**

- [661] Jack J. Dongarra, Jeremy Du Croz, Sven Hammarling, and Iain Duff. Algorithm 679: A set of level 3 Basic Linear Algebra Subprograms: Model implementation and test programs. *ACM Transactions on Mathematical Software*, 16(1):18–28, March 1990. See also [687, 753, 820].

**Cody:1990:PEP**

- [662] W. J. Cody. Performance evaluation of programs for the error and complementary error functions. *ACM Transactions on Mathematical Software*, 16(1):29–37, March 1990.

**Poppe:1990:MEC**

- [663] G. P. M. Poppe and C. M. J. Wijers. More efficient computation of the complex error function. *ACM Transactions on Mathematical Software*, 16(1):38–46, March 1990.

**Poppe:1990:AEC**

- [664] G. P. M. Poppe and C. M. J. Wijers. Algorithm 680: Evaluation of the complex error function. *ACM Transactions on Mathematical Software*, 16(1):47–47, March 1990.

**Arney:1990:AMM**

- [665] David C. Arney and Joseph E. Flaherty. An adaptive mesh-moving and local refinement method for time-dependent partial differential equations. *ACM Transactions on Mathematical Software*, 16(1):48–71, March 1990.

**Schryer:1990:DSO**

- [666] N. L. Schryer. Designing software for one-dimensional partial differential equations. *ACM Transactions on Mathematical Software*, 16(1):72–85, March 1990.

**Hansen:1990:PES**

- [667] Eldon R. Hansen, Merell L. Patrick, and Richard L. C. Wang. Polynomial evaluation with scaling. *ACM Transactions on Mathematical Software*, 16(1):86–93, March 1990.

**Snow:1990:WGO**

- [668] Dennis M. Snow. Weyl group orbits. *ACM Transactions on Mathematical Software*, 16(1):94–108, March 1990.

**Sewell:1990:RSP**

- [669] Granville Sewell. Remark on “Algorithm 657: Software for plotting contour surfaces of a function of three variables”. *ACM Transactions on Mathematical Software*, 16(1):109–109, March 1990. See [592].

**Zenios:1990:INO**

- [670] Stavros A. Zenios. Integrating network optimization capabilities into a high-

level modeling language. *ACM Transactions on Mathematical Software*, 16(2): 113–142, June 1990.

**Meintjes:1990:CES**

- [671] Keith Meintjes and Alexander P. Morgan. Chemical equilibrium systems as numerical test problems. *ACM Transactions on Mathematical Software*, 16(2): 143–151, June 1990.

**Kearfott:1990:AIP**

- [672] R. Baker Kearfott and Manuel Novoa III. Algorithm 681: INTBIS, a portable interval Newton/bisection package. *ACM Transactions on Mathematical Software*, 16(2):152–157, June 1990.

**Murli:1990:ATM**

- [673] A. Murli and M. Rizzardi. Algorithm 682: Talbot’s method for the Laplace inversion problem. *ACM Transactions on Mathematical Software*, 16(2):158–168, June 1990.

**Amos:1990:CEI**

- [674] Donald E. Amos. Computation of exponential integrals of a complex argument. *ACM Transactions on Mathematical Software*, 16(2):169–177, June 1990.

**Amos:1990:APF**

- [675] Donald E. Amos. Algorithm 683: A portable FORTRAN subroutine for exponential integrals of a complex argument. *ACM Transactions on Mathematical Software*, 16(2):178–182, June 1990.

**Tang:1990:AET**

- [676] Ping Tak Peter Tang. Accurate and efficient testing of the exponential and logarithm functions. *ACM Transactions on Mathematical Software*, 16(3):185–200, September 1990.

**Cash:1990:VOR**

- [677] J. R. Cash and Alan H. Karp. A variable order Runge-Kutta method for initial value problems with rapidly varying right-hand sides. *ACM Transactions on Mathematical Software*, 16(3):201–222, September 1990.

**Weiss:1990:SSC**

- [678] Shlomo Weiss and James E. Smith. A study of scalar compilation techniques for pipelined supercomputers. *ACM Transactions on Mathematical Software*, 16(3):223–245, September 1990.

**Preusser:1990:EFB**

- [679] Albrecht Preusser. Efficient formulation of a bivariate nonic  $C^2$ -Hermite polynomial on triangles. *ACM Transactions on Mathematical Software*, 16(3):246–252, September 1990.

**Preusser:1990:AIT**

- [680] Albrecht Preusser. Algorithm 684:  $C^1$ - and  $C^2$ -interpolation on triangles with quintic and nonic bivariate polynomials. *ACM Transactions on Mathematical Software*, 16(3):253–257, September 1990.

**Shacham:1990:FBD**

- [681] Orit Shacham and Mordechai Shacham. Finding boundaries of the domain of definition for functions along a one-dimensional ray. *ACM Transactions on Mathematical Software*, 16(3):258–268, September 1990.

**Nair:1990:IAO**

- [682] K. Aiyappan Nair. An improved algorithm for ordered sequential random sampling. *ACM Transactions on Mathematical Software*, 16(3):269–274, September 1990.

**Palacios-Velez:1990:DHS**

- [683] Oscar Palacios-Velez and Baltazar Cuevas Renaud. A dynamic hierarchical subdivision algorithm for computing Delaunay triangulations and other closest-point problems. *ACM Transactions on Mathematical Software*, 16(3):275–292, September 1990.

**Krogh:1990:AAP**

- [684] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 16(3):293–296, September 1990.

**Pothen:1990:CBT**

- [685] Alex Pothen and Chin-Ju Fan. Computing the block triangular form of a sparse matrix. *ACM Transactions on Mathematical Software*, 16(4):303–324, December 1990.

**Kaufman:1990:APS**

- [686] Linda Kaufman and Daniel D. Warner. Algorithm 685: A program for solving separable elliptic equations. *ACM Transactions on Mathematical Software*, 16(4):325–351, December 1990.

**Higham:1990:EFM**

- [687] Nicholas J. Higham. Exploiting fast matrix multiplication within the level 3 BLAS. *ACM Transactions on Mathematical Software*, 16(4):352–368, December 1990. Describes algorithms based on Strassen’s method which are asymptotically faster than the standard  $N^3$  algorithm, and in practice, faster for  $N \approx 100$ , and examines their numerical stability. See [661, 753].

**Reichel:1990:AFS**

- [688] L. Reichel and W. B. Gragg. Algorithm 686: FORTRAN subroutines for

updating the QR decomposition. *ACM Transactions on Mathematical Software*, 16(4):369–377, December 1990.

**Tang:1990:TDI**

- [689] Ping Tak Peter Tang. Table-driven implementation of the logarithm function in IEEE floating-point arithmetic. *ACM Transactions on Mathematical Software*, 16(4):378–400, December 1990.

**Hopkins:1990:RRK**

- [690] Tim Hopkins and David Morse. Remark on “Algorithm 620: References and keywords for *collected algorithms of the acm*”. *ACM Transactions on Mathematical Software*, 16(4):401–403, December 1990. See [471, 516].

**Amos:1990:RPP**

- [691] D. E. Amos. Remark on “Algorithm 644: A portable package for Bessel functions of a complex argument and non-negative order”. *ACM Transactions on Mathematical Software*, 16(4):404–404, December 1990. See [549].

**Garbow:1990:RFS**

- [692] B. S. Garbow and J. N. Lyness. Remark on “Algorithm 662: A FORTRAN software package for the numerical inversion of the Laplace transform based on Weeks’ method”. *ACM Transactions on Mathematical Software*, 16(4):405–406, December 1990. See [606].

**Addison:1991:ADT**

- [693] C. A. Addison, W. H. Enright, P. W. Gaffney, I. Gladwell, and P. M. Hanson. Algorithm 687: A decision tree for the numerical solution of initial value ordinary differential equations. *ACM Transactions on Mathematical Software*, 17(1):1–10, March 1991.

- [694] L. F. Shampine, I. Gladwell, and R. W. Brankin. Reliable solutions of special event location problems for ODEs. *ACM Transactions on Mathematical Software*, 17(1):11–25, March 1991.
- [695] Shmuel Gal and Boris Bachelis. An accurate elementary mathematical library for the IEEE floating point standard. *ACM Transactions on Mathematical Software*, 17(1):26–45, March 1991.
- [696] W. J. Cody. Performance evaluation of programs related to the real gamma function. *ACM Transactions on Mathematical Software*, 17(1):46–54, March 1991.
- [697] W. J. Cody and L. Stoltz. The use of Taylor series to test accuracy of function programs. *ACM Transactions on Mathematical Software*, 17(1):55–63, March 1991.
- [698] Achiya Dax. On computational aspects of bounded linear least squares problems. *ACM Transactions on Mathematical Software*, 17(1):64–73, March 1991.
- [699] Panos M. Pardalos. Construction of test problems in quadratic bivalent programming. *ACM Transactions on Mathematical Software*, 17(1):74–87, March 1991.
- [700] Peter Klier and Richard J. Fateman. On finding the closest bitwise matches in a fixed set. *ACM Transactions on Mathematical Software*, 17(1):88–97, March 1991.
- [701] Pierre L’Ecuyer and Serge Côté. Implementing a random number package with splitting facilities. *ACM Transactions on Mathematical Software*, 17(1):98–111, March 1991.
- [702] Joseph W. H. Liu. A generalized envelope method for sparse factorization by rows. *ACM Transactions on Mathematical Software*, 17(1):112–129, March 1991.
- [703] Saleem Mohideen and Vladimir Cherkassky. On recursive calculation of the generalized inverse of a matrix. *ACM Transactions on Mathematical Software*, 17(1):130–147, March 1991.
- [704] P. Keast and P. H. Muir. Algorithm 688: EPDCOL: A more efficient PDECOL code. *ACM Transactions on Mathematical Software*, 17(2):153–166, June 1991.
- [705] J. G. Blom and H. Brunner. Algorithm 689: Discretized collocation and iterated collocation for nonlinear Volterra integral equations of the second kind. *ACM Transactions on Mathematical Software*, 17(2):167–177, June 1991.
- [706] M. Berzins and P. M. Dew. Algorithm 690: Chebyshev polynomial software for elliptic-parabolic systems of PDEs. *ACM Transactions on Mathematical Software*, 17(2):178–206, June 1991.

**Favati:1991:IIF**

- [707] Paola Favati, Grazia Lotti, and Francesco Romani. Interpolatory integration formulas for optimal composition. *ACM Transactions on Mathematical Software*, 17(2):207–217, June 1991.

**Favati:1991:AIQ**

- [708] Paola Favati, Grazia Lotti, and Francesco Romani. Algorithm 691: Improving QUADPACK automatic integration routines. *ACM Transactions on Mathematical Software*, 17(2):218–232, June 1991.

**Berntsen:1991:EEA**

- [709] Jarle Berntsen and Terje O. Espelid. Error estimation in automatic quadrature routines. *ACM Transactions on Mathematical Software*, 17(2):233–252, June 1991.

**Dodson:1991:SEF**

- [710] David S. Dodson, Roger G. Grimes, and John G. Lewis. Sparse extensions to the FORTRAN Basic Linear Algebra Subroutines. *ACM Transactions on Mathematical Software*, 17(2):253–263, June 1991.

**Dodson:1991:AMI**

- [711] David S. Dodson, Roger G. Grimes, and John G. Lewis. Algorithm 692: Model implementation and test package for the sparse Basic Linear Algebra Subroutines. *ACM Transactions on Mathematical Software*, 17(2):264–272, June 1991.

**Smith:1991:AFP**

- [712] David M. Smith. Algorithm 693: A FORTRAN package for floating-point multiple-precision arithmetic. *ACM Transactions on Mathematical Software*, 17(2):273–283, June 1991.

**Higham:1991:ACT**

- [713] Nicholas J. Higham. Algorithm 694: A collection of test matrices in MATLAB. *ACM Transactions on Mathematical Software*, 17(3):289–305, September 1991.

**Eskow:1991:ASN**

- [714] Elizabeth Eskow and Robert B. Schnabel. Algorithm 695: Software for a new modified Cholesky factorization. *ACM Transactions on Mathematical Software*, 17(3):306–312, September 1991.

**Rothberg:1991:ESM**

- [715] Edward Rothberg and Anoop Gupta. Efficient sparse matrix factorization on high-performance workstations—exploiting the memory hierarchy. *ACM Transactions on Mathematical Software*, 17(3):313–334, September 1991.

**Schrauf:1991:AIR**

- [716] Géza Schrauf. Algorithm 696: An inverse Rayleigh iteration for complex band matrices. *ACM Transactions on Mathematical Software*, 17(3):335–340, September 1991.

**Akima:1991:MUI**

- [717] Hiroshi Akima. A method for univariate interpolation that has the accuracy of a third-degree polynomial. *ACM Transactions on Mathematical Software*, 17(3):341–366, September 1991.

**Akima:1991:AUI**

- [718] Hiroshi Akima. Algorithm 697: Univariate interpolation that has the accuracy of a third-degree polynomial. *ACM Transactions on Mathematical Software*, 17(3):367–367, September 1991.

**Higham:1991:HCR**

- [719] D. J. Higham. Highly continuous Runge-Kutta interpolants. *ACM Transactions on Mathematical Software*, 17(3):368–386, September 1991.

**Sharp:1991:NCS**

- [720] P. W. Sharp. Numerical comparisons of some explicit Runge-Kutta pair of orders 3 through 8. *ACM Transactions on Mathematical Software*, 17(3):387–409, September 1991.

**Ziv:1991:FEE**

- [721] Abraham Ziv. Fast evaluation of elementary mathematical functions with correctly rounded last bit. *ACM Transactions on Mathematical Software*, 17(3):410–423, September 1991.

**Higham:1991:RBF**

- [722] Desmond J. Higham. Remark on “Algorithm 669: BRKF45: A FORTRAN subroutine for solving first-order systems of nonstiff initial value problems for ordinary differential equations”. *ACM Transactions on Mathematical Software*, 17(3):424–426, September 1991. See [630].

**Krogh:1991:AAP**

- [723] Fred T. Krogh. ACM algorithms policy. *ACM Transactions on Mathematical Software*, 17(3):427–430, September 1991.

**Berntsen:1991:AAA**

- [724] Jarle Berntsen, Terje O. Espelid, and Alan Genz. An adaptive algorithm for the approximate calculation of multiple integrals. *ACM Transactions on Mathematical Software*, 17(4):437–451, December 1991.

**Berntsen:1991:ADA**

- [725] Jarle Berntsen, Terje O. Espelid, and Alan Genz. Algorithm 698: DCUHRE: An adaptive multidimensional integration routine for a vector of integrals. *ACM Transactions on Mathematical Software*, 17(4):452–456, December 1991.

**Krogh:1991:ANR**

- [726] Fred T. Krogh and W. Van Snyder. Algorithm 699: A new representation of Patterson’s quadrature formulae. *ACM Transactions on Mathematical Software*, 17(4):457–461, December 1991.

**Broughan:1991:SHL**

- [727] Kevin A. Broughan. SENAC: A high-level interface for the NAG library. *ACM Transactions on Mathematical Software*, 17(4):462–480, December 1991.

**Marletta:1991:CAN**

- [728] Marco Marletta. Certification of algorithm 700: Numerical tests of the SLEIGN software for Sturm-Liouville problems. *ACM Transactions on Mathematical Software*, 17(4):481–490, December 1991.

**Bailey:1991:EEC**

- [729] Paul B. Bailey, Burton S. Garbow, Hans G. Kaper, and Anton Zettl. Eigenvalue and eigenfunction computations for Sturm-Liouville problems. *ACM Transactions on Mathematical Software*, 17(4):491–499, December 1991.

**Bailey:1991:AFS**

- [730] Paul B. Bailey, Burton S. Garbow, Hans G. Kaper, and Anton Zettl. Algorithm 700: A FORTRAN software package for Sturm-Liouville problems. *ACM Transactions on Mathematical Software*, 17(4):500–501, December 1991.

- Alfeld:1991:EAS**
- [731] Peter Alfeld and David J. Eyre. The exact analysis of sparse rectangular linear systems. *ACM Transactions on Mathematical Software*, 17(4):502–518, December 1991.
- Alfeld:1991:AGE**
- [732] Peter Alfeld and David J. Eyre. Algorithm 701: Goliath—A software system for the exact analysis of rank-deficient sparse rational linear systems. *ACM Transactions on Mathematical Software*, 17(4):519–532, December 1991.
- Gustafsson:1991:CTT**
- [733] Kjell Gustafsson. Control theoretic techniques for stepsize selection in explicit Runge-Kutta methods. *ACM Transactions on Mathematical Software*, 17(4):533–554, December 1991.
- Boubez:1992:PED**
- [734] Toufic I. Boubez, Andy M. Froncioni, and Richard L. Peskin. A prototyping envelope for differential equations. *ACM Transactions on Mathematical Software*, 18(1):1–10, March 1992.
- Lucks:1992:ASM**
- [735] Michael Lucks and Ian Gladwell. Automated selection of mathematical software. *ACM Transactions on Mathematical Software*, 18(1):11–34, March 1992.
- Olszewski:1992:FTA**
- [736] Jan Olszewski. A flexible thinning algorithm allowing parallel, sequential, and distributed application. *ACM Transactions on Mathematical Software*, 18(1):35–45, March 1992.
- Schlick:1992:TETa**
- [737] Tamar Schlick and Aaron Fogelson. TNPACK—A truncated newton minimization package for large-scale problems: I. algorithm and usage. *ACM Transactions on Mathematical Software*, 18(1):46–70, March 1992.
- Schlick:1992:TETb**
- [738] Tamar Schlick and Aaron Fogelson. TNPACK—A truncated newton minimization package for large-scale problems: II. implementation examples. *ACM Transactions on Mathematical Software*, 18(1):71–111, March 1992.
- Hanson:1992:QTM**
- [739] R. J. Hanson and Fred T. Krogh. A quadratic-tensor model algorithm for nonlinear least-squares problems with linear constraints. *ACM Transactions on Mathematical Software*, 18(2):115–133, June 1992.
- Gurwitz:1992:TCE**
- [740] Chaya Gurwitz. A test for cancellation errors in quasi-Newton methods. *ACM Transactions on Mathematical Software*, 18(2):134–140, June 1992.
- Schlick:1992:ATE**
- [741] Tamar Schlick and Aaron Fogelson. Algorithm 702: TNPACK—A truncated newton minimization package for large-scale problems: I. algorithm and usage. *ACM Transactions on Mathematical Software*, 18(2):141–141, June 1992.
- Cash:1992:MCS**
- [742] J. R. Cash and S. Considine. An MEBDF code for stiff initial value problems. *ACM Transactions on Mathematical Software*, 18(2):142–155, June 1992.
- Cash:1992:AMF**
- [743] J. R. Cash and S. Considine. Algorithm 703: MEBDF: A FORTRAN subroutine

for solving first-order systems of stiff initial value problems for ordinary differential equations. *ACM Transactions on Mathematical Software*, 18(2):156–158, June 1992.

**Neidinger:1992:EMN**

- [744] Richard D. Neidinger. An efficient method for the numerical evaluation of partial derivatives of arbitrary order. *ACM Transactions on Mathematical Software*, 18(2):159–173, June 1992.

**Edwards:1992:EEN**

- [745] John A. Edwards. Exact equations of the nonlinear spline. *ACM Transactions on Mathematical Software*, 18(2):174–192, June 1992.

**Majaess:1992:SAB**

- [746] Fouad Majaess, Patrick Keast, Graeme Fairweather, and Karin R. Bennett. The solution of almost block diagonal linear systems arising in spline collocation at Gaussian points with monomial basis functions. *ACM Transactions on Mathematical Software*, 18(2):193–204, June 1992.

**Majaess:1992:AAA**

- [747] Fouad Majaess, Patrick Keast, Graeme Fairweather, and Karin R. Bennett. Algorithm 704: ABDPACK and ABBPACK—FORTRAN programs for the solution of almost block diagonal linear systems arising in spline collocation at Gaussian points with monomial basis functions. *ACM Transactions on Mathematical Software*, 18(2):205–210, June 1992.

**Tang:1992:TDI**

- [748] Ping Tak Peter Tang. Table-driven implementation of the expm1 function in IEEE floating-point arithmetic. *ACM*

*Transactions on Mathematical Software*, 18(2):211–222, June 1992.

**Gardiner:1992:SSM**

- [749] Judith D. Gardiner, Alan J. Laub, James J. Amato, and Cleve B. Moler. Solution of the Sylvester matrix equation  $AXB^T + CXD^T = E$ . *ACM Transactions on Mathematical Software*, 18(2):223–231, June 1992.

**Gardiner:1992:AFS**

- [750] Judith D. Gardiner, Matthew R. Wette, Alan J. Laub, James J. Amato, and Cleve B. Moler. Algorithm 705: A FORTRAN-77 software package for solving the Sylvester matrix equation  $AXB^T + CXD^T = E$ . *ACM Transactions on Mathematical Software*, 18(2):232–238, June 1992.

**Weerawarana:1992:PCG**

- [751] Sanjiva Weerawarana and Paul S. Wang. A portable code generator for CRAY FORTRAN. *ACM Transactions on Mathematical Software*, 18(3):241–255, September 1992.

**Hansen:1992:FSG**

- [752] Per Christian Hansen and Tony F. Chan. FORTRAN subroutines for general Toeplitz systems. *ACM Transactions on Mathematical Software*, 18(3):256–273, September 1992. See also [817].

**Demmel:1992:SBA**

- [753] James W. Demmel and Nicholas J. Higham. Stability of block algorithms with fast level-3 BLAS. *ACM Transactions on Mathematical Software*, 18(3):274–291, September 1992. See [661, 687, 820].

**Ammar:1992:IDC**

- [754] G. S. Ammar, L. Reichel, and D. C. Sorensen. An implementation of a divide

and conquer algorithm for the unitary eigenproblem. *ACM Transactions on Mathematical Software*, 18(3):292–307, September 1992. See also [818].

**Toint:1992:LFS**

- [755] Ph. L. Toint and D. Tuyttens. LSNN0, A FORTRAN subroutine for solving large-scale nonlinear network optimization problems. *ACM Transactions on Mathematical Software*, 18(3):308–328, September 1992.

**Berntsen:1992:ADA**

- [756] Jarle Berntsen and Terje O. Espelid. Algorithm 706: DCUTRI: An algorithm for adaptive cubature over a collection of triangles. *ACM Transactions on Mathematical Software*, 18(3):329–342, September 1992.

**Hopkins:1992:RPG**

- [757] Tim Hopkins. Remark on “Algorithm 540: PDECOL, general collocation software for partial differential equations [D3]”. *ACM Transactions on Mathematical Software*, 18(3):343–344, September 1992. See [237].

**Nardin:1992:ACN**

- [758] Mark Nardin, W. F. Perger, and Atul Bhalla. Algorithm 707: CONHYP: A numerical evaluator of the confluent hypergeometric function for complex arguments of large magnitudes. *ACM Transactions on Mathematical Software*, 18(3):345–349, September 1992.

**Schweikard:1992:RZI**

- [759] Achim Schweikard. Real zero isolation for trigonometric polynomials. *ACM Transactions on Mathematical Software*, 18(3):350–359, September 1992.

**DiDonato:1992:ASD**

- [760] Armido R. DiDonato and Alfred H. Morris, Jr. Algorithm 708: Significant digit computation of the incomplete beta function ratios. *ACM Transactions on Mathematical Software*, 18(3):360–373, September 1992. See also [831].

**Buckley:1992:ATA**

- [761] A. G. Buckley. Algorithm 709: Testing algorithm implementations. *ACM Transactions on Mathematical Software*, 18(4):375–391, December 1992.

**Dongarra:1992:AFS**

- [762] J. J. Dongarra, G. A. Geist, and C. H. Romine. Algorithm 710: FORTRAN subroutines for computing the eigenvalues and eigenvectors of a general matrix by reduction to general tridiagonal form. *ACM Transactions on Mathematical Software*, 18(4):392–400, December 1992.

**Fisher:1992:DTO**

- [763] M. E. Fisher and L. S. Jennings. Discrete-time optimal control problems with general constraints. *ACM Transactions on Mathematical Software*, 18(4):401–413, December 1992.

**Nash:1992:ABS**

- [764] Stephen G. Nash and Ariela Sofer. Algorithm 711: BTN: Software for parallel unconstrained optimization. *ACM Transactions on Mathematical Software*, 18(4):414–448, December 1992.

**Leva:1992:FNR**

- [765] Joseph L. Leva. A fast normal random number generator. *ACM Transactions on Mathematical Software*, 18(4):449–453, December 1992.

- Leva:1992:ANR**
- [766] Joseph L. Leva. Algorithm 712: A normal random number generator. *ACM Transactions on Mathematical Software*, 18(4):454–455, December 1992.
- Boisvert:1992:PVS**
- [767] Ronald F. Boisvert and Bonita V. Saunders. Portable vectorized software for Bessel function evaluation. *ACM Transactions on Mathematical Software*, 18(4):456–469, December 1992. See also [778].
- Drezner:1992:CMN**
- [768] Zvi Drezner. Computation of the multivariate normal integral. *ACM Transactions on Mathematical Software*, 18(4):470–480, December 1992. See also [806].
- Aberth:1992:PCU**
- [769] Oliver Aberth and Mark J. Schaefer. Precise computation using range arithmetic, via C++. *ACM Transactions on Mathematical Software*, 18(4):481–491, December 1992.
- Cody:1993:ACP**
- [770] W. J. Cody. Algorithm 714: CELEFUNT: A portable test package for complex elementary functions. *ACM Transactions on Mathematical Software*, 19(1):1–21, March 1993.
- Cody:1993:ASE**
- [771] W. J. Cody. Algorithm 715: SPECFUN—A portable FORTRAN package of special function routines and test drivers. *ACM Transactions on Mathematical Software*, 19(1):22–32, March 1993.
- Wu:1993:ACH**
- [772] Trong Wu. An accurate computation of the hypergeometric distribution function. *ACM Transactions on Mathematical Software*, 19(1):33–43, March 1993.
- Kamel:1993:OES**
- [773] M. S. Kamel, K. S. Ma, and W. H. Enright. ODEXPERT: An expert system to select numerical solvers for initial value ODE systems. *ACM Transactions on Mathematical Software*, 19(1):44–62, March 1993.
- Cash:1993:MAM**
- [774] J. R. Cash and S. Semnani. A modified Adams method for NonStiff and mildly stiff initial value problems. *ACM Transactions on Mathematical Software*, 19(1):63–80, March 1993.
- Renka:1993:ATT**
- [775] R. J. Renka. Algorithm 716: TSPACK: Tension spline curve-fitting package. *ACM Transactions on Mathematical Software*, 19(1):81–94, March 1993.
- Snow:1993:CTP**
- [776] Dennis M. Snow. Computing tensor product decompositions. *ACM Transactions on Mathematical Software*, 19(1):95–108, March 1993.
- Bunch:1993:ASM**
- [777] David S. Bunch, David M. Gay, and Roy E. Welsch. Algorithm 717: Subroutines for maximum likelihood and quasi-likelihood estimation of parameters in nonlinear regression models. *ACM Transactions on Mathematical Software*, 19(1):109–130, March 1993.
- Boisvert:1993:CPV**
- [778] Ronald F. Boisvert and Bonita V. Saunders. Corrigendum: “Algorithm 713: Portable vectorized software for Bessel function evaluation”. *ACM Transactions on Mathematical Software*, 19(1):131–131, March 1993. See [767].

**Boisvert:1993:E**

- [779] Ronald F. Boisvert. Editorial. *ACM Transactions on Mathematical Software*, 19(2):135–135, June 1993.

**Duff:1993:CSE**

- [780] I. S. Duff and J. A. Scott. Computing selected eigenvalues of sparse unsymmetric matrices using subspace iteration. *ACM Transactions on Mathematical Software*, 19(2):137–159, June 1993.

**Demmel:1993:GSDa**

- [781] James Demmel and Bo Kågström. The generalized Schur decomposition of an arbitrary pencil  $A - \lambda B$ : Robust software with error bounds and applications. part I: Theory and algorithms. *ACM Transactions on Mathematical Software*, 19(2):160–174, June 1993.

**Demmel:1993:GSDb**

- [782] James Demmel and Bo Kågström. The generalized Schur decomposition of an arbitrary pencil  $A - \lambda B$ : Robust software with error bounds and applications. part II: Software and applications. *ACM Transactions on Mathematical Software*, 19(2):175–201, June 1993.

**Bai:1993:CCN**

- [783] Z. Bai, J. Demmel, and A. McKenney. On computing condition numbers for the nonsymmetric eigenproblem. *ACM Transactions on Mathematical Software*, 19(2):202–223, June 1993.

**Miminis:1993:AFS**

- [784] George Miminis and Michael Reid. Algorithm 718: A FORTRAN subroutine to solve the eigenvalues allocation problem for single-input systems. *ACM Transactions on Mathematical Software*, 19(2):224–232, June 1993.

**Greenberg:1993:EAC**

- [785] Harvey J. Greenberg. Enhancements of ANALYZE: A computer-assisted analysis system for linear programming. *ACM Transactions on Mathematical Software*, 19(2):233–256, June 1993.

**Fishman:1993:GSC**

- [786] George S. Fishman and L. Stephen Yarberry. Generating a sample from a  $k$ -cell table with changing probabilities in  $O(\log_2 k)$  time. *ACM Transactions on Mathematical Software*, 19(2):257–261, June 1993.

**Bentley:1993:TDI**

- [787] Jon L. Bentley, Mary F. Fernandez, Brian W. Kernighan, and Norman L. Schryer. Template-driven interfaces for numerical subroutines. *ACM Transactions on Mathematical Software*, 19(3):265–287, September 1993.

**Bailey:1993:AMT**

- [788] David H. Bailey. Algorithm 719: Multiprecision translation and execution of FORTRAN programs. *ACM Transactions on Mathematical Software*, 19(3):288–319, September 1993.

**Berntsen:1993:AAA**

- [789] Jarle Berntsen, Ronald Cools, and Terje O. Espelid. Algorithm 720: An algorithm for adaptive cubature over a collection of 3-dimensional simplices. *ACM Transactions on Mathematical Software*, 19(3):320–332, September 1993.

**Duffy:1993:NIL**

- [790] Dean G. Duffy. On the numerical inversion of Laplace transforms: Comparison of three new methods on characteristic problems from applications. *ACM*

*Transactions on Mathematical Software*, 19(3):333–359, September 1993.

**Pruess:1993:MSS**

- [791] Steven Pruess and Charles T. Fulton. Mathematical software for Sturm-Liouville problems. *ACM Transactions on Mathematical Software*, 19(3):360–376, September 1993.

**Shirts:1993:CES**

- [792] Randall B. Shirts. The computation of eigenvalues and solutions of Mathieu’s differential equation for noninteger order. *ACM Transactions on Mathematical Software*, 19(3):377–390, September 1993.

**Shirts:1993:AMM**

- [793] Randall B. Shirts. Algorithm 721: MTIEU1 and MTIEU2: Two subroutines to compute eigenvalues and solutions to Mathieu’s differential equation for noninteger and integer order. *ACM Transactions on Mathematical Software*, 19(3):391–406, September 1993.

**Haag:1993:QLA**

- [794] J. B. Haag and D. S. Watkins. QR-like algorithms for the nonsymmetric eigenvalue problem. *ACM Transactions on Mathematical Software*, 19(3):407–418, September 1993.

**Chang:1993:ICR**

- [795] S. Frank Chang and S. Thomas McCormick. Implementation and computational results for the hierarchical algorithm for making sparse matrices sparser. *ACM Transactions on Mathematical Software*, 19(3):419–441, September 1993.

**Cody:1993:AFS**

- [796] W. J. Cody and J. T. Coonen. Algorithm 722: Functions to support the IEEE standard for binary floating-point arithmetic. *ACM Transactions on Mathematical Software*, 19(4):443–451, December 1993.

**Snyder:1993:AFI**

- [797] W. Van Snyder. Algorithm 723: Fresnel integrals. *ACM Transactions on Mathematical Software*, 19(4):452–456, December 1993.

**Ribbens:1993:TPM**

- [798] Calvin J. Ribbens, Layne T. Watson, and Colin Desa. Toward parallel mathematical software for elliptic partial differential equations. *ACM Transactions on Mathematical Software*, 19(4):457–473, December 1993.

**Abernathy:1993:ASE**

- [799] Roger W. Abernathy and Robert P. Smith. Applying series expansion to the inverse beta distribution to find percentiles of the  $f$ -distribution. *ACM Transactions on Mathematical Software*, 19(4):474–480, December 1993.

**Abernathy:1993:APC**

- [800] Roger W. Abernathy and Robert P. Smith. Algorithm 724: Program to calculate  $f$ -percentiles. *ACM Transactions on Mathematical Software*, 19(4):481–483, December 1993.

**Clarkson:1993:RAF**

- [801] Douglas B. Clarkson, Yuan an Fan, and Harry Joe. A remark on algorithm 643: FEXACT: An algorithm for performing Fisher’s exact test in  $r \times c$  contingency tables. *ACM Transactions on Mathematical Software*, 19(4):484–488, December 1993.

- [802] W. Hörmann and G. Deflinger. A portable random number generator well suited for the rejection method. *ACM Transactions on Mathematical Software*, 19(4):489–495, December 1993.
- Hormann:1993:PRN**
- [803] Winifred K. Grassmann. Rounding errors in certain algorithms involving Markov chains. *ACM Transactions on Mathematical Software*, 19(4):496–508, December 1993.
- Grassmann:1993:REC**
- [804] B. N. Khoury, P. M. Paradalos, and D.-Z. Du. A test problem generator for the Steiner problem in graphs. *ACM Transactions on Mathematical Software*, 19(4):509–522, December 1993.
- Khoury:1993:TPG**
- [805] Stephen Joe and Ian H. Sloan. Implementation of a lattice method for numerical multiple integration. *ACM Transactions on Mathematical Software*, 19(4):523–545, December 1993. See also [823].
- Joe:1993:ILM**
- [806] Zvi Drezner. Corrigendum: “Algorithm 725. computation of the multivariate normal integral”. *ACM Transactions on Mathematical Software*, 19(4):546–546, December 1993. See [768].
- Drezner:1993:CAC**
- [807] Ronald F. Boisvert. Charter and scope: Transactions on mathematical software (TOMS). *ACM Transactions on Mathematical Software*, 20(1):1–2, March 1994.
- Boisvert:1994:CST**
- [808] Robert J. Renka. Charter and scope: Collected algorithms (CALGO). *ACM Transactions on Mathematical Software*, 20(1):3–3, March 1994.
- Neusius:1994:NTA**
- [809] Christian Neusius and Jan Olszewski. A noniterative thinning algorithm. *ACM Transactions on Mathematical Software*, 20(1):5–20, March 1994.
- Gautschi:1994:ACP**
- [810] Walter Gautschi. Algorithm 726: ORTHPOL—A package of routines for generating orthogonal polynomials and Gauss-type quadrature rules. *ACM Transactions on Mathematical Software*, 20(1):21–62, March 1994.
- Pennington:1994:NNL**
- [811] S. V. Pennington and M. Berzins. New NAG library software for first-order partial differential equations. *ACM Transactions on Mathematical Software*, 20(1):63–99, March 1994.
- Hashem:1994:AQE**
- [812] Sherif Hashem and Bruce Schmeiser. Algorithm 727: Quantile estimation using overlapping batch statistics. *ACM Transactions on Mathematical Software*, 20(1):100–102, March 1994.
- Calamai:1994:GQB**
- [813] Paul H. Calamai and Luis N. Vicente. Generating quadratic bilevel programming test problems. *ACM Transactions on Mathematical Software*, 20(1):103–119, March 1994.
- Calamai:1994:AFS**
- [814] Paul H. Calamai and Luis N. Vicente. Algorithm 728: FORTRAN subroutines for generating quadratic bilevel programming test problems. *ACM Transactions on Mathematical Software*, 20(1):120–123, March 1994.

- Jeffrey:1994:ETI**
- [815] D. J. Jeffrey and A. D. Rich. The evaluation of trigonometric integrals avoiding spurious discontinuities. *ACM Transactions on Mathematical Software*, 20(1):124–135, March 1994.
- Matstoms:1994:SQF**
- [816] Pontus Matstoms. Sparse QR factorization in MATLAB. *ACM Transactions on Mathematical Software*, 20(1):136–159, March 1994.
- Hansen:1994:CAF**
- [817] Per Christian Hansen and Tony F. Chan. Corrigendum: “Algorithm 729: FORTRAN subroutines for general Toeplitz systems”. *ACM Transactions on Mathematical Software*, 20(1):160–160, March 1994. See [752].
- Ammar:1994:CAI**
- [818] G. S. Ammar, L. Reichel, and D. C. Sorensen. Corrigendum: “Algorithm 730: An implementation of a divide and conquer algorithm for the unitary eigenproblem”. *ACM Transactions on Mathematical Software*, 20(1):161–161, March 1994. See [754].
- Salvy:1994:GMP**
- [819] Bruno Salvy and Paul Zimmerman. GFUN: A Maple package for the manipulation of generating and holonomic functions in one variable. *ACM Transactions on Mathematical Software*, 20(2):163–177, June 1994.
- Dayde:1994:PBI**
- [820] Michael J. Daydé, Iain S. Duff, and Antoine Petitet. A parallel block implementation of level-3 BLAS for MIMD vector processors. *ACM Transactions on Mathematical Software*, 20(2):178–193, June 1994. See [661, 687, 753].
- Blom:1994:AMG**
- [821] J. G. Blom and P. A. Zegeling. Algorithm 731: A moving-grid interface for systems of one-dimensional time-dependent partial differential equations. *ACM Transactions on Mathematical Software*, 20(2):194–214, June 1994.
- Hull:1994:ICE**
- [822] T. E. Hull, Thomas F. Fairgrieve, and Ping Tak Peter Tang. Implementing complex elementary functions using exception handling. *ACM Transactions on Mathematical Software*, 20(2):215–244, June 1994. See [843].
- Joe:1994:CIL**
- [823] Stephen Joe and Ian H. Sloan. Corrigendum: “Implementation of a lattice method for numerical multiple integration”. *ACM Transactions on Mathematical Software*, 20(2):245–245, June 1994. See [805].
- Cummins:1994:ASS**
- [824] Patrick F. Cummins and Geoffrey K. Vallis. Algorithm 732: Solvers for self-adjoint elliptic problems in irregular two-dimensional domains. *ACM Transactions on Mathematical Software*, 20(3):247–261, September 1994.
- Kraft:1994:ATF**
- [825] Dieter Kraft. Algorithm 733: TOMP—Fortran modules for optimal control calculations. *ACM Transactions on Mathematical Software*, 20(3):262–281, September 1994.
- Averbukh:1994:RA**
- [826] Victoria Z. Averbukh, Samuel Figueroa, and Tamar Schlick. Remark on algorithm 566. *ACM Transactions on*

*Mathematical Software*, 20(3):282–285, September 1994. See [325].

**More:1994:LSA**

- [827] Jorge Moré and David J. Thunte. Line search algorithms with guaranteed sufficient decrease. *ACM Transactions on Mathematical Software*, 20(3):286–307, September 1994.

**Buckley:1994:CFC**

- [828] A. G. Buckley. Conversion to Fortran 90: A case study. *ACM Transactions on Mathematical Software*, 20(3):308–353, September 1994.

**Buckley:1994:AFC**

- [829] A. G. Buckley. Algorithm 734: A Fortran 90 code for unconstrained nonlinear minimization. *ACM Transactions on Mathematical Software*, 20(3):354–372, September 1994.

**Kim:1994:PNA**

- [830] K. Kim and J. L. Nazareth. A primal null-space affine scaling method. *ACM Transactions on Mathematical Software*, 20(3):373–392, September 1994.

**Brown:1994:CAS**

- [831] Barry W. Brown and Lawrence Levy. Certification of algorithm 708: Significant digit computation of the incomplete beta. *ACM Transactions on Mathematical Software*, 20(3):393–397, September 1994. See [760].

**Taswell:1994:AWT**

- [832] Carl Taswell and Kevin C. McGill. Algorithm 735: Wavelet transform algorithms for finite-duration discrete-time signals. *ACM Transactions on Mathematical Software*, 20(3):398–412, September 1994.

**Dunkl:1994:CHI**

- [833] C. F. Dunkl and D. E. Ramirez. Computing hyperelliptic integrals for surface measure of ellipsoids. *ACM Transactions on Mathematical Software*, 20(4):413–426, December 1994.

**Dunkl:1994:AH1**

- [834] C. F. Dunkl and D. E. Ramirez. Algorithm 736: Hyperelliptic integrals and the surface measure of ellipsoids. *ACM Transactions on Mathematical Software*, 20(4):427–435, December 1994.

**Feuechtel:1994:NAE**

- [835] H. Feuechtel and P. Otto. A new algorithm for the evaluation of the incomplete gamma function on vector computers. *ACM Transactions on Mathematical Software*, 20(4):436–446, December 1994.

**Kearfott:1994:AIP**

- [836] R. B. Kearfott, M. Dawande, K. Du, and C. Hu. Algorithm 737: INTLIB: A portable Fortran-77 elementary function library. *ACM Transactions on Mathematical Software*, 20(4):447–459, December 1994.

**Peters:1994:EAE**

- [837] Jorg Peters. Evaluation and approximate evaluation of the multivariate Bernstein-Bézier form on a regularly partitioned simplex. *ACM Transactions on Mathematical Software*, 20(4):460–480, December 1994.

**Li:1994:RSA**

- [838] Kim-Hung Li. Reservoir sampling algorithms of time complexity  $O(n(1 + \log(N/n)))$ . *ACM Transactions on Mathematical Software*, 20(4):481–493, December 1994.

- Bratley:1994:APG**
- [839] Paul Bratley, Bennett L. Fox, and Harald Niederreiter. Algorithm 738: Programs to generate Niederreiter's low-discrepancy sequences. *ACM Transactions on Mathematical Software*, 20(4):494–495, December 1994.
- Gustafsson:1994:CTT**
- [840] Kjell Gustafsson. Control theoretic techniques for stepsize selection in implicit Runge-Kutta methods. *ACM Transactions on Mathematical Software*, 20(4):496–517, December 1994.
- Chow:1994:ASP**
- [841] Ta-Tung Chow, Elizabeth Eskow, and Robert B. Schnabel. Algorithm 739: A software package for unconstrained optimization using tensor methods. *ACM Transactions on Mathematical Software*, 20(4):518–530, December 1994.
- Pinar:1994:DPL**
- [842] Mustafa Pinar and Stavros A. Zenios. Data-level parallel linear-quadratic penalty algorithm for multicommodity network flows. *ACM Transactions on Mathematical Software*, 20(4):531–552, December 1994.
- Anonymous:1994:C**
- [843] Anonymous. Corrigenda. *ACM Transactions on Mathematical Software*, 20(4):553–553, December 1994. See [822].
- Boisvert:1995:PST**
- [844] Ronald F. Boisvert. Purpose and scope: TOMS. *ACM Transactions on Mathematical Software*, 21(1):1–2, March 1995.
- Hopkins:1995:PSC**
- [845] Tim R. Hopkins. Purpose and scope: CALGO. *ACM Transactions on Mathematical Software*, 21(1):3–3, March 1995.
- Jones:1995:IIC**
- [846] Mark T. Jones and Paul E. Plassmann. An improved incomplete Cholesky factorization. *ACM Transactions on Mathematical Software*, 21(1):5–17, March 1995.
- Jones:1995:AFS**
- [847] Mark T. Jones and Paul E. Plassmann. Algorithm 740: Fortran subroutines to compute improved incomplete Cholesky factorizations. *ACM Transactions on Mathematical Software*, 21(1):18–19, March 1995.
- Ray:1995:ALS**
- [848] Richard D. Ray. Algorithm 741: Least squares solution of a linear bordered, block-diagonal system of equations. *ACM Transactions on Mathematical Software*, 21(1):20–25, March 1995.
- Fateman:1995:FFP**
- [849] Richard J. Fateman, Kevin A. Broughan, Diane K. Willcock, and Duane Rettig. Fast floating point processing in Common Lisp. *ACM Transactions on Mathematical Software*, 21(1):26–62, March 1995.
- Kearfott:1995:FER**
- [850] R. Baker Kearfott. A Fortran 90 environment for research and prototyping of enclosure algorithms for nonlinear equations and global optimization. *ACM Transactions on Mathematical Software*, 21(1):63–78, March 1995.
- Dongarra:1995:SDX**
- [851] Jack Dongarra, Tom Rowan, and Reed Wade. Software distribution using XNETLIB. *ACM Transactions on*

*Mathematical Software*, 21(1):79–88,  
March 1995.

**Grosse:1995:RM**

- [852] Eric Grosse. Repository mirroring. *ACM Transactions on Mathematical Software*, 21(1):89–97, March 1995.

**Demetriou:1995:ALF**

- [853] I. C. Demetriou. Algorithm 742: L2CXFT: A Fortran subroutine for least squares data fitting with nonnegative second divided differences. *ACM Transactions on Mathematical Software*, 21(1):98–110, March 1995.

**Weber:1995:AIG**

- [854] Ken Weber. The accelerated integer GCD algorithm. *ACM Transactions on Mathematical Software*, 21(1):111–122, March 1995.

**Bongartz:1995:CCU**

- [855] I. Bongartz, A. R. Conn, Nick Gould, and Ph.L. Toint. CUTE: Constrained and unconstrained testing environment. *ACM Transactions on Mathematical Software*, 21(1):123–160, March 1995.

**Hanson:1981:APE**

- [856] D. R. Hanson. Algorithm 568: PDS—A portable directory system. *ACM Transactions on Programming Languages and Systems*, 7(2):162–167, April 1981.